





Vent-Bettina

Designed in 2002

shown in Brushed Nickel
with wood blades



	Safety cages available for low ceilings.
	Suitable for Damp Location**
	Compatible with Downrod Light Canopy
	U.S.A. Components and Labor







shown in Polished Chrome with
metal blades and safety cage



The Vent-Bettina rotational ceiling fan is thoughtfully designed with its arms gently upward curving. The fan offers fluid lines and quiet axial rotation. The motor heads can be infinitely positioned in 180-degree arcs for optimum air movement; the greater the angles of the motors to the horizontal support rods (up or down), the faster the axial rotation. A slow, controlled axial rotation is achieved by both motor head position and fan blade speed.

- Matthews rotational fans circulate heat and air conditioning more efficiently than traditional paddle fans.
- Constructed of cast aluminum, heavy spun and stamped steel, the Bettina carries a limited lifetime warranty.
- Each unique motor mount and fan head knob is made of genuine marbled Bakelite.
- The Bettina is available with the following blade options:
 - metal blades with decorative metal blade guards
 - solid, ecologically harvested Brazilian mahogany blades without blade guards
 - metal blades with metal safety cages for use in low ceiling applications (7 ft in US / 8.2 ft in Canada)

Standard Finishes

Special Order
Finishes

MATTHEWS


FAN COMPANY



Vent-Bettina

weight: 19 lbs
voltage: 110*

10", 20", 30", 48" or 72"
downrods available



Increasing Angles of Fan Heads to Support Poles Increases Speed of Axial Rotation
Optimum Fan Head Position is 60°

CFM: 6174
(Wood Blades)

CFM: 4994
(Metal Blades)

The Vent-Bettina can be mounted with any one of the following downrod lengths: 10, 20, 30, 48 or 72".

- The downrods can be easily field cut; they are not threaded.

The Vent-Bettina is compatible with flat or vaulted ceiling canopies.

All fans best regulated by variable speed wall controls.

Metal bladed fans with protective powder or clear coatings are suitable for Damp Location.

Safety cages available for low ceiling applications.

*Please contact us for possible 220V conversions.

**Damp location with powder or clear coat only.

Not recommended for salt water / ocean front applications.



**Damp Location