



MUSTEE
Preferred by the "Pros"

DURABASE® Fiberglass Shower Floors Square, Single Threshold

SEE PAGES 2-3 FOR A LIST OF ACCESSORIES!



Design features:

- Sturdy, 1-piece molded fiberglass construction — ribbed underbody for extra strength, slip resistant Starburst® surface
- Integral molded drain with seal for connection to 2" Sch. #40 ABS, PVC or iron DWV sanitary drain pipe. See optional drain seals for 1-1/2" pipe and 2" copper — removable strainer
- Available in White, Biscuit and Bone (see chart below)
- Semi-gloss surface — resistant to mold and mildew, easy to clean
- Designed to be used with Mustee's DURAWALL® shower walls, ceramic tile or preformed wall kit



Code Accepted

- International Association of Plumbing and Mechanical Officials® (IAPMO®)
- Warnock Hersey® (Canada) Listed – CSA test standards Shower Floor
- American National Standards Institute (ANSI) - Specification ANSI Z 124-2011
- American Society of Testing and Materials (ASTM) – D.635, E-84 and E-162
- CAN/ULC S102-07 Burn and Smoke Test

Specifications

Model	Nom. Size	Color	UPC	A	B	C	D
3232M	32" x 32"	White	6 71031 00078 1	32"	32"	16"	16"
3232BN	32" x 32"	Bone	6 71031 00075 0	32"	32"	16"	16"
3434M	34" x 34"	White	6 71031 00101 6	34"	34"	17"	17"
3636M	36" x 36"	White	6 71031 00148 1	36"	36"	18"	18"
3636BN	36" x 36"	Bone	6 71031 00136 8	36"	36"	18"	18"
3636BT	36" x 36"	Biscuit	6 71031 00350 8	36"	36"	18"	18"
4242M	42" x 42"	White	6 71031 00334 8	42"	42"	21"	21"

General: Furnish and install as shown on plans. DURABASE® square, single threshold shower floor model _____ as manufactured by E.L. Mustee & Sons, Inc. Floor to be one-piece, molded fiberglass, made with matched metal molds. Surface to be slip-resistant Starburst® design that does not interfere with the flow of water. Size _____" x _____". Shoulder will be no less than 3" high or less than 1" wide. Tiling flange will extend not less than 1" higher than the threshold which provides an integral molded water barrier. Threshold will be not less than 4 1/2" high. Molded-in drain and drain seal for installation of 2" iron DWV (Sch. 40) PVC or ABS sanitary drain pipe. Removable strainer. Shall meet ANSI Z 124-2011. Color: _____ (White, Bone, Biscuit)



E.L. Mustee & Sons, Inc. • 5431 West 164th Street • Brook Park, OH 44142 • Phone: 216.267.3100 • Fax: 216.267.9997
E-mail: info@mustee.com • Web: www.mustee.com • Proudly made in the USA

Notice: Our continuous commitment to product improvement may result in changes to product specifications without notice. Patents pending. Made and Printed in U.S.A.



Mustee's DURABASE® Shower Floors are just the beginning of a beautiful shower space that can be created in virtually any location. The accessory products presented here will help you build the shower of your dreams, starting with Mustee's renown DURABASE® Shower Floors.


GapSeal-Pro™ — FOR ALL SHOWER FLOORS AND BATHTUBS



Model No.	Description	UPC
60.320A	132" long x 2" tall	6 71031 00496 3

The flexible PVC GapSeal-Pro™ features a strong adhesive strip that allows it to be easily positioned to "extend" tile flange and effectively seal the gap between drywall or like-surfaces on shower floors or bathtubs. Patent pending.

Drain Seals



Model No.	Description	UPC
32.404	Drain Seal for 2" copper pipe	6 71031 00313 3
32.405	Drain Seal for 1-1/2" ABS/PVC pipe	6 71031 00397 3

Designed to effectively seal the connection between DWV piping and the molded-in drain for all DURABASE® shower floors.

Strainers



Model No.	Description
34.301	Strainer – Stainless steel
42.322	Strainer – Molded plastic - White
42.323	Strainer – Molded plastic - Bone
42.326	Strainer – Molded plastic - Chrome
42.327	Strainer – Molded plastic - Gold

Premium grade, removable strainers.

572T VARISTONE™ — 5 PANEL SQUARE SHOWER WALLS, ADHESIVE-MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
572TWHT	Widths to 60"; Depths to 34" or widths to 39"; Depths to 42"	3232M, 3434M 3636M	6 71031 00420 8
572TBN	Widths to 60"; Depths to 34" or widths to 39"; Depths to 42"	3232BN, 3636BN	6 71031 00421 5

732 DURAWALL® — 3-PANEL SQUARE SHOWER WALLS, DIRECT TO STUDWALL MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
732WHT	32" wide; 32" deep	3232M	6 71031 00248 8
732BN	32" wide; 32" deep	3232BN	6 71031 00249 5

736 DURAWALL® — 3-PANEL SQUARE SHOWER WALLS, DIRECT TO STUDWALL MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
736WHT	36" wide; 36" deep	3636M	6 71031 00209 9
736BN	36" wide; 36" deep	3636BN	6 71031 00204 4





247 DURAWALL® — 5-PANEL SQUARE SHOWER WALLS, ADHESIVE MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
247WHT	Widths to 48"; Depths to 42"	3232M, 3434M 3636M, 4242M	6 71031 00048 4

260 DURAWALL® — 5-PANEL SQUARE SHOWER WALLS, ADHESIVE MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
260WHT	Widths to 60"; Depths to 40"	3232M, 3434M 3636M	6 71031 00053 8
260BN	Widths to 60"; Depths to 40"	3636BN	6 71031 00050 7

265 DURAWALL® — 5-PANEL SQUARE OR RECTANGULAR SHOWER WALLS, ADHESIVE MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
265WHT	Widths to 71"; Depths to 41-1/2"	3232M, 3434M 3636M	6 71031 00478 9

STYLEMATE® — PIVOT DOOR ENCLOSURES



Model No.	Opening Sizes	Finish	Glass	Fits DURABASE®	UPC (for enclosure)
32.705	29" – 31"	Chrome	Clear	3232M	6 71031 00462 8
32.706	29" – 31"	Oil Rubbed Bronze	Clear	3232M	6 71031 00463 5
36.403	34" – 35-1/2"	Chrome	Clear	3636M	6 71031 00464 2
36.404	34" – 35-1/2"	Oil Rubbed Bronze	Clear	3636M	6 71031 00465 9

