



**PROFESSIONALLY SEALED WITH  
GREAT STUFF PRO™ PRODUCTS**

**ENHANCED PROTECTION ON EVERY LEVEL**

## AIR LEAKS ARE A BIG WASTE

Air infiltration can cause:

- Increased heating/cooling bills
- Excess fuel consumption to condition the home's interior
- Heating/cooling system overuse, which can shorten its life or cause the home to require a larger unit than necessary
- Increased greenhouse gas emissions
- Entry of unwanted moisture, dust or other allergens, noise, insects, etc.

Don't waste any time, seal these air leaks with easy-to-use GREAT STUFF PRO™ products. At only a few dollars per can, GREAT STUFF PRO™ Insulating Foam Sealants can save big bucks.

Air infiltration accounts for 25%-40% of a home's energy loss.\*  
GREAT STUFF PRO™ Insulating Foam Sealants can fill the void.



Compressing fiberglass insulation causes it to lose insulating value. Stuffing fiberglass insulation into narrow, hard-to-fill gaps leads to limited insulation value and a poor air seal.



### TYPICAL SOURCES OF AIR LEAKS

Plumbing stack vent	Outdoor faucet	Holes and tears in housewrap/vapor barrier
Interior partitions	Chases/soffits/drop ceilings	Sill plate
Attic hatch	Cracks/separation in foundation wall/basement floor	Windows
Kitchen fan vent	Floor drain/weeping tile	Entry points for electrical service, TV cable and telephone
Light fixtures/electrical outlets (outside perimeter of electrical boxes)**	Dryer vent	Bathroom fan vent
Doors		

\*Source: www.energystar.gov

\*\*Before applying, turn off electrical power to that area of the home. Be sure that wiring has protective covering. Never apply foam to exposed wiring or inside an electrical box.

# GREAT STUFF PRO™ GAPS & CRACKS INSULATING FOAM SEALANT



In the United States, GREAT STUFF PRO™ Gaps & Cracks was the first foam to be recognized as a fireblock, which means it resists the free passage of flames to other areas of the building through concealed spaces. The foam is a bright orange color, easily identifiable by U.S. code officials.



GREAT STUFF PRO™ Gaps & Cracks Insulating Foam Sealant is a minimal-expanding gap/crack filler.

- Forms a permanent, airtight and water-resistant bond
- Fills, seals and insulates gaps up to 3" (76 mm)
- Tack-free in 5-10 minutes; trims within 1 hour
- Foam elasticity allows for movement within a structure
- Paintable/sandable

Estimated Yields for GREAT STUFF PRO™ Gaps & Cracks <sup>(1)</sup>			
Can Size, oz. (g)	Delivery	Yield, linear ft (m)	Number of Quart Tubes of Caulk Replaced by Can
24 (681)	Gun	970 (296)	Up to 22
24 (681)	Reusable Straw	775 (236)	Up to 18

(1) Based on ideal conditions and 3/8" (1 cm) diameter bead.

See How Easy*	
Project	Seal rim joist
Product	GREAT STUFF PRO™ Gaps & Cracks Insulating Foam Sealant
Energy Savings	<b>\$125</b> annually
Payback	<b>&lt;3</b> months
Return on Investment	<b>600%</b>

## PROFESSIONALLY SEALED



Attic hatch



Electrical wire penetration



Plumbing penetration



Sill plate

©™Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow  
 \*In a study conducted by Dow and D.R. Nelson & Associates, air loss was measured in 15 homes using blower door tests. Potential energy savings were estimated using REM Home Energy Analysis Software. Results vary based on construction, style, year built, and other distinct home characteristics. Participating homeowners were current employees of Dow.



\*Up to 30 days



## GREAT STUFF PRO™ WINDOW & DOOR INSULATING FOAM SEALANT

GREAT STUFF PRO™ Window & Door Insulating Foam Sealant is exclusively formulated to stop drafts by air sealing the gap between the window or door and its rough opening.

- Low pressure-build formulation proven not to distort or bow window and door frames when applied properly\*
- Forms a durable, airtight, moisture-resistant bond
- Tack-free in 5-10 minutes; trims within 1 hour
- Flexible seal remains pliable during expansion and contraction
- Easy to push and reposition foam if gap is overfilled

### Estimated Yields for GREAT STUFF PRO™ Window & Door

Can Size, oz. (g)	Delivery	Number of Windows <sup>(1)</sup>
20 (567)	Straw	6-9
20 (567)	Gun	8-11

(1) Based on ideal conditions and 36" x 60" (1 m x 1.5 m) window, 3/8" (1 cm) wide gap, 1" (25 mm) deep, 3/8" diameter bead.

## GREAT STUFF PRO™ WALL & FLOOR ADHESIVE



Reduce nail pops in drywall attachment and use fewer fasteners with GREAT STUFF PRO™ Wall & Floor Adhesive.

GREAT STUFF PRO™ Wall & Floor Adhesive is a premium-grade, heavy-duty adhesive for interior and exterior use. Available in 26.5 oz (751 g) cans.

### SECURES COMMON SUBSTRATES

- Drywall
- Interior acoustical ceiling tiles
- Lumber, particleboard and plywood
- Masonry, tile and concrete
- STYROFOAM™ Brand Extruded Polystyrene Foam Insulation

©™Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow  
 \*Tested to AAMA 812-04 pressure-build at 0.08 psi (gun foam).  
 \*\*Based on ideal conditions and 1/4" (6 mm) diameter bead.



### BENEFITS

- Excellent bonding power; fewer fasteners are required in drywall applications
- Adheres to dry, damp and frozen lumber
- All-weather formulation enhances productivity
- Freeze/thaw stability
- Fast-grab tack; initial bond in approximately 2 hours when applied properly
- High yield (one can equivalent up to 16 quart tubes of caulk adhesive)\*\*
- Long-term bond reduces likelihood of drywall nail pops and floor squeaks
- Recommended use with ICF (insulated concrete form) and SIP (structural insulated panel) construction

## PRO SERIES FOAM DISPENSING GUNS

### 30-DAY RESTARTABILITY

- Designed to create air- and moisture-tight seal between gun and can
- Seal prevents foam in can from curing and blocking dispensing valve
- Store can upright with gun securely attached and flow control knob closed for up to 30 days

### PINPOINT CONTROL

- Flow control for varying bead size from 1/8" to 3" (0.3 cm to 8 cm)
- One-hand operation for easy application

### MAXIMUM YIELD

- No post-dispensing foam drip
- Less foam waste due to restartability and pinpoint control



PRO 15

- Premium model with stainless steel barrel for longer life
- Nonstick can adapter, needle and check valve
- Smooth dispensing nozzle



PRO 14

- Durable, lightweight, high-strength aluminum body
- Nonstick can adapter
- Replaceable smooth dispensing nozzle
- Includes one needle-nose tip



PRO 13

- Most economical GREAT STUFF PRO™ gun
- Lightweight, durable plastic handle and body with metal trigger
- Replaceable barbed dispensing nozzle
- Includes two 8" plastic extension straws and two 2" cone-shaped tips

## GREAT STUFF PRO™ GUN CLEANER

- Innovative solution simplifies uncured polyurethane foam cleanup
- Works with PRO Series foam dispensing guns
- Inexpensive and easy to use
- Formulated to give exceptional results cleaning uncured foam from gun or can surface

### INCLUDES TWO OPERATING ATTACHMENTS:

#### 1 Cleaner with black gun adapter mechanism.



Attach gun to can.

Clean residual uncured foam from inside of gun.



#### 2 Cleaner with red spray nozzle attached.



Remove uncured foam from gun.

Remove uncured foam from gun adapter on can.

*When using to clean gun or cans, always point away from people and open flames.*

NOTICE: No freedom from any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries or regions. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO EXPRESS WARRANTIES ARE GIVEN EXCEPT FOR ANY APPLICABLE WRITTEN WARRANTIES SPECIFICALLY PROVIDED BY DOW. ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

**Dow Polyurethane Foam Insulation and Sealants**

CAUTION: When cured, these products are combustible and will burn if exposed to open flame or sparks from high-energy sources. Do not expose to temperatures above 240°F (116°C). For more information, consult MSDS, call Dow at 1-866-583-BLUE (2583) or contact your local building inspector. In an emergency, call 1-989-636-4400 in the U.S. or 1-519-339-3711 in Canada.

GREAT STUFF PRO™ Insulating Foam Sealants contain isocyanate and a flammable blowing agent. Read the labels and Material Safety Data Sheets carefully before use. Eliminate all sources of ignition before use. Wear long sleeves, gloves, and goggles or safety glasses. Provide adequate ventilation or wear proper respiratory protection. Contents under pressure.

GREAT STUFF PRO™ Gun Cleaner is flammable and contains acetone and propane. Read the label and Material Safety Data Sheet carefully before use. Eliminate all sources of ignition before use. Wear gloves, and goggles or safety glasses. Provide adequate ventilation or wear proper respiratory protection. Contents under pressure.

Building and/or construction practices unrelated to building materials could greatly affect moisture and the potential for mold formation. No material supplier including Dow can give assurance that mold will not develop in any specific system.

[www.dowgreatstuff.com](http://www.dowgreatstuff.com)

THE DOW CHEMICAL COMPANY . Dow Building Solutions . 200 Larkin . Midland, MI 48674  
DOW CHEMICAL CANADA ULC . Dow Building Solutions . Suite 2100 . 450 – 1st St., SW . Calgary, AB T2P 5H1  
For Technical Information: 1-866-583-BLUE (2583) (English) . 1-800-363-6210 (French)  
For Sales Information: 1-800-232-2436 (English) . 1-800-565-1255 (French)

*a proud partner of*



Printed in U.S.A.

Form No. 179-07481-0314 CDP  
178-00460-0314 CDP

CDP 44826

