

ioDIGITAL™ TECHNOLOGY



EFFECTIVE FEBRUARY 1, 2009

 **MOEN**
Buy it for looks. Buy it for life.®



ioDIGITAL is proof that advancements in technology don't have to be intimidating or overly complicated. With intuitive controls and simple operation, Moen made ioDIGITAL as easy as it is innovative.

Intelligent.

ioDIGITAL will tell you everything you need to know – before you get in and get wet. The intelligent controller provides quick, visual feedback – LED indicators flash until your requested settings are achieved. The LED gauges will even alert you if your hot water supply happens to run low. All it takes is a glance. Think of it as love at first sight.

Consistent.

One of the greatest advantages of ioDIGITAL digital technology is the ability to program your preferred settings into memory. With flexibility to store up to four different presets, you can get the exact bath or shower experience you want again and again with the touch of just one button from the controller or remote control. Nothing could be easier.

Precise.

With each LED on the temperature gauge representing a narrow 3°F range, ioDIGITAL allows you to dial in the precise temperature you desire. Plus, the flow rate system locks in your settings electronically. Even if water is turned on in other parts of your house, you won't have a noticeable fluctuation in water temperature or delivery.



Above: ioDIGITAL Vertical Spa Valve
Left: ioDIGITAL Vertical Spa Controller and Remote Control



TABLE OF CONTENTS

ioDIGITAL VERTICAL SPA SETS	4
SHOWERING ACCESSORIES	5
ioDIGITAL SHOWERING	9
ioDIGITAL ROMAN TUB	
Rothbury™	10
Icon™	11
Vestige®	12
Kingsley™	13
SERVICE PARTS & ACCESSORIES	14





SUGGESTED LIST PRICE

Listed in Numerical Order


MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE MFG. NO. 026508	CASE QTY.	MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE MFG. NO. 026508	CASE QTY.
295	1230.00	4	190456	1	T3420ORB	790.80	4	190630	3
295BN	1825.50	4	190463	1	T3490	479.25	10	190647	3
295ORB	1946.50	4	190470	1	T3490BN	585.75	10	190654	3
A340	159.75	4	190517	24	T3490ORB	612.40	10	190661	3
A340BL	159.75	4	190524	24	4994	508.25	10	002773	3
A349	159.75	10	190531	24	4998	48.15	10	190500	6
A349BL	159.75	10	190548	24	T921I	200.25	13	190678	3
338I	508.25	9	190478	3	T921IBN	315.25	13	190685	3
3384	1177.00	4	190494	1	T921IORB	325.90	13	190692	3
T3405	559.20	9	190555	3	T922I	226.85	10	190708	3
T3405BN	772.20	9	190562	3	T922IBN	321.65	10	190715	3
T3405ORB	814.75	9	190579	3	T922IORB	351.45	10	190722	3
T3415	479.25	9	190586	3	T932I	183.20	12	190739	3
T3415BN	585.75	9	190593	3	T932IBN	248.15	12	190746	3
T3415ORB	612.40	9	190609	3	T932IORB	265.20	12	190753	3
T3420	644.35	4	190616	3	T962I	192.00	11	190760	3
T3420BN	767.50	4	190623	3	T962IBN	315.25	11	190777	3

VERTICAL SPA SETS

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.








ioDIGITAL™ VERTICAL SPA SETS	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.
ioDIGITAL VERTICAL SPA						
	3384	1,177.00	—	ioDIGITAL vertical spa valve – 3/4" <ul style="list-style-type: none"> compatible with M•PACT common valve system 3/4" inlet push-fit connectors work with CC, PEX and CPVC 1/2" outlet push-fit connectors work with CC, PEX and CPVC 4 outlet ports precise temperature and flow control fits in standard 2"x4" wall construction 30' data cable connects to ioDIGITAL controller includes power cable 	1	7.9
	295	1,230.00	Chrome	Trim kit for ioDIGITAL vertical spa	1	12.5
	295BN	1,825.50	Brushed Nickel	• compatible with M•PACT system	1	12.5
	295ORB	1,946.50	Oil Rubbed Bronze	• ioDIGITAL vertical spa controller with bright LEDs, on/off, temperature control, flow rate control, pause function, 4 presets, and waterspray outlet selection/temperature readout LCD screen	1	12.5
				• 4 body sprays • rainshower showerhead featuring exclusive Immersion technology • four function hand shower with slidebar • drop ell *When used with A750, the slidebar can act as a handgrip Valve not included Requires 1 (3384) ioDIGITAL vertical spa valve		
	T3420	644.35	Chrome	ioDIGITAL vertical spa controller	3	1.6
	T3420BN	767.50	Brushed Nickel	• bright LEDs for temperature and flow rate indication	3	1.6
	T3420ORB	790.80	Oil Rubbed Bronze	• LCD screen for waterspray outlet selection and digital temperature setting readout • digital temperature, waterspray outlet selection, and flow rate control • 4 presets • pause function • flexible mounting options	3	1.6
	A340	159.75	Chrome	ioDIGITAL Remote for shower and vertical spa	24	0.3
	A340BL	159.75	Black	• on/off control • activate 4 presets • wall mount bracket • 30' range • battery powered	24	0.3

Two Ways To Order A Complete ioDIGITAL Vertical Spa Set!



SHOWERING ACCESSORIES







All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

HAND SHOWERS	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.
HAND SHOWERS						
	3887	215.05	Chrome	Single function hand shower with slide bar	6	9.0
	3887BN	459.75	Brushed Nickel	<ul style="list-style-type: none"> fits M•PACT system 1 spray pattern 69" flexible hose assembly vacuum breaker 30" slide bar with attaching hardware *When used with A750, the slidebar can act as a handgrip THIS IS NOT A GRAB BAR NOT TO BE USED FOR SUPPORT	6	9.0
				 Drop ell required for installation Drop ell sold separately (A725 series)		
	3867	215.05	Chrome	Four function hand shower with slide bar	6	4.7
	3867BN	459.75	Brushed Nickel	<ul style="list-style-type: none"> fits M•PACT system 	6	4.7
	3867ORB	505.75	Oil Rubbed Bronze	<ul style="list-style-type: none"> 4 spray patterns - massage, full, vigorous, combination 69" flexible hose assembly vacuum breaker 30" slide bar with attaching hardware *When used with A750, the slidebar can act as a handgrip THIS IS NOT A GRAB BAR NOT TO BE USED FOR SUPPORT	6	4.7
			 Drop ell required for installation Drop ell sold separately (A725 series)			
	A725	39.45	Chrome	Drop ell	12	0.4
	A725BN	55.75	Brushed Nickel	<ul style="list-style-type: none"> 1/2" IPS connections 	12	0.4
	A725ORB	61.35	Oil Rubbed Bronze		12	0.4
	A750	30.65	—	Secure mount anchor	3	0.4
				<ul style="list-style-type: none"> can be used with 3867 and 3869 series slidebars 2 per pack 		
BODY SPRAYS						
	A501	73.15	Chrome	Body spray	12	0.9
	A501BN	91.45	Brushed Nickel	<ul style="list-style-type: none"> fits M•PACT system 	12	0.9
	A501ORB	100.55	Oil Rubbed Bronze	<ul style="list-style-type: none"> single spray pattern 1/2" IPS connections 1.75 gpm (6.6 L/min) 	12	0.9

SHOWERING ACCESSORIES

Showerheads 2.5 gpm (9.5 L/min) max.





All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

HAND SHOWERS	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.
HAND SHOWERS						
	3861	190.75	Chrome	Single function hand shower with wall bracket	6	3.1
	3861BN	361.45	Brushed Nickel	• fits M•PACT system	6	3.2
	3861ORB	397.60	Oil Rubbed Bronze	• 1 spray pattern	6	3.1
				• 69" double swivel hose assembly • vacuum breaker		
 Drop ell required for installation Drop ell sold separately (A725 series)						
	3869	215.05	Chrome	Single function hand shower with slide bar	6	4.6
	3869BN	459.75	Brushed Nickel	• fits M•PACT system	6	4.6
	3869ORB	505.75	Oil Rubbed Bronze	• 1 spray pattern	6	4.6
				• 69" flexible hose assembly • vacuum breaker *When used with A750, the sidebar can act as a handgrip		
 Drop ell required for installation Drop ell sold separately (A725 series)						
	A725	39.45	Chrome	Drop ell	12	0.4
	A725BN	55.75	Brushed Nickel	• 1/2" IPS connections	12	0.4
	A725ORB	61.35	Oil Rubbed Bronze		12	0.4
	A750	30.65	—	Secure mount anchor	3	0.4
				• can be used with 3867 and 3869 series slidebars • 2 per pack		

SHOWERING ACCESSORIES







Showerheads 2.5 gpm (9.5L/min) max.

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

SHOWERHEADS	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.
SHOWERHEADS						
	6320	193.70	Chrome	Velocity™ multifunction rainshower	3	3.6
	6320BN	304.40	Brushed Nickel	• 2 spray patterns - rainshower and concentrated rinse	3	3.6
	6320ORB	334.85	Oil Rubbed Bronze	• spray face diameter 8" • 1/2" IPS connections • Immersion technology	3	3.6
	6310	129.75	Chrome	Single function rainfall showerhead	3	2.0
	6310BN	180.25	Brushed Nickel	• 1 spray pattern	3	2.0
	6310ORB	189.25	Oil Rubbed Bronze	• spray face diameter 7" • 1/2" IPS connections • Immersion technology	3	2.0
	104239	96.90	Chrome	Single function showerhead	6	2.2
	104239BN	131.95	Brushed Nickel	• 1 spray pattern	6	2.5
	104239ORB	145.15	Oil Rubbed Bronze	• 1/2" IPS connections	6	2.5
	3838	75.35	Chrome	Four function showerhead	6	1.3
	3838BN	127.80	Brushed Nickel	• 4 spray patterns – massage, full, vigorous, combination	6	1.1
	3838ORB	140.60	Oil Rubbed Bronze	• 1/2" IPS connections	6	1.1





SHOWERING ACCESSORIES

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


SHOWER ARMS & FLANGES	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.
SHOWER ARMS & FLANGES						
	I0154	15.00	Chrome	Shower arm, 6"	20	0.3
	I0154BN	26.90	Brushed Nickel	• 1/2" IPS connections	20	0.3
	I0154ORB	29.60	Oil Rubbed Bronze		20	0.3
	I23815	21.45	Chrome	Shower arm, 8"	12	0.5
	I23815BN	35.70	Brushed Nickel	• 1/2" IPS connections	12	0.5
	I23815ORB	39.25	Oil Rubbed Bronze		12	0.5
	I16651	10.40	Chrome	6" straight shower arm	6	0.5
	I16651BN	17.55	Brushed Nickel	• 1/2" IPS connections	6	0.5
	I16651ORB	22.80	Oil Rubbed Bronze		6	0.5
	226651	31.95	Chrome	12" straight shower arm	6	0.9
	226651BN	62.10	Brushed Nickel	• 1/2" IPS connections	6	0.9
	226651ORB	68.30	Oil Rubbed Bronze		6	0.9
	AT2199	6.10	Chrome	Shower arm flange	12	0.1
	AT2199BN	16.05	Brushed Nickel		12	0.1
	AT2199ORB	17.65	Oil Rubbed Bronze		12	0.1
	I37488	5.75	Chrome	Shower arm flange	12	0.1
	I37488BN	15.05	Brushed Nickel		12	0.1

SHOWERING

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.





ioDIGITAL™ SHOWERING	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.
ioDIGITAL SHOWERING						
	3381	508.25	—	ioDIGITAL shower valve	3	7.9
				<ul style="list-style-type: none"> compatible with M•PACT common valve system 1/2" push-fit connectors with stop work with CC, PEX and CPVC precise temperature and flow control fits in standard 2"x4" wall construction 30' data cable connects to ioDIGITAL controller power cable included 		
	T3405	559.20	Chrome	Trim kit for ioDIGITAL shower	3	3.9
	T3405BN	772.20	Brushed Nickel	• fits M•PACT system	3	3.9
	T3405ORB	814.75	Oil Rubbed Bronze	• ioDIGITAL shower controller with bright LEDs, on/off, temperature control, flow rate control, pause function and 4 presets	3	3.9
	T3415	479.25	Chrome	ioDIGITAL shower controller	3	1.5
	T3415BN	585.75	Brushed Nickel	• bright LEDs for temperature and flow rate indication	3	1.5
	T3415ORB	612.40	Oil Rubbed Bronze	• digital temperature and flow rate control	3	1.5
	A340	159.75	Chrome	ioDIGITAL Remote for shower and vertical spa	24	0.3
	A340BL	159.75	Black	• on/off control	24	0.3
				• activate 4 presets		
				• wall mount bracket		
				• 30' range		
				• battery powered		

Two Ways To Order A Complete ioDIGITAL Shower!




ROMAN TUB - ROTHBURY™

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.





ioDIGITAL™ ROMAN TUB	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.	
ROTHBURY - ioDIGITAL ROMAN TUB							
	4994	508.25	—	ioDIGITAL Roman tub valve <ul style="list-style-type: none"> • M•PACT common valve system • 1/2" push-fit connectors with stop work with CC, PEX and CPVC • precise temperature and flow control • fits in standard 2"x4" wall construction • 30' data cable connects to ioDIGITAL controller • power cable included 	3	7.9	
		4998	48.15	—	Roman tub spout shank <ul style="list-style-type: none"> • M•PACT common valve system • no-cut spout shank • 1/2" push-fit connector with stop works with CC, PEX and CPVC 	6	0.8
		T9221	226.85	Chrome	Trim kit for Roman tub spout	3	2.9
		T9221BN	321.65	Brushed Nickel	• fits M•PACT system	3	2.9
		T9221ORB	351.45	Oil Rubbed Bronze		3	2.9
	T3490	479.25	Chrome	ioDIGITAL Roman tub controller	3	1.5	
	T3490BN	585.75	Brushed Nickel	• bright LEDs for temperature and flow rate indication	3	1.5	
	T3490ORB	612.40	Oil Rubbed Bronze	• digital temperature and flow rate control <ul style="list-style-type: none"> • 3 presets • child safety lock/unlock • flexible mounting options 	3	1.5	
	A349	159.75	Chrome	ioDIGITAL Remote for Roman tub	24	0.3	
	A349BL	159.75	Black	• on/off control <ul style="list-style-type: none"> • activate 3 presets • hot top up function - add hot water at low flow rate • wall mount bracket • 30' range • battery powered 	24	0.3	

How To Order A Complete ioDIGITAL Roman Tub!




ROMAN TUB - ICON™

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.





ioDIGITAL™ ROMAN TUB	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.
ICON - ioDIGITAL ROMAN TUB						
	4994	508.25	—	ioDIGITAL Roman tub valve <ul style="list-style-type: none"> • M•PACT common valve system • 1/2" push-fit connectors with stop work with CC, PEX and CPVC • precise temperature and flow control • fits in standard 2"x4" wall construction • 30' data cable connects to ioDIGITAL controller • power cable included 	3	7.9
	4998	48.15	—	Roman tub spout shank <ul style="list-style-type: none"> • M•PACT common valve system • no-cut spout shank • 1/2" push-fit connector with stop works with CC, PEX and CPVC 	6	0.8
	T962I	192.00	Chrome	Trim kit for Roman tub spout	3	3.6
	T962IBN	315.25	Brushed Nickel	<ul style="list-style-type: none"> • fits M•PACT system • high arc spout 	3	3.6
	T3490	479.25	Chrome	ioDIGITAL Roman tub controller	3	1.5
	T3490BN	585.75	Brushed Nickel	<ul style="list-style-type: none"> • bright LEDs for temperature and flow rate indication • digital temperature and flow rate control • 3 presets • child safety lock/unlock • flexible mounting options 	3	1.5
	A349	159.75	Chrome	ioDIGITAL Remote for Roman tub	24	0.3
	A349BL	159.75	Black	<ul style="list-style-type: none"> • on/off control • activate 3 presets • hot top up function - add hot water at low flow rate • wall mount bracket • 30' range • battery powered 	24	0.3

How To Order A Complete ioDIGITAL Roman Tub!



ROMAN TUB - VESTIGE®

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.





ioDIGITAL™ ROMAN TUB	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.	
VESTIGE - ioDIGITAL ROMAN TUB							
	4994	508.25	—	ioDIGITAL Roman tub valve <ul style="list-style-type: none"> • M•PACT common valve system • 1/2" push-fit connectors with stop work with CC, PEX and CPVC • precise temperature and flow control • fits in standard 2"x4" wall construction • 30' data cable connects to ioDIGITAL controller • power cable included 	3	7.9	
		4998	48.15	—	Roman tub spout shank <ul style="list-style-type: none"> • M•PACT common valve system • no-cut spout shank • 1/2" push-fit connector with stop works with CC, PEX and CPVC 	6	0.8
		T9321	183.20	Chrome	Trim kit for Roman tub spout	3	3.5
		T9321BN	248.15	Brushed Nickel	• fits M•PACT system	3	3.5
		T9321ORB	265.20	Oil Rubbed Bronze	• high arc spout	3	3.5
	T3490	479.25	Chrome	ioDIGITAL Roman tub controller	3	1.5	
	T3490BN	585.75	Brushed Nickel	• bright LEDs for temperature and flow rate indication	3	1.5	
	T3490ORB	612.40	Oil Rubbed Bronze	• digital temperature and flow rate control	3	1.5	
				• 3 presets • child safety lock/unlock • flexible mounting options			
	A349	159.75	Chrome	ioDIGITAL Remote for Roman tub	24	0.3	
	A349BL	159.75	Black	• on/off control	24	0.3	
				• activate 3 presets • hot top up function - add hot water at low flow rate • wall mount bracket • 30' range • battery powered			

How To Order A Complete ioDIGITAL Roman Tub!



ROMAN TUB - KINGSLEY™

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ioDIGITAL™ ROMAN TUB	MODEL NUMBER	LIST PRICE	FINISH/COLOR	DESCRIPTION	CASE QTY.	WT.EA. LBS.
KINGSLEY - ioDIGITAL ROMAN TUB						
	4994	508.25	—	ioDIGITAL Roman tub valve <ul style="list-style-type: none"> • M•PACT common valve system • 1/2" push-fit connectors with stop work with CC, PEX and CPVC • precise temperature and flow control • fits in standard 2"x4" wall construction • 30' data cable connects to ioDIGITAL controller • power cable included 	3	7.9
	4998	48.15	—	Roman tub spout shank <ul style="list-style-type: none"> • M•PACT common valve system • no-cut spout shank • 1/2" push-fit connector with stop works with CC, PEX and CPVC 	6	0.8
	T9211	200.25	Chrome	Trim kit for Roman tub spout	3	4.3
	T9211BN	315.25	Brushed Nickel	• fits M•PACT system	3	4.3
	T9211ORB	325.90	Oil Rubbed Bronze	• high arc spout	3	4.3
	T3490	479.25	Chrome	ioDIGITAL Roman tub controller	3	1.5
	T3490BN	585.75	Brushed Nickel	• bright LEDs for temperature and flow rate indication	3	1.5
	T3490ORB	612.40	Oil Rubbed Bronze	• digital temperature and flow rate control <ul style="list-style-type: none"> • 3 presets • child safety lock/unlock • flexible mounting options 	3	1.5
	A349	159.75	Chrome	ioDIGITAL Remote for Roman tub	24	0.3
	A349BL	159.75	Black	• on/off control <ul style="list-style-type: none"> • activate 3 presets • hot top up function - add hot water at low flow rate • wall mount bracket • 30' range • battery powered 	24	0.3

How To Order A Complete ioDIGITAL Roman Tub!



SUGGESTED LIST PRICES

Service Parts & Accessories

PART NUMBER	PRICE	DESCRIPTION
I40762	3.50	OUTLET CAP KIT
I44318	20.00	SINGLE OUTLET DIGITAL HARDWARE KIT
I44319	12.00	PUSH FIT (STANDARD)- 1/2"
I44321	30.00	PUSH FIT (ISOLATION)- 1/2"
I44322	45.00	DATA CABLE
I44323	6.00	INSTALLATION TEMPLATE
I44324	9.00	INLET FILTER CONE SCREEN AND CHECK VALVE 1/2"
I44325	30.00	INLET ADPTR W/ CVR, & ADPTR O-RING - 1/2"
I44326	28.00	OUTLET RETAINER, ADAPTER, & O-RING
I44327	18.00	REMOTE CRADLE BRACKET W/ HARDWARE-CHROME
I44328	12.00	REMOTE CRADLE BRACKET W/ HDWR – BLACK
I39260	2.10	CONTROLLER MOUNTING SCREWS
I44332	20.00	PUSH FIT (STANDARD) - 3/4"
I44333	13.00	INLET FILTER CONE SCREEN AND CHECK VALVE- 3/4"
I44334	40.00	INLET ADPTR W/ CVR, & O-RING – 3/4"
I46258	6.50	VERTICAL SPA INSTALLATION TEMPLATE
I46259	45.00	VERTICAL SPA DATA CABLE
I39280	3.50	VERTICAL SPA CONTROLLER TEMPLATE

Moen products are available Internationally: **Moen Inc.**, Oakville, Ontario, Canada, **Moen de Mexico S.A. de C.V.**, Ramos Arizpe, Coahuila, Mexico, **Moen China Ltd.**, Hong Kong, Moen Brazil, Brazil

®“Buy it for looks. Buy it for life.”, LifeShine, Moen, Moen Waterdrop logo, M•PACT® and Vestige, are Registered Trademarks of Moen Incorporated.

™ Icon, io, ioDIGITAL, Kingsley and Rothbury are Trademarks of Moen Incorporated.

Possession of this sheet by any person is not an offer to sell them or anyone else the product listed.

Prices and specifications subject to change without notice. This schedule supersedes all previous Moen schedules.

Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed.

Moen reserves the right to make changes from time to time, without notice or obligation, and to change or discontinue models.

Use only genuine MOEN replacement parts

MOEN INCORPORATED

25300 Al Moen Drive, North Olmsted, Ohio 44070-8022

U.S.A.

1-800-321-8809

FAX: 1-800-848-6636

International: 440-962-2000 FAX: 440-962-2726



Buy it for looks. Buy it for life.®

Visit our Web Site @ www.moen.com