



**KRUD KUTTER® VEHICLE & BOAT
PRESSURE WASHER CONCENTRATE**

DESCRIPTION AND USES

Krud Kutter® Vehicle & Boat Pressure Washer Concentrate is a safe and effective cleaner for use on all vehicles including ATVs, Go-Karts, RVs, boats, trailers, cars, trucks, tractors and vans. It penetrates and loosens road film, dirt, grime and algae/mildew stains without scrubbing.

PRODUCTS

SKU	Description
VB014	1-Gallon Bottle
VB05	5-Gallons

PRODUCT APPLICATION

DIRECTIONS

IMPORTANT – READ ENTIRE LABEL BEFORE USE

- If not used properly pressure washer may cause damage (consult pressure washer manual before use).
- Never wash in direct sunlight. Do not allow chemical to dry on glass.
- From the garden hose, rinse any nearby plants.
- Apply to cool, wet surface.
- For chrome wheels, clean one at a time. Dilute product 1:10 on cool surface and let stand for 1-2 minutes. Rinse thoroughly. **DO NOT ALLOW TO DRY.**
- Always test on an inconspicuous area first.
- Overspray can be neutralized with large volumes of water.
- For heavy oil and grease stains (such as on driveways and garage floors), pour product directly onto the stain. Allow to penetrate for 10 minutes, then follow normal application procedures.
- In case of severe oil and grease stains on porous surfaces, oil may bleed to the surface or leave a residual stain. Repeat applications may lighten stains, but not remove stains completely.
- Do not mix this product with any other chemicals.

PRODUCT APPLICATION (cont.)

COVERAGE

When mixed 1:10 (12 oz. of concentrate with 1-gallon of water), one bottle of concentrate will make 11 gallons of premix, and clean up to 3,200 sq. ft.

NO SCRUBBING – SPRAY ON - WASH OFF

No scrubbing, simply apply to the surface, leave for 3 to 5 minutes, and wash off. Penetrates and loosens road film, dirt, grime and algae/mildew stains without scrubbing. Contains anti-corrosive agents to safeguard pressure washer parts (bleach can erode O-rings).

DIRECTIONS: PRESSURE WASHER APPLICATION

Rinse surrounding plants with water, before and after application. Wet surface to be cleaned, prior to applying the product. Place detergent application siphon tube and screen filter directly into container. Open meter valve (if applicable) for maximum product flow. For reservoir machines, pour product (full strength) into pressure washer. Spray at low pressure onto a wet surface. On vertical surfaces, always spray from the top down. Allow product to remain on the surface for 3 to 5 minutes to penetrate. Do not allow product to dry on surface. Remove siphon tube from solution and rinse surface with high-pressure spray thoroughly. Flush siphon tube with clean water prior to storage.

NOTE: For use in a pump up sprayer, mix 12 oz. of concentrate with 1-gallon of water

NO BLEACH OR AMMONIA. SAFE FOR PEOPLE, PETS AND PLANTS.

CAUTION! EYE AND SKIN IRRITANT. This product contains alkaline detergents. Do not take internally. In case of contact with eyes or skin, flush with water for at least 15 minutes. If irritation persists, seek medical attention. If swallowed, take large amounts of water. **Do not induce vomiting.** Get medical attention.

KEEP OUT OF REACH OF CHILDREN.



TECHNICAL DATA

KRUD KUTTER® VEHICLE & BOAT PRESSURE WASHER CONCENTRATE

PHYSICAL PROPERTIES

	VEHICLE & BOAT PRESSURE WASHER CONCENTRATE
Composition	Proprietary Ingredients in a Water-based Solution
Color	Dark Red
pH	7
VOC	0%
Practical Coverage	1-Gallon – 2,000-3,200 square feet
Shelf Life	NA
Flash Point	Non-flammable
Caution!	EYE AND SKIN IRRITANT. This product contains alkaline detergents. Do not take internally. In case of contact with eyes or skin, flush with water for at least 15 minutes. If irritation persists, seek medical attention. If swallowed, take large amounts of water. Do not induce vomiting. Get medical attention. Do not induce vomiting. Get medical attention. KEEP OUT OF REACH OF CHILDREN.
Safety Information	For additional information, see SDS

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.