

A KOHLER COMPANY

Features


- Heavy-duty, anodized aluminum-framed sliding glass doors
- Full length handle for easy operation
- Aluminum components extruded from alloy 6063-T5
- Tempered glass ensures maximum safety and durability
- Threshold directs water back into the shower and minimizes soap or lint build up
- Nylon pivot bushings provide silent operation
- Installs left- or right-handed
- Adjustable wall jamb allows for out-of-plumb conditions up to 1" (2.5 cm) per side
- A width adjustment of 6" (15.2 cm) per model reduces inventory requirements
- Full length magnet provides secure door closure
- Stainless steel hardware prevents rusting or corrosion

Codes/Standards Applicable

Specified model meets or exceeds the following:

- ANSI Z97.1 (tempered glass)
- CPSC 16CFR 1201-1 CAT II

DESIGNER PIVOT SHOWER DOORS 1505D-42 ALSO 1505D-48



Colors/Finishes

- S: Silver
- PB: Vibrant_® Polished Brass
- V: Matte Silver
- N: Nickel

Specified Model


Model	Application	Glass Texture	Pattern	Frame C	Frame Colors/Finishes*	
1505D-42*-G10	Shower	Pebbled	None			
1505D-42*-G26	Shower	Smooth	Watertide™	□S		
1505D-42*-G51	Shower	Moraine	None	□S		
1505D-42*-G64	Shower	Smooth	Brownstone	□S		
1505D-42*-G65	Shower	Smooth	Wildgrass	□S		
1505D-42*-G66	Shower	Smooth	Kaleidica	□S		
1505D-48*	Shower	Smooth	Clear	□S	D PB	
1505D-48*-G06	Shower	Rain	None			
1505D-48*-G10	Shower	Pebbled	None			
1505D-48*-G26	Shower	Smooth	Watertide™	🗆 S		
1505D-48*-G51	Shower	Moraine	None	□S		
1505D-48*-G52	Shower	Naturalist™	None	□S		
1505D-48*-G64	Shower	Smooth	Brownstone	□S		
1505D-48*-G65	Shower	Smooth	Tangle	□S		
1505D-48*-G66	Shower	Smooth	Kaleidica			


SterlingPlumbing.com

Visit us online for fixture color choices, detailed product information, color photos, installation instructions, care guides, and warranties. Sterling offers additional lines of plumbing products to complement the Sterling product you've chosen. Sign up for the Sterling monthly e-newsletter which showcases our latest product innovations. You may also call our Sterling Plumbing Answer Center from within the USA at 1-888-STERLING in addition to consulting with your local dealer. Sterling. Strong. Professional. Design.

VISTA PIVOTTM II

Model	A Width (Max / Min)	B (Height)	C (Walk Through Max / Min)
1505D-42	42" (106.7 cm) / 36" (91.4 cm)	65-1/2" (166.4 cm)	24-13/16" (63 cm) / 19-1/2" (49.5 cm)
1505D-48	48" (121.9 cm) / 42" (106.7 cm)	65-1/2" (166.4 cm)	24-13/16" (63 cm) / 19-1/2" (49.5 cm)









A KOHLER COMPANY

VISTA PIVOT™ II

Model	Application	Glass Texture	Pattern	Frame Colors/Finishes*				
* Note: Add appropriate finish color/finish code to the end of the unit model # when ordering.								

SterlingPlumbing.com

Visit us online for fixture color choices, detailed product information, color photos, installation instructions, care guides, and warranties. Sterling offers additional lines of plumbing products to complement the Sterling product you've chosen. Sign up for the Sterling monthly e-newsletter which showcases our latest product innovations. You may also call our Sterling Plumbing Answer Center from within the USA at 1-888-STERLING in addition to consulting with your local dealer. Sterling. Strong. Professional. Design.