



STERLING


















"A" and cut the bottom track.




of the shower or bath unit.










Plumb both wall jambs. Mark the screw holes.










1157979-2-**B**



ROUBL	ESHOOTING

TROUBLESHOOTING	
Symptom: Alignment	Recommended Action
1. Top of door panel is tilted away from the wall.	A. Remove the door panel from the top track and lower the roller that is closest to the wall. See step 18.
2. Bottom of door panel is tilted away from the wall.	A. Remove the door panel from the top track and raise the roller that is closest to the wall. See step 18.
3. Door panel does not touch bumper.	A. Determine whether door panel top or bottom is closer to the wall, then adjust the roller closest to the wall.
Symptom: Water Leaks	Recommended Action
1. Water leak between panels.	A. When showering, make sure the inside panel is against the showerhead wall.
2. Water leak between wall jamb and door panel.	A. Adjust the door panel to line up with the wall jamb.
3. Water leak under bottom track.	A. Check for proper silicone sealant application. See steps 23 and 24. Apply more silicone sealant in leak location.
Symptom: Operation (open/close)	Recommended Action

2. Inside panel difficult to move.

1. Outside panel difficult to move.

C. Ensure the rollers are properly installed. See step 18. D. Clean any debris in the top track groove.

A. Ensure a gap exists between the bottom track and the door panel. If there is no gap, lower the rollers in the slots.

- A. Ensure a gap exists between the bottom track and the door panel. If there is no gap, lower the rollers in the slots.
- B. Ensure the inside-panel guide is properly secured to the bottom-frame screws. See step 22.
- C. Ensure the bushings are properly installed in the bottom frame. See step 21.

B. Ensure the panel is properly engaged over the bottom track. See step 17.

- D. Ensure the rollers are properly installed. See step 18.
- E. Clean any debris in the top track groove.

WARRANTY

- **5 YEARS LIMITED**
- 5100 Series, 5300 Series, 5400 Series, 6300 Series, 6500 Series
- 3 YEARS LIMITED
- 1500 Series, 1900 Series, 2200 Series, 5900 Series
- 1 YEAR LIMITED
- 500 Series, 600 Series, 660 Series, 670 Series, 690 Series, 950 Series, 2300 Series, 2900 Series, 3100 Series Based on the classification specified above, STERLING bath and shower doors are warranted to be free of
- manufacturing defects within the time of the specified model's limited warranty from date of sale.

Kohler Co. will, at its election, repair, rectify or replace a fixture when inspection by Kohler Co. discloses any such defects occurring in normal usage within the time period of coverage stated above. Kohler Co. is not responsible for removal or installation costs where replacement is indicated. Damages due to improper handling, installation or maintenance are not considered manufacturing defects and are not covered by this warranty. This warranty is valid for the original, consumer purchaser only.

To obtain warranty service, contact Sterling, either through your plumbing contractor, home center, wholesaler or dealer, or by calling or writing Sterling, Consumer Services, 444 Highland Drive, Kohler, Wisconsin 53044,

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. KOHLER CO. AND SELLER HEREBY DISCLAIM ANY LIABILITY FOR SPECIAL, INCIDENTAL OR **CONSEQUENTIAL DAMAGES**. Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may also have other rights which vary from state/province to state/province.

This is the exclusive written warranty for Kohler Co.