
Alaska Desk - Oak/Grey
Assembly Instructions



For assistance with assembly contact:
Southern Enterprises Inc.
Customer Service 1-800-633-5096
service@seidal.com
www.seidal.com


PO# 13412



HO872100TX/HO872200TX Alaska Desk - Oak/Grey

Parts List

Please review all parts and hardware before disposing of any packaging. Call Customer Service if missing hardware. Carefully study the diagrams below. You may receive extra hardware with your unit.




Care and Cleaning Instructions:

Before using, wipe with a clean, dry cloth.

Periodically apply furniture wax to renew the finish. Avoid rubbing or scratching the surface with rough or abrasive objects.


For replacement parts or questions, please call Customer Service at 1-800-633-5096.

Assembly Tool Required Phillips and Flat Head Screwdriver



Alaska Desk – Oak/Grey

Assembly Instructions




Step 1:

Attach Cam Bolts (4) to Drawer Front (G) using Phillips Screwdriver.

Attach Drawer sides (H) and (I) to Drawer Back (J) using Screws (6). Tighten with Phillips Screwdriver as shown.

Insert Drawer Bottom Panel **(K)** into the grooves of Drawer Sides **(H)** and **(I)**.




Step 2:

Attach Drawer Support Panels **(E)** and **(F)** to Top **(A)** using Small Bolts **(3)**.

Tighten with Allen Wrench (7) as shown.

Alaska Desk – Oak/Grey


Assembly Instructions



Step 3:

Attach Shelf Panel (D) to Leg Frame (B) using Medium Bolts (2).

Tighten with Allen Wrench (7) as shown.



Step 4:


Attach Shelf Panel (D) to Leg Frame (B) using Medium Bolts (2).

Tighten with Allen Wrench (7) as shown.

Repeat step (3) and (4) to complete the second set of Legs.

Alaska Desk – Oak/Grey


Assembly Instructions



Step 5:

Attach Support Bars **(C)** to Leg Frames **(B)** using Medium Bolts **(2)**.

Tighten with Allen Wrench (7) and repeat step for the second set of Legs.




Step 6:

Attach Leg Frames (B) to Top (A) using Long Bolts (3).

Tighten using Allen Wrench (7) as shown.

Alaska Desk – Oak/Grey


Assembly Instructions



Step 7:

Use Long Bolts (1) to secure Leg Frames (B) to Top (A).

Tighten using Allen Wrench (7) as shown.



| r arts Replacement rollin |
|--|
| Customer Information Name |
| Address |
| City/State/Zip Code |
| Phone Number |
| Please indicate where you purchased this item: Store/Website/Catalog |
| Please indicate color/size/style number: |
| Style No Parts Letter Parts Description Quantity Needed |
| |
| |
| |

Please immediately examine this product carefully. Any request for missing parts or damage replacement must be received within 90 days of your receipt of the product. Replacement, if available, will be honored within this time frame. Parts will not be available for items arriving fully assembled. We do not recommend modifying product(s) and we are not responsible for any damages due to product modification(s). If damages or missing parts are not reported within 90 days of your receipt, we are under no obligation to provide parts or replacement merchandise.

Please contact Southern Enterprises at 800-633-5096 or in Dallas 972-869-0111/ 9am – 4pm Mon-Fri Central time if you have product issues or email us at service@seidal.com. Please ask for customer service representative for issues involving damages or replacement parts. Please ask for technical assistance representative for any issues with product and assembly/construction.

Please contact the retailer that you purchased from for returns.



Customer Service
1-800-633-5096
service@seidal.com
Southern Enterprises, Inc.
600 Freeport Parkway, Suite 200
Coppell, Texas 75019