



Do-It-Yourself Installation Guide

- Interior and Exterior Walls
- Wooden Fences
- Chain-Link Fences
- Trellises
- Retaining Walls
- Residential and Commercial Use



Thank you for selecting Easylvy[®] for your project! Questions/Comments? Contact us: Toll Free 1-800-988-6156 • Miami: 305-234-5800 • EASYIVY.NET

- A) Position the first Easylvy[®] tile at the corner/edge of chain link fence; secure to fence top and side edges with UV Plastic Zip Ties.
- **B)** Place the next **Easylvy**[®] tile snuggly against first one, leaving no space between them; secure it with the zip ties.
- C) Continue to align to top and/or side edges of fence or to newly attached Easylvy[®] tiles, as needed to cover entire fence, and secure with zip ties as you go.
- A) Clearly mark the project area with chalk lines or strings.
- B) Position the first Easylvy[®] tile starting at a corner of the wall, carefully aligning the top and side edges. Make sure that the tile lies flat and evenly against the wall; then secure with Concrete Screws using the Power Drill/ Screwdriver.
- C) Place next Easylvy[®] tile snuggly against first one, leaving no space between them; secure it with the concrete screws.
- **D)** Continue aligning and securing the **Easylvy**[®] tiles as you go until all the desired area is covered.
- A) Measure and mark the project area; trim the trellis/lattice accordingly.
- B) Position the green vinyl trellis/lattice panels with minimum 2inch concrete screws at 2-foot intervals; cover the desired area, making sure lattice panels fit snuggly against each other and lay flat against the wall.
- C) Position the first Easylvy[®] tile starting at a corner of the trellis/ lattice, carefully aligning the top and side edges. Make sure that the tile lies flat and evenly on the lattice; then secure with T50 Heavy Duty Staples using the Stapling Gun, at 6-inch intervals.
- D) Continue aligning and securing the Easylvy[®] tiles with staples every 6 inches as you go.
- A) Position the first Easylvy[®] tile starting at a corner/edge of the fence, carefully aligning the top and side edges; then secure with T50 Heavy Duty Staples every 6 inches using the Stapling Gun.
- **B)** Place the next **Easylvy**[®] tile snuggly against first one, leaving no space between them; secure it with the heavy duty staples.
- C) Continue to align to top and/or side edges of fence or to newly attached Easylvy[®] tiles, as needed to cover entire fence, and secure with staples every 6 inches as you go.

#4: Installation On Wooden Fence

#2: Installation On Concrete Wall

#3: Installation On Trellis & On Wall


#1: Installation On Chain Link Fence

5: Installation On Indoor Wall

Installation on an interior wall (on drywall) can be done in two ways:

- A) By attaching the Easylvy[®] tiles DIRECTLY ONTO THE WALL, as in Option #2; use T50 Heavy Duty Staples with the Stapling Gun, at 6-inch intervals; or
- B) By first securing a lattice/trellis onto the desired area on the indoor wall and then attaching the next Easylvy[®] tiles onto the lattice, as in Option #3.

EASYIVY® can be installed anywhere... and everywhere!



Thank you for selecting Easylyy[®] for your project! Questions/Comments? Contact us: Toll Free 1-800-988-6156 • Miami: 305-234-5800 • EASYIVY.NET