Franklin International

Material Safety Data Sheet

Product name: Titebond GREENchoice FRP Adhesive

Product and company identification

CAS # : Mixture

Address : Franklin International

2020 Bruck Street Columbus OH 43207

Contact person : Franklin Technical Services

Telephone : (800) 877-4583 Emergency phone: : Franklin Security

(614) 445-1300

Reference number : 3432 Product code : 4059

 Date of revision
 : 11/29/2010.

 Print date
 : 12/16/2010.

 Chemtrec (24 Hour)
 : (800) 424 - 9300

 Chemtrec International
 : (703) 527 - 3887

Product use : Adhesive

Product type : Solvent Free Adhesive

2. Hazards identification

Physical state : Liquid. [Paste.]

Odor : Characteristic. [Slight]

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Emergency overview : WARNING!

CAUSES EYE IRRITATION. MAY BE HARMFUL IF SWALLOWED. MAY CAUSE

RESPIRATORY TRACT AND SKIN IRRITATION.

May be harmful if swallowed. Irritating to eyes. Slightly irritating to the skin and respiratory system. Do not ingest. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly

closed and sealed until ready for use. Wash thoroughly after handling.

Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Inhalation: Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.

Slightly irritating to the respiratory system. Exposure to decomposition products may

cause a health hazard. Serious effects may be delayed following exposure.

Ingestion: Harmful if swallowed.

Skin : Slightly irritating to the skin.

Eyes : Irritating to eyes.

Potential chronic health effects

Chronic effects
 Carcinogenicity
 Mutagenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.

12/16/2010. 4059 **1/12**

Titebond GREENchoice FRP Adhesive

Hazards identification

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Target organs : May cause damage to the following organs: upper respiratory tract, skin, eyes.

Contains material which may cause damage to the following organs: eye, lens or cornea.

Over-exposure signs/symptoms

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

: No specific data. Ingestion

Skin : Adverse symptoms may include the following:

> irritation redness

Adverse symptoms may include the following: **Eyes**

pain or irritation

watering redness

Medical conditions

: None known.

aggravated by overexposure

See toxicological information (section 11)

Composition/information on ingredients

United States

<u>Name</u>	<u>CAS number</u>	<u>%</u>
oxydipropyl dibenzoate	27138-31-4	1 - 5
Urea	57-13-6	1 - 5

Canada

CAS number Name 1 - 5 oxydipropyl dibenzoate 27138-31-4 Urea 57-13-6 1 - 5 107-21-1 ethanediol 0.5 - 1

Mexico Classification

CAS number UN number % **IDLH Special Name** <u>R</u> Н

oxydipropyl dibenzoate 27138-31-4 Not

available.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

First aid measures

: Check for and remove any contact lenses. Immediately flush eyes with plenty of water **Eye contact**

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical

attention immediately.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean

shoes thoroughly before reuse. Get medical attention immediately.

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention

immediately.

12/16/2010. 4059 2/12

First aid measures

Ingestion

: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

Suitable

: None known.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Small spill

Stop leak if without risk. Move containers from spill area. Dispose of via a licensed waste disposal contractor. Absorb with an inert material.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Handling and storage

Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

12/16/2010. 4059 3/12

8. Exposure controls/personal protection

United States

Ingredient	Exposure limits
Urea	AIHA WEEL (United States, 5/2010). TWA: 10 mg/m³ 8 hour(s).

Canada

Occupational exposure limits TWA (8 hours))	STEL (15 mins)		Ceiling						
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
ethanediol	US ACGIH 2/2010	-	_	_	_	-	-	-	100	-	[a]
	AB 4/2009	-	-	-	-	-	-	-	100	-	[3] [b]
	BC 10/2009	-	-	-	-	-	-	-	100	-	[a]
		-	10	-	-	20	-	-	-	-	[c]
		-	-	-	-	-	-	50	-	-	[d]
	ON 7/2010	-	-	-	-	-	_	-	100	-	[b]
	QC 6/2008	_	_	_	50	127	-	-	-	-	[e]
Urea	US AIHA 5/2010	-	10	_	_	-	-	-	-	}	[]

[3]Skin sensitization

Form: [a]Aerosol [b]aerosol [c]Particulate [d]Vapour [e]vapour and mist

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

12/16/2010. 4059 **4/12**

Physical and chemical properties

Physical state Liquid. [Paste.]

Closed cup: >93.3°C (>199.9°F) [Setaflash.] Flash point

Color Brown. [Light]

Odor Characteristic. [Slight]

pΗ 5

Boiling/condensation point : 100°C (212°F)

Relative density 1.39 Volatility : 33% (w/w)

: <1 (Butyl acetate. = 1) **Evaporation rate**

VOC (less water, less

exempt solvents)

: 2.6 g/l

Solubility : Soluble in the following materials: cold water and hot water.

10. Stability and reactivity

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid : No specific data. Materials to avoid : No specific data.

: Reactive or incompatible with the following materials: acids and alkalis. Incompatibility

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Toxicological information

United States

Acute toxicity

Result	Species	Dose	Exposure
LD50 Dermal	Rat	>2000 mg/kg	-
LD50 Oral	Rat	3295 mg/kg	-
LD50	Rat	>5 g/kg	-
Intraperitoneal			
LD50	Rat	567 mg/kg	-
Intratracheal			
LD50 Intravenous	Rat	5300 mg/kg	-
LD50 Oral	Rat	8471 mg/kg	-
LD50	Rat	8200 mg/kg	-
Subcutaneous			
TDLo Oral	Rat	750 mg/kg	-
	LD50 Dermal LD50 Oral LD50 Intraperitoneal LD50 Intratracheal LD50 Intravenous LD50 Oral LD50 Subcutaneous	LD50 Dermal Rat LD50 Oral Rat LD50 Rat Intraperitoneal LD50 Rat Intratracheal LD50 Intravenous Rat LD50 Oral Rat LD50 Rat Subcutaneous	LD50 Dermal Rat >2000 mg/kg LD50 Oral Rat 3295 mg/kg LD50 Rat >5 g/kg Intraperitoneal LD50 Rat 567 mg/kg Intratracheal LD50 Intravenous Rat 5300 mg/kg LD50 Oral Rat 8471 mg/kg LD50 Rat 8200 mg/kg Subcutaneous Subcutaneous

Chronic toxicity

No known significant effects or critical hazards.

Irritation/Corrosion

Conclusion/Summary

Skin : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or

dermatitis.

This product may irritate eyes upon contact. Eyes

Respiratory Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.

Sensitizer

No known significant effects or critical hazards.

12/16/2010. 4059 5/12

11. Toxicological information

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Reproductive toxicity

No known significant effects or critical hazards.

Canada

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
oxydipropyl dibenzoate	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	3295 mg/kg	-
ethanediol	LD50 Dermal	Rabbit	9530 uL/kg	-
	LD50	Rat	5010 mg/kg	-
	Intraperitoneal			
	LD50 Intravenous	Rat	3260 mg/kg	-
	LD50 Oral	Rat	4700 mg/kg	-
	LD50	Rat	2800 mg/kg	-
	Subcutaneous			
	LD50 Unreported	Rat	13 g/kg	-
	LDLo Intravenous	Rat	2800 mg/kg	-
	LDLo	Rat	3300 mg/kg	-
	Intramuscular			
	TDLo Oral	Rat	1110 mg/kg	-
	TDLo Oral	Rat	5000 mg/kg	-
	TDLo Oral	Rat	120 mg/kg	-
	TDLo Oral	Rat	1000 mg/kg	-
	TDLo	Rat	3000 mg/kg	-
	Subcutaneous			
Urea	LD50	Rat	>5 g/kg	-
	Intraperitoneal			
	LD50	Rat	567 mg/kg	-
	Intratracheal			
	LD50 Intravenous	Rat	5300 mg/kg	-
	LD50 Oral	Rat	8471 mg/kg	-
	LD50	Rat	8200 mg/kg	-
	Subcutaneous			
	TDLo Oral	Rat	750 mg/kg	-

Chronic toxicity

No known significant effects or critical hazards.

Irritation/Corrosion

Conclusion/Summary

Skin : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or

dermatitis.

Eyes: This product may irritate eyes upon contact.

Respiratory: Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.

Sensitizer

No known significant effects or critical hazards.

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

12/16/2010. 4059 *6/12*

11. Toxicological information

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Reproductive toxicity

No known significant effects or critical hazards.

Mexico

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
oxydipropyl dibenzoate	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	3295 mg/kg	-

Chronic toxicity

No known significant effects or critical hazards.

Irritation/Corrosion

Conclusion/Summary

Skin : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or

dermatitis.

Eyes : This product may irritate eyes upon contact.

Respiratory: Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.

Sensitizer

No known significant effects or critical hazards.

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Reproductive toxicity

No known significant effects or critical hazards.

12. Ecological information

Environmental effects: No known significant effects or critical hazards.

United States

Aquatic ecotoxicity

Product/ingredient name Urea	Test -	Result Acute EC50 6573.1 mg/L Fresh water	Species Daphnia - Water flea - Ceriodaphnia dubia - Neonate - <24 hours	Exposure 48 hours
	-	Acute EC50 6573.1 to 7061 mg/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate - <24 hours	48 hours
	-	Acute EC50 3910000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	48 hours
	-	Acute LC50 72600 to 75900 ug/L Fresh water	Fish - Rohu - Labeo rohita - Egg	96 hours
	-	Acute LC50 66800 to 70500 ug/L Fresh water	Fish - Rohu - Labeo rohita - Egg	96 hours
	-	Acute LC50 65800 to 70200 ug/L Fresh water	Fish - Rohu - Labeo rohita - FRY - 0.8 g	96 hours
	-	Acute LC50 64700 to	Fish - Rohu - Labeo rohita -	96 hours

12/16/2010. 4059 **7/12**

12 . Ecological information

	69200 ug/L Fresh water	Egg	
-	Acute LC50 23400 to	Fish - Rohu - Labeo rohita -	96 hours
	26500 ug/L Fresh water	Egg	
-	Acute LC50 22500 ug/L	Fish - Mozambique tilapia -	96 hours
		Tilapia mossambica	
-	Acute LC50 16700 to	Fish - Rohu - Labeo rohita -	96 hours
	19600 ug/L Fresh water	Egg	
-	Acute LC50 >1000 mg/L	Crustaceans - Amphipod -	48 hours
	Marine water	Chaetogammarus marinus	
		- Young - 5 mm	
-	Acute LC50 90100 to	Fish - Rohu - Labeo rohita -	96 hours
	93900 ug/L Fresh water	FRY - 0.8 g	
-	Acute LC50 5000 ug/L	Fish - Giant gourami -	96 hours
	Fresh water	Colisa fasciata - Fingerling	
-	Acute LC50 83700 to	Fish - Rohu - Labeo rohita -	96 hours
	86900 ug/L Fresh water	FRY - 0.8 g	

Biodegradability

No known significant effects or critical hazards.

Canada

Aquatic ecotoxicity

Aquatic ecotoxicity				
Product/ingredient name ethanediol	Test -	Result Acute LC50 >18500 mg/L Fresh water	Species Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss	Exposure 96 hours
	-	Acute LC50 41 to 47 ml/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - 0.7	96 hours
	-	Acute LC50 16 to 18 ml/L Fresh water	g Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - 1.1	96 hours
	-	Acute LC50 27540 mg/L Fresh water	g Fish - Bluegill - Lepomis macrochirus - Juvenile (Fledgling, Hatchling, Weanling) - 0.85 g	96 hours
	-	Acute LC50 22600000 to 26500000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate	48 hours
	-	Acute LC50 13900000 to 16600000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate	48 hours
	-	Acute LC50 13140000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - <=24 hours	48 hours
	-	Acute LC50 10500000 to 12700000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate	48 hours
	-	Acute LC50 >10000000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas	96 hours
	-	Acute LC50 >10000000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	-	Acute LC50 10000000 to 12300000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate	48 hours
	-	Acute LC50 8050000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - <=7 days	96 hours

12/16/2010. 4059 **8/12**

12 . Ecological information

	-	Acute LC50 6900000 to 8800000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate	48 hours
	-	Acute LC50 >100000 ug/L Marine water	Crustaceans - Common shrimp, sand shrimp - Crangon crangon - Adult	48 hours
	-	Acute LC50 1000000000 ug/L Marine water	Crustaceans - Common shrimp, sand shrimp - Crangon crangon	48 hours
	-	Acute LC50 53000000 to 56000000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - FRY - 10 to 15 days - 9.5 mm - 11.6 mg	96 hours
	_	Acute LC50 25500000 to 29800000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate	48 hours
	-	Acute LC50 49000000 to 60000000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - 30 to 35 days - 14.9 mm - 76.8 mg	96 hours
•	_	Chronic NOEC 6090000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - <=7 days	96 hours
	-	Chronic NOEC 24000000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - <=24 hours	48 hours
	-	Chronic NOEC 11610000 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - <=24 hours	48 hours
	-	Chronic NOEC 39140000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - <=7 days	96 hours
Urea	-	Acute EC50 6573.1 mg/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate - <24 hours	48 hours
	-	Acute EC50 6573.1 to 7061 mg/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate - <24 hours	48 hours
	-	Acute EC50 3910000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	48 hours
	-	Acute LC50 72600 to 75900 ug/L Fresh water Acute LC50 66800 to	Fish - Rohu - Labeo rohita - Egg Fish - Rohu - Labeo rohita -	
	-	70500 ug/L Fresh water Acute LC50 65800 to 70200 ug/L Fresh water	Egg Fish - Rohu - Labeo rohita - FRY - 0.8 g	96 hours
	-	Acute LC50 64700 to	Fish - Rohu - Labeo rohita -	96 hours
	-	69200 ug/L Fresh water Acute LC50 23400 to	Egg Fish - Rohu - Labeo rohita -	96 hours
	-	26500 ug/L Fresh water Acute LC50 22500 ug/L	Egg Fish - Mozambique tilapia - Tilapia mossambica	96 hours
	-	Acute LC50 16700 to 19600 ug/L Fresh water	Tilapia mossambica Fish - Rohu - Labeo rohita - Egg	96 hours
	-	Acute LC50 >1000 mg/L Marine water	Crustaceans - Amphipod - Chaetogammarus marinus - Young - 5 mm	48 hours

12/16/2010. 4059 **9/12**

12 . Ecological information

Acute LC50 90100 to Fish - Rohu - Labeo rohita - 96 hours

93900 ug/L Fresh water FRY - 0.8 g

- Acute LC50 5000 ug/L Fish - Giant gourami - 96 hours

Fresh water Colisa fasciata - Fingerling

Acute LC50 83700 to Fish - Rohu - Labeo rohita - 96 hours

86900 ug/L Fresh water FRY - 0.8 g

Biodegradability

No known significant effects or critical hazards.

Mexico

Aquatic ecotoxicity

No known significant effects or critical hazards.

Biodegradability

No known significant effects or critical hazards.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG*: Packing group

12/16/2010. 4059 **10/12**

15. Regulatory information

United States

HCS Classification : Irritating material

: TSCA 8(a) IUR: water; Poloxalkol **U.S. Federal regulations**

United States inventory (TSCA 8b): All components are listed or exempted.

TSCA precursor chemical list: 2-Diethylaminoethanol

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Urea

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Urea:

Immediate (acute) health hazard, Delayed (chronic) health hazard

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

State regulations

: Massachusetts Spill: None of the components are listed.

Massachusetts Substances: None of the components are listed.

New Jersey Hazardous Substances: None of the components are listed.

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed. Pennsylvania RTK Hazardous Substances: None of the components are listed.

Canada

WHMIS (Canada) : Class D-2A: Material causing other toxic effects (Very toxic). **Canadian lists** : **CEPA Toxic substances**: None of the components are listed.

Canadian ARET: None of the components are listed.

Canadian NPRI: None of the components are listed.

Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

Canada inventory

: At least one component is not listed in DSL but all such components are listed in NDSL.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico

Classification



International regulations

International lists : Australia inventory (AICS): Not determined.

China inventory (IECSC): Not determined.

Japan inventory: Not determined. Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

Chemical Weapons

Convention List Schedule I

Chemicals

Chemical Weapons

Convention List Schedule

II Chemicals

: Not listed

: Not listed

12/16/2010. 4059 11/12

Titebond GREENchoice FRP Adhesive

15. Regulatory information

Chemical Weapons : Not listed
Convention List Schedule


III Chemicals

16. Other information

Label requirements : CAUSES EYE IRRITATION. MAY BE HARMFUL IF SWALLOWED. MAY CAUSE

RESPIRATORY TRACT AND SKIN IRRITATION.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Date of printing: 12/16/2010.Date of issue: 11/29/2010.Date of previous issue: 11/16/2010.

Version : 1

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

12/16/2010. 4059 **12/12**