

What is Tuflex?

Polycarbonate and Vinyl building panels for a wide use of applications.


Where Can Tuflex Be Used?



Residential: Great for hundreds of uses around the home like patio covers, carports, greenhouses, sunporches, DIY projects and under-the-deck applications.



Commercial: Tuflex Building Panels are perfect for warehouses, commercial greenhouses, restaurant patio enclosures and thousands of other applications.



Agricultural: Tuflex is the best choice for interior walls and ceilings in animal enclosures because of its high impact strength and non-corrosive qualities.




Why Choose Tuflex?

- **Easy to Install** . . . *No special tools required . . . Great for the do-it-yourselfer and contractor.*
- **Widest Variety** . . . *Good, Better, Best . . . Opaque to block out the sun . . . Translucent to softly filter light . . . Clear for greenhouses and maximum light . . . Plus a deck drain system.*
- **Durable** . . . *Formulated to resist harmful ultra-violet rays and impact . . . Will not crack, split or flake like fiberglass.*
- **Strong** . . . *Up to 20x stronger than fiberglass.*
- **Withstands Extreme Temperatures** . . . *Tuflex PolyCarb Panels withstand temperature extremes of 270°F to -40°F.*
- **Will Never Rust or Corrode** . . . *Unaffected by saltwater, animal by-products or corrosive chemicals.*
- **Repels Dirt** . . . *Smooth surface stays clean . . . Does not collect dirt like fiberglass.*
- **Non-Flammable** . . . *Will not burn like fiberglass.*
- **Many Lengths Available** . . . *All styles are 26" wide and available in 8' and 12' lengths . . . Some styles available in 10', 14' and 16' lengths.*

What is the Tuftex Product Line?

SeaCoaster®




•Traditional Round Wave Profile Similar to Fiberglass •Resists Chipping and Cracking

•**10** Times Stronger than 5 oz. Fiberglass •Formulated to Resist UV Rays and Impacts •Available in Opaque and Translucent Shades

Available Colors & Sizes •Translucent White (8', 10', 12', 14', 16')•Translucent Clear (8', 10', 12', 14', 16')
•Opaque White (8', 10', 12', 14', 16')•Opaque Tan (8', 10', 12', 14', 16')•Opaque Green (8' & 12')

UltraVinyl®




•Classic Upscale Square Wave Panel •**15** Times Stronger than 5 oz. Fiberglass

•Heavy Duty . . . Great for Light Commercial Applications and Demanding Residential Uses

Available Colors & Sizes •Translucent White (8' & 12')•Opaque Tan (8', 10', 12')
•Opaque White (8', 10', 12')•Vinyl Grow Clear (8', 10', 12', 14', 16')

PolyCarb®



•Square Wave Profile •Lifetime Limited Warranty

•**20** Times Stronger than 5 oz. Fiberglass •100% UV Protected •Best Choice for Extreme Weather Conditions (270°F to -40°F)

Available Colors & Sizes •Clear (8', 12', 16')•Smoke (8', 12', 16')•Translucent White (8', 12', 16')

DeckDrain®



•A Complete Deck Ceiling and Drainage System

•Diverts rain water away from any under deck area, creating a dry, usable patio or storage space

Available Colors & Sizes •White (8', 10', 12')•Tan (8', 10', 12')



Accessories for Tuftex® Building Panels


Round Horizontal Foam Closure—3 Ft. (5 pack)
For Use With Tuftex SeaCoaster



Square Horizontal Foam Closure—3 Ft. (5 pack)
For Use With Tuftex PolyCarb and UltraVinyl



Aluminum Nails with Washers--1 3/4" long (100/box)



Round Horizontal Wood Closure—6Ft.
For Use With Tuftex SeaCoaster



Square Horizontal Wood Closure—6 Ft.
For Use With Tuftex PolyCarb and UltraVinyl



Accessories for Tuftex® DeckDrain

Tuftex DeckDrain Slope Building Brackets
4' long, Used to attach DeckDrain panels and ensure proper drainage



Tuftex DeckDrain Fasteners
Hex head, self-tapping, 1 1/4" long, Available in Tan and White

