



Upright Freezer

PRODUCT MODEL NUMBERS

EV188NYW

Electrical: A 115-volt, 60-Hz, AC-only, 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.


NOTE: Before performing any type of installation, cleaning, or removing a light bulb, turn the control (Thermostat, Refrigerator or Freezer Control depending on the model) to OFF and then disconnect the refrigerator from the electrical source. When you are finished, reconnect the refrigerator to the electrical source and reset the control (Thermostat, Refrigerator or Freezer Control depending on the model) to the desired setting. See "Using the Controls."

Water: A cold water supply with water pressure between 30 and 120 psi (207 and 827 kPa) is required to operate ice maker and water dispenser. If you have questions about your water pressure, call a licensed, qualified plumber.

IMPORTANT: The pressure of the water coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 30 and 120 psi (207 and 827 kPa).


Reverse Osmosis Water Supply: If a reverse osmosis water filtration system is connected to your cold water supply, the water pressure to the reverse osmosis system needs to be a minimum of 40 to 60 psi (276 to 414 kPa).

PRODUCT DIMENSIONS



| Model Size | Height - Overall "A" | Depth - Without Handles "B" | Width - Cabinet "C" |
|-------------|-------------------------------|-----------------------------------|------------------------|
| 17.7 cu.ft. | 66 $\frac{5}{8}$ " (169.2 cm) | 31" (78.7 cm) | 30" (76.2 cm) |

LOCATION REQUIREMENTS



This freezer may be installed side by side with another freezer or refrigerator. Allow at least 1" (2.54 cm) between back of cabinet and the wall.

If you are installing your freezer next to a fixed wall, leave extra space on the hinge side to allow for the door to swing open.

Check the strength of the floor before installing your freezer. It should hold the weight of a freezer fully loaded with food.

NOTE: It is recommended that you do not install the freezer near an oven, radiator, or other heat source, nor in a location where the temperature will fall below 55°F (13°C).