

Low Voltage Pendants



DSLW8800-SC-WH




- A. DSL833-00
Satin Chrome only
Max. length of cable 4' (122 cm)
Canopy: L 34.5" x W 6.5" (88 x 17cm)
Bulb: 3 x max. 50W 12V halogen (included)

- B. DSL800-00
Satin Chrome only
Overall height adjustment to 4' (122 cm)
Canopy: 5" (13 cm) Ø
Bulb: max. 50W 12V halogen (included)

- C. DSLW8800-00-00
Satin Chrome,
Oil Brushed Bronze
Canopy: 5" (13 cm) Ø
Depth: 5" (13cm)
Bulb: max. 40W G9-120V (included)

ORDER USING SHADE
GLASS COLOUR "00"





Lighted Mirrors Perfect for bathrooms, bedrooms or foyers


A. MIR-G176

Rectangular lighted mirror
Bevelled glass
H 28" x W 24" x D 3" (71 x 61 x 8cm)
Pull chain switch
Uses 8 x 10W G4 hubs (not included)
Hardwire version
** For plug-in version order:
MIRCC-PC cord set with cover



B. MIR-G010

Oval lighted mirror
Bevelled glass
H 29" x W 26" x D 3" (74 x 66 x 8cm)
Pull chain switch
Uses 6 x 10W G4 hubs (not included)
** For plug-in version order:
MIRCC-PC cord set with cover



MIRC-PC
8' (244cm) cord with 3 pc 39" (99cm)
fractional cord cover
Polished Chrome

Custom Organza Shades



Optional Oval Shade

Optional Rectangular Shade



- A. 85310W-510607-115
85310W crystal vanity
c/w 510607-115 - Oval
Black Organza Shade

- B. 85318W-200607-119
85318W crystal vanity
c/w 200607-119 - Rectangular
White Organza Shade

- C. 85306W
PC / CLEAR CRYSTAL
W 6" x H 9" x D4"
(15 x 23 x 10cm)
7 strands of clear crystal
Bulb: max. 60W E12
(not included)
OPTIONAL SHADE STYLES:
10607 - Oval Organza Shade
80607 - Rectangular
Organza Shade

- D. 85310W
PC / CLEAR CRYSTAL
W 10" x H 9" x D4"
(25 x 23 x 10cm)
12 strands of clear crystal
Bulb: 2 x max. 60W E12
candelabra (not included)
OPTIONAL SHADE STYLES:
510607 - Oval Organza Shade
120607 - Rectangular
Organza Shade

- E. 85318W
PC / CLEAR CRYSTAL
W 20.5" x H 9" x D4"
(52 x 23 x 10cm)
20 strands of clear crystal
Bulb: 3 x max. 60W E12
candelabra (not included)
OPTIONAL SHADE STYLES:
320607 - Oval Organza Shade
200607 - Rectangular
Organza Shade

- F. 85324W
PC / CLEAR CRYSTAL
W 24" x H 9" x D4"
(61 x 23 x 10cm)
26 strands of clear crystal
Bulb: 4 x max. 60W E12
candelabra (not included)
OPTIONAL SHADE STYLES:
920607 - Oval Organza Shade
260607 - Rectangular
Organza Shade

ORGANZA FABRIC SELECTION:

- 109- RED
- 110 - CHOCOLATE BROWN
- 111 - GOLD
- 113 - GREY
- 114 - SILVER
- 115 - BLACK
- 117 - OYSTER
- 118 - CREAM
- 119 - WHITE

See page 105

Crystal Vanity Lights



1-Light



2-Light



3-Light



4-Light



Vanity Lighting

Bevelled Mirror Back Plate



Glass size:
H 3.25" x Dia. 2.75"
(H 8cm x Dia. 7cm)

A. V010-1W ONE LIGHT SCONCE

Polished Chrome
White frosted glass
H 5.75" x W 4.75" x D 4.75" (15 x 12 x 12cm)
Bulb: max. G9 40W (not included)

B. V010-2W TWO LIGHT VANITY

Polished Chrome
White frosted glass
H 5.75" x W 11.75" x D 4.75" (15 x 30 x 12cm)
Bulb: max. 2 x G9 40W (not included)



C. V010-3W THREE LIGHT VANITY

Polished Chrome
White frosted glass
H 5.75" x W 19" x D 4.75" (15 x 48 x 12cm)
Bulb: max. 3 x G9 40W (not included)

D. V010-4W FOUR LIGHT VANITY

Polished Chrome
White frosted glass
H 5.75" x W 26" x D 4.75" (15 x 66 x 12cm)
Bulb: max. 4 x G9 40W (not included)

Glass size:

2.5" x 2.5" x 4"
(6 x 6 x 10cm)

Bevelled Mirror Back Plate



- A. V099-1W
ONE LIGHT SCONCE
Polished Chrome
White frosted glass
W 5" x H 5.75" x D 4" (13 x 15 x 10cm)
Bulb: max. G9 40W (not included)



- B. V099-3W
THREE LIGHT VANITY
Polished Chrome
White frosted glass
W 19" x H 5.75" x D 4" (48 x 15 x 10cm)
Bulb: 3 x max. G9 40W (not included)



- C. V099-2W
TWO LIGHT VANITY
Polished Chrome
White frosted glass
W 12" x H 5.75" x D 4" (30 x 15 x 10cm)
Bulb: 2 x max. G9 40W (not included)

- D. V099-4W
FOUR LIGHT VANITY
Polished Chrome
White frosted glass
W 26" x H 5.75" x D 4" (66 x 15 x 10cm)
Bulb: 4 x max. G9 40W (not included)

Oval glass size:

D 2.5" x W 3.5" x H 3"

(D 6 x W 9 x H 8cm)



A

A. 809-5W

FIVE LIGHT VANITY

Polished Chrome

Clear/ frosted oval glass

W 29.5" x H 5" x D 3.5" (75 x 13 x 9cm)

Bulb: 5 x max. G9 40W

(not included)



B

B. 809-3W

THREE LIGHT VANITY

Polished Chrome

Clear/ frosted oval glass

W 16.5" x H 5" x D 3.5" (42 x 13 x 9cm)

Bulb: 3 x max. G9 40W



D

C. 809-2W

TWO LIGHT SCONCE

Polished Chrome, Oil Brushed Bronze

Clear/ frosted oval glass

W 4.25" x H 7.5" x D 3.5"

(11 x 19 x 9cm)

Bulb: 2 x max. G9 40W

(not included)




C

OBB
Swatch



OBB
Swatch



D. 809-1W

ONE LIGHT SCONCE

Polished Chrome, Oil Brushed Bronze

Clear/ frosted oval glass

W 4.25" x H 6.5" x D 3.5"

(11 x 17 x 9cm)

Bulb: max. G9 40W

(not included)

Vanity Lights



A. V1230-1W
ONE LIGHT SCONCE
Polished Chrome
White frosted glass
W 4.5" x H 4.5" x D 4" (11 x 11x10cm)
Bulb: max. G9 40W (not included)

Glass size:
3" x 3" x 3.5"
(8 x 8 x 9cm)

B. V1230-2W
TWO LIGHT VANITY
Polished Chrome
White frosted glass
W 12.5" x H 4.5" x D 4" (32 x 11x10cm)
Bulb: 2 x max. G9 40W (not included)

C. V1230-3W
THREE LIGHT VANITY
Polished Chrome
White frosted glass
W 19" x H 4.25" x D 4" (48 x 11x10cm)
Bulb: 3 x max. G9 40W (not included)

D. V1230-4W
FOUR LIGHT VANITY
Polished Chrome
White frosted glass
W 25.5" x H 4.25" x D 4"
(65 x 11 x 10cm)
Bulb: 4 x max. G9 40W
(not included)



Vanity Lighting



A. 83553
Oil Brushed Bronze, Polished Chrome,
Satin Chrome
Four light ceiling or wall fixture
Size: 11" x 11" x D 4" (28 x 28 x 10cm)
Bulb: 4 x max. G9 40W (not included)



B. 83555A
Oil Brushed Bronze, Polished Chrome,
Satin Chrome
Two light ceiling or wall fixture
Size: 11" x 5.5" x D 4" (28 x 14 x 10cm)
Bulb: 2 x max. G9 40W (not included)



C. 83554A
Oil Brushed Bronze, Polished Chrome,
Satin Chrome
One light ceiling or wall fixture
Size: 6" x 6" x D 4" (15 x 15 x 10cm)
Bulb: max. G9 40W (not included)



D. 83556
Polished Chrome, Satin Chrome
Three light ceiling or wall fixture
Size: 17" x 5.5" x D 4" (42 x 14 x 10cm)
Bulb: 3 x max. G9 40W (not included)



E. 83558
Polished Chrome, Satin Chrome
Five light ceiling or wall fixture
Size: 27.5" x 5.5" x D 4"
(70 x 14 x 10cm)
Bulb: 5 x max. G9 40W (not included)



F. 82553
Oil Brushed Bronze, Polished Chrome,
Satin Chrome
Four light ceiling or wall fixture
Size: 11" x 11" x D 4" (28 x 28 x 10cm)
Bulb: 4 x max. G9 40W (not included)



G. 82554
Oil Brushed Bronze, Polished Chrome,
Satin Chrome
One light ceiling or wall fixture
Size: 6" x 6" x D 4" (15 x 15 x 10cm)
Bulb: 1 x max. G9 40W (not included)



H. 82555
Oil Brushed Bronze, Polished Chrome,
Satin Chrome
Two light ceiling or wall fixture
Size: 11" x 5.5" x D 4" (28 x 14 x 10cm)
Bulb: 2 x max. G9 40W (not included)



I. 82556
Polished Chrome, Satin Chrome
Three light ceiling or wall fixture
Size: 17" x 5.5" x D 4" (43 x 14 x 10cm)
Bulb: 3 x max. G9 40W
(not included)



J. 82558
Polished Chrome, Satin Chrome
Five light ceiling or wall fixture
Size: 27.5" x 5.5" x D 4"
(70 x 14 x 10cm)
Bulb: 5 x max. G9 40W (not included)



New Era - Glass Cubes



- A. 83895
FIVE LIGHT VANITY
Polished Chrome
Canopy: 5.5" x 4" (14 x 10cm)
W 29.5" x H 5.5" x D 3" (75 x 14 x 8cm)
Bulb: 5 x max. G9 40W (not included)

- B. 83893
THREE LIGHT VANITY
Polished Chrome
Canopy: 5.5" x 4" (14 x 10cm)
W 16.25" x H 5.5" x D 3" (41 x 14 x 8cm)
Bulb: 3 x max. G9 40W (not included)

CLEAR / FROSTED GLASS:

2" x 2" x 2.5" (50mm x 50mm x 60mm)



- C. 83889A
TWO LIGHT SCONCE
Polished Chrome
W 4.25" x H 7" x D 3" (11 x 18 x 8cm)
Bulb: 2 x max. G9 40W (not included)

- D. 83891A
ONE LIGHT SCONCE
Polished Chrome
W 4.25" x H 5.5" x D 3" (11 x 14 x 8cm)
Bulb: max. G9 40W (not included)



Wood Finish Lamps


A



C



B



D



A. DM2026F

Espresso / Satin Chrome accents
White linen shade
Height: 60" (152cm)
Hi/lo pull chain switch
Shade: H 12" x W 20" x D 10"
(30 x 51 x 25cm)
Bulb: 2 x max 150W A type (not included)

C. DM5105

Dark Rose Wood
Double shade
Height: 16" (40cm)
Hi/lo pull chain switch
Shade: H 9" x W 14" x D 8"
(23 x 36 x 20cm)
Bulb: max 100W A type (not included)

B. DM2026

Espresso / Satin Chrome accents
White linen shade
Height: 23" (58cm)
Hi/lo pull chain switch
Shade: H 9" x W 15" x D 10"
(23 x 38 x 25cm)
Bulb: max 150W A type (not included)

D. DM1028

Black with Satin Chrome accents
Cream linen shade
Height: 23" (58cm)
Shade: H 9" x W 16" x D 8"
(23 x 41 x 20cm)
Bulb: max 150W tri-light (not included)



A. DM803-20

Polished Chrome / Printed Linen

C/w 39" (99cm) fractional rod:

8+11+20 (20+28+51)

Canopy size: 5" (13cm) Ø

Shade size: Dia. 20" (51cm) x H10" (25cm)

White linen diffuser

Bulb: 3 x max. 100W A type
(not included)



B

B. DM803

Polished Chrome/Printed Linen

In-line switch

H 26" (66cm) x D 9" (23cm)

Bulb: 3 x max. 40W candelabra
G type (not included)

C. DM803F

Polished Chrome/Printed Linen

In-line foot switch

H 68" (173cm) x D 9" (23cm)

Bulb: 7 x max. 40W candelabra
G type (not included)



C

Modern Lighting Styles





- A. DM208F
Satin Chrome - White Shade
Oil Brushed Bronze - Off White Shade
Height: 62" (158cm)
Shade size: H 10" (25cm) x D 20" (51cm)
Metal base
Hi/lo pull chain switch
Bulb: max 150W tri-light



- B. DM208
Satin Chrome - White Shade
Oil Brushed Bronze - Off White Shade
Height: 20" (51cm)
Shade size: H 8" (20cm) x D 14" (36cm)
Metal base
Hi/lo pull chain switch
Bulb: max 100W tri-light

- C. 83323F
Satin Chrome - White Shade
Oil Brushed Bronze - Beige Shade
Height: 61" (155cm)
On/off foot switch
Bulb: 2 x max 60W type A



- D. 83322
Satin Chrome - White Shade
Oil Brushed Bronze - Beige Shade
Height: 19" (48cm)
On/off switch
Bulb: max 60W type A



- E. DM317
Satin Chrome - White Shade
Oil Brushed Bronze - Off White Shade
Height: 22" (56cm)
Shade: D 16" x H 6.5" (41x17cm)
On/off switch
Bulb: 2 x max 60W type A
(not included)



CONTEMPORARY
LIGHTING SOLUTIONS

Leather

A

B

B

A. LTHR598F

Brown Leatherette with Satin Chrome accents.
Height: 60" (152cm)
Base: 10" (25cm) square
Square shade: W 16" (40cm) x H 11" (28cm)
3 way turn switch
Bulb: 150W tri-light (not included)

B. LTHR598

Brown Leatherette with Satin Chrome accents
Height: 25" (64cm)
Base: 5" (13cm) square
Square shade: W 12" (30cm) x H 10" (25cm)
3 way turn switch
Bulb: 100W tri-light (not included)

Leather



C

- C. LTHR759
Brown Leatherette with Satin Chrome accents.
Height: 21" (53cm)
Off white round shade:
H 8"(20cm) x Dia.12"(30cm)
Bulb: 100W tri-light (not included)



D

- D. LTHR761
Black Leatherette with Satin Chrome accents.
Height: 18" (46cm)
White shade:
H 8.5"(22cm) x W12"(30cm) x D 8"(20cm)
Bulb: 100W tri-light (not included)



F

- F. LTHR803
Brown Leatherette with Satin Chrome accents.
Height: 23" (58cm)
Off white round shade:
H 8"(20cm) x Dia.12"(30cm)
Bulb: 100W tri-light (not included)



E

- E. LTHR015
Black Leatherette with Satin Chrome accents.
Height: 18" (46cm)
White shade:
H 8.5"(22cm) x W12"(30cm) x D 10"(25cm)
Bulb: 100W tri-light (not included)



G

- G. DM506F
Brown Leather with Satin Chrome accents.
Height: 61" (155cm)
Beige linen square shade:
H 9"(23cm) x W10"(25cm)
Hi/lo pull chain switch
Bulb: 100W A type (not included)



H

- H. DM506
Brown Leather with Satin Chrome accents.
Height: 20" (51cm)
Beige linen square shade: H 8"(20cm) x W9"(23cm)
Hi/lo pull chain switch
Bulb: 60W A type (not included)

Contemporary Lighting Solutions



- A. DLHA1575F**
 Antique Brass, Satin Chrome
 Floor lamp with 5 tulip glass shades
 H 71" (180 cm)
 Base dia. 9" (23 cm)
 Foot dimmer
 Bulb: 5 x max. 20W halogen
 (DL1220 - included)



- B. DLHA1575**
 Antique Brass, Satin Chrome
 Table lamp with 5 tulip glass shades
 H 31" (79 cm)
 Base dia. 7" (18 cm)
 Hi/low switch
 Bulb: 5 x max. 20W halogen
 (DL1220 - included)





C



D

C. DM516F
Satin Chrome
H 65" (165 cm)
Base dia. 11" (28 cm)
Opal white glass shade
On/off foot switch
Bulb: 3 x max. 60W A type
(not included)

D. DM516
Satin Chrome
H 21" (53 cm)
Four way switch mounted on base
Base dia. 8" (20 cm)
Opal white glass shade
Bulb: 2 x max. 60W A type (not included)



E

E. DM217
Satin Chrome,
Oil Brushed Bronze
H 21" (53 cm)
On/off switch
Base dia. 7.5" (19 cm)
White frosted glass shade:
W 19" (48cm) D 9" (23cm)
Bulb: 2 x max. 60W A type
(not included)

F. DM217F
Satin Chrome,
Oil Brushed Bronze
H 72" (183 cm)
Base dia. 12" (30 cm)
White frosted glass shade
W 19" (48cm) D 9" (23cm)
Bulb: 2 x max. 100W A type (not included)

F



Transitional Lamps



A

A. DM908F – FLOOR LAMP

Black/Chrome, Oil Brushed Bronze
H 59"(150cm)

Base Dia. 13"(32cm)

Linen shade: Dia.16"(40cm) x H 8"(20cm)

Hi/lo switch

Bulb: max. 150W A type (not included)



B. DM2222F - FLOOR LAMP
 Polished Chrome, Oil Brushed Bronze
 H 57" (145 cm)
 Base Dia. 12" (30 cm)
 Oval linen shade:
 L 18" (46 cm) x D 11" (28 cm) x H 7.5" (19 cm)
 On/off switch
 Bulb: 2 x max. 100W A type (not included)

C. DM2222 - TABLE LAMP
 Polished Chrome, Oil Brushed Bronze
 H 20" (50 cm)
 Base Dia. 12" (30 cm)
 Oval linen shade:
 L 15" (38 cm) x D 8" (20 cm) x H 6.5" (17 cm)
 On/off switch
 Bulb: 2 x max. 60W A type (not included)



D. DM908 - TABLE LAMP
 Black/Chrome, Oil Brushed Bronze
 Total height 22" (56 cm)
 Base Dia. 7.5" (19 cm)
 Linen shade:
 Dia. 10" (26 cm) x H 8" (20 cm)
 Hi/lo switch
 Bulb: max. 100W A type (not included)

E. DM999F - FLOOR LAMP
 Black/Chrome, Oil Brushed Bronze
 Total height 59" (150 cm)
 Linen shade:
 Dia. 12" (30 cm) x H 8" (20 cm)
 Hi/lo switch
 Bulb: max. 150W A type (not included)



Contemporary Lighting Solutions




A. DF570F
Polished Chrome
3 crystal balls
Height 62" (157cm)
Shade H 10" (25cm) Dia. 16" (40cm)
White linen shade or black linen shade
Bulb: 2 x max. 100W A type (not included)
Bulbs switched independently




B. DT570
Polished Chrome
5 crystal balls
Height 30" (76cm)
Shade H 10" (25cm) Dia. 16" (40cm)
White linen shade or black linen shade
Bulb: 2 x max. 100W A type (not included)
Bulbs switched independently



C. DT500
Polished Chrome
3 crystal balls
Height 20" (51cm)
Shade H 8" (20cm) Dia. 10" (25cm)
White linen shade or black linen shade
Bulb: max. 100W A type (not included)





A. DLHA710F

Polished Chrome
Adjustable head
Height: 54" (137cm)
Clear glass base
Bulb: max. G9 40W (included)




B. DLHA710

Polished Chrome
Adjustable head
Height: 16" (41cm)
Clear glass base
Bulb: max. G9 40W (included)



C. DLHA107F


Oil Brushed Bronze (ONLY)
H 64" (162cm)
Base SQ 9" (24cm)
Includes 9 amber crystal cubes
Foot dimmer switch
Bulb: 9 x max. 10W-12V-G4 (included)



D. DLHA107

Oil Brushed Bronze, Satin Chrome
H 22" (55cm)
Base SQ 6" (15cm)
Includes 8 crystal cubes
On/off toggle switch on base
Bulb: 8 x max. 10W-12V-G4 (included)

Crystal Pleats



Crystal Pleats / Frosted Glass Diffuser

D



B



C

- A. 7062-18
Polished Chrome/Black Shade
Polished Chrome/White Shade,
Oil Brushed Bronze/White Shade
Shade size: H 6" x Dia. 18" (15 x 46cm)
4' (122cm) clear wire
Bulb: max. 3 x 60W A type (not included)
- B. 7062-22
Polished Chrome/Black Shade
Polished Chrome/White Shade,
Oil Brushed Bronze/White Shade
Shade size: H 7" x Dia. 22" (18 x 56cm)
4' (122cm) clear wire
Bulb: max. 3 x 100W A type (not included)

- C. 7062-16TL
Polished Chrome/Black Shade
Polished Chrome/White Shade,
Oil Brushed Bronze/White Shade
Total height: 22" (56cm)
Hi /lo pull chain switch
Shade size: H 4.5" (11cm) x Dia. 16" (41cm)
Bulb: 2 x max. 60W A type (not included)

- D. 7062-18F
Polished Chrome/Black Shade
Polished Chrome/White Shade,
Oil Brushed Bronze/White Shade
Total height: 62" (157cm)
Hi /lo pull chain switch
Shade size: H 6" (15cm) x Dia. 18" (46cm)
Bulb: 2 x max. 100W A type
(not included)



A



Floor Lamps

A. DLHA6052F

Satin Chrome, Oil Brushed Bronze

Height: 70" (178cm)

Hi/lo pull chain switch for uplight

On/off switch for reading light


Bulb: 150W A type (not included)

1 x max G9 40W (reading light)
(not included)

A




Floor Lamps



B. DLHA831F
Satin Chrome,
Oil Brushed Bronze
Height: 72" (183cm)
2 x Hi/lo switches
Bulb: 2 x 100W A type
(not included)
Reading light:
Max 50W-12V
halogen (included)

C. DLHA801F
Satin Chrome/Polished Chrome,
Oil Brushed Bronze
Height: 72" (183cm)
Foot dimmer switch
Bulb: 2 x max 100W A type
(not included)



Energy
Efficient
Compact
Flourescent



D. DLHA632
Black, Antique Brass, Black Chrome,
Satin Chrome, Oil Brushed Bronze
Height: 72" (183cm)
2 x Hi / lo switches
Bulb: 2 x max 100W A type
(not included)
Reading light:
Max G9 40W (included)

E. DLHA708F
Satin Chrome/Polished Chrome,
Oil Brushed Bronze
Height: 72" (183cm)
Four way switch mounted on column
Bulb: 3 x max GU24 CFL 26W
(not included)
Energy efficient:
78Watts = 300Watts

Floor Lamps



A. DM330F
Black, Satin Chrome, Antique Brass
Three adjustable metal heads separately switched
Height 65" (165cm)
Base diameter 11" (28 cm)
Bulbs: 3 x max.60W A type (not included)

B

B. DM238F
Black, White, Satin Chrome, Antique Brass.
Hi/low switch
Adjustable gooseneck head
Height 54" (137cm)
Base diameter 10" (25 cm)
Bulb: max. 100W A type (not included)



Reading Lamps



A. DLHA319F

Oil Brushed Bronze, Polished Chrome

Opal white glass shades

2 x on/off switches mounted on column

H 72" x Dia. 13" (183 x 33cm)

Base Dia. 11" (28cm)

Bulbs:

Max. 150W A type (not included) – for uplight

Max. G9 40W (included) – for reading lamp

B. DLHA567

Black, Satin Chrome

All metal construction

C/w hi / low switch on base

Base Dia. 8" (20 cm)

H 23" W 29" x D 8" (58 x 74 x 20cm)

Bulb: max. 100W T3 halogen

(DL100Q3 included)



Transitional Lamps

A

A. DM2578F

Satin Chrome, Oil Brushed Bronze

Min height: 42" (106cm)

Max height: 60" (152cm)

Dimmer switch

Bulb: max 100W A type (not included)

Shade size: H 8" x Dia. 11" (20 x 28cm)

A

Transitional Style



B

B. DM451F

Satin Chrome,
Oil Brushed Bronze
Min height: 42" (106cm)
Max height: 60" (152cm)
Shade size: H 10" x Dia. 14"
(25 x 36cm)
Bulb: max 150W tri-light
(not included)



B




C



C

C. DMWL800

Satin Chrome,
Oil Brushed Bronze
Swing arms:
Extend to max. 17" (42.5cm)
C/w 24" (61cm) cord cover
Shade size:
H 9" x Dia. 12" (23 x 30cm)
Bulb: max 150W tri-light
(not included)



Pharmacy Lamps

A

A. DM1958F
ADJUSTABLE FLOOR LAMP
Satin Chrome,
Oil Brushed Bronze (Blackened)
Min height: 36" (91cm)
Max height: 52" (132cm)
W 19" x D 10" (48 x 25cm)
Bulb: max 60W A type


B. DM1958
ADJUSTABLE TABLE LAMP
Satin Chrome,
Oil Brushed Bronze (Blackened)
H 18" x W 12" x D 7"
(46 x 30 x 18cm)
Bulb: max 60W A type

B





C



AB



D



A



B

C. DLHA654W

Satin Chrome, Satin Brass,
Oil Brushed Bronze
Swing arms extend to max. 18" (46cm)
24" (61cm) cord cover
Bulb: max 100W-T3 halogen (included)
Can be hard wired


D. DLHA654F

Satin Chrome,, Oil Brushed Bronze
Swing arms extend to max. 18" (46cm)
Min height: 38" (97cm)
Max height: 56" (142cm)
Bulb: max 100W-T3 halogen (included)

E. DM450F

ADJUSTABLE FLOOR LAMP

Satin Chrome, Oil Brushed Bronze (Blackened)
Min height: 36" (91cm)
Max height: 52" (132cm)
W 20" x D 10" (51 x 25cm)
Bulb: max 100W type A (not included)



E

Over Bed Reading Lights

A



A. DLHAW101

- Two Adjustable Gooseneck Arms
- Individual on/off switches
- Ships as a plug-in unit, but can be converted to direct-wire
- Total length 40" (102 cm)
- Gooseneck arms extend 20" (50 cm) and can be positioned anywhere along the rails
- Comes with 24" (61 cm) cord cover to hide exposed wires
- Total wire length: 10' (305 cm)
- Uses 2 – 20W MR11 bulbs (included)

Available in:

- a) - Antique Brass
- b) - Oil Brushed Bronze
- c) - Satin Chrome

Modern Wall Lamps



A. DGUW224

Black, White, Antique Brass
Oil Brushed Bronze, Satin Chrome
Arm extends to 22" (56 cm)
Canopy 4.5" (11 cm) Ø
On / off switch
Cord cover 24" (61 cm)
Bulb: max. 50W GU10
(not included)

B. DLHA567W

Oil Brushed Bronze, Satin Chrome
Arm extends to 26" (66 cm)
Canopy: 5" (12 cm) Ø
C/w hi/low switch
Use as plug-in or direct-wire
Bulb: max. 100W T3 halogen (DL100Q3 - included)

C. DLHA654W

Oil Brushed Bronze, Satin Brass, Satin Chrome
100W halogen swing-arm wall lamp
Arm extends to 18" (46 cm)
Canopy: H 6" x W 4.25" (15 x 11 cm)
Cord cover 24" (61 cm)
Bulb: max. 100W T3 halogen (DL100Q3 - included)
Can be hard wired

Swing Arms



- A. DMWL818
Antique Brass, Oil Brushed Bronze
Dual arm swing-arm, extends 18" (46 cm)
Tri-light switch & socket
C/w 24" (61 cm) cord cover
Can be hard wired
Bulb: max. 100W tri-light (not included)



- B. DMWL800
Oil Brushed Bronze, Satin Chrome
Wall mounting fixture
Heavy-duty back plate
Swing-arms extend to max. 17" (42.5 cm)
C/w 24" (61 cm) cord cover
Tri-light switch & socket
Can be hard wired
Bulb: max. 150W tri-light (DL123 - not included)



- C. DMWL800-13
Antique Brass, Oil Brushed Bronze, Satin Chrome
Energy saving fluorescent available PL or GU24 version
Swing-arms extend to max. 17" (42.5 cm)
Canopy 6" (15 cm) x 6" (15 cm) x 1.25" (3 cm)
PL uses electronic ballast

- D. DMWL802
Antique Brass, Oil Brushed Bronze, Satin Chrome
Swing-arms extend to max. 17" (42.5 cm)
Basic model direct-wire, switch is part of socket
Canopy 18" (46 cm) x 6" (15 cm) x 1.25" (3 cm)
Bulb: 2 x max. 150W tri-light (DL123 - not included)
CAN BE CUSTOM ORDERED in PL or GU24 VERSION

Commercial Quality



Wall Directional Lights



A

A. DLED410W
Satin Chrome,
Polished Chrome,
Oil Brushed Bronze
Gooseneck 7.5 inches
Shade H 7" x D 8"
Canopy: D 5"
Comes with plug in cord with
24" (61cm) cord cover (can be hardwired)
C/w 3 Watt Hi Power LED reading lamp
Bulb: max 26W GU24 (not included)



A



A

B. DGU16

Satin Chrome, Oil Brushed Bronze
Gooseneck: 15" (38cm)
On / off switch on cord
Metal shade / metal clip
Bulb: max. 50W GU10 (not included)



B

Clip On's



C

C. DLED-304COL

Polished Chrome
12" (30cm) gooseneck
On/off switch on cord
Metal shade / metal clip
Hi-Power 3W LED (included)
50,000 hour life expectancy



D

F

E

D. DLHA216

HALOGEN FLOOR POD OR SPOT
Black, White, Satin Chrome
Can sit on floor or be attached to wall
(direct-wire or plug-in)
Includes:
6' (183 cm) SPT-2 wire with molded plug
Micro switch mounted on canopy
Canopy diameter 4.5" (12 cm) Height 1" (2.5 cm)
Shade diameter 2" (5 cm) Height 3.5" (9 cm)
Bulb: max. 50W MR16 (EXN - included)

E. DXL16

Black, White
Clip-on lamp
6" (15 cm) gooseneck
extension
On/off switch
Bulb: max. 100W "A"
(not included)

F. DXL15

WALL SPOT OR FLOOR POD
Black, White, Satin Chrome
Porcelain socket
H 7" (18 cm)
Base Diameter 4" (10 cm)
Bulb: max. 100W "A"
(not included)



A. DLHA730F

ADJUSTABLE FLOOR LAMP

Antique Brass, Oil Brushed Bronze, Satin Chrome
 H 52" (132cm) x W 17" (43cm)
 Base Dia. 7" (18cm)
 Bulb: max. 50W 12V halogen
 (DL1250-included)

B. DLHA730

ADJUSTABLE READING LAMP

Antique Brass, Oil Brushed Bronze,
 Satin Chrome
 H 18" (46cm) x 16" (41cm)
 Base Dia. 5.5" (14cm)
 Bulb: max. 50W 12V halogen
 (DL1250-included)



C. DLHA102

ADJUSTABLE DESK LAMP

Black, Oil Brushed Bronze,
 Satin Chrome
 H 25" (64cm) x W 19" (48cm)
 Base Dia. 4.5" (12cm)
 Bulb: max. 50W 12V halogen
 (DL1250-included)



D. DLHA102F

ADJUSTABLE FLOOR LAMP

Oil Brushed Bronze only
 H 54" (137cm) x W 19" (48cm)
 Base Dia. 9" (23cm)
 Bulb: max. 50W 12V
 halogen (DL1250-included)



A. DMBL710

Oil Brushed Bronze, Polished Chrome
H 19" x W 10" x D 16"
(48 x 25 x 41cm)
Base diameter: 8" (20cm)
Hi/lo turn switch
Bulb: max. 60W A type
(not included)



A



B. DMBL618

Antique Brass, Oil Brushed Bronze, Polished Chrome
Height: 18" x W 10" x D 13" (46 x 25 x 33cm)
Base: 6" x 6" (15 x 15cm)
Bulb: max. 60W A type (not included)
C/w two electrical outlets plus one telephone jack
mounted on base.

B



Media
Lamps




B



B

C/w two electrical outlets plus one
telephone jack mounted on base.

C



C. HIL900

Black
H 16" x W 18" x D 9"
(41 x 46 x 23cm)
Base diameter: 7.5" (19cm)
Bulb: max. 60W A type
(not included)






ULT133BM



ULT118



DLED124



ULT260



A. DLED124
 Black
 On/off switch
 H 15.5" x W 24" x D 8" (39 x 61 x 20cm)
 High power LED 3 x 3W 3500K (included)



E. DM849 - TABLE LAMP
 Black/Polished Chrome, Oil Brushed Bronze
 Height 20" (51cm)
 On/off switch on base
 Base diameter 7" (18cm)
 Bulb: max. 60W "A" (not included)

F. DLHA111
HALOGEN DESK LAMP "THEMIS"
 Black, Silver
 H 22" (54 cm)
 Base diameter 5" (12 cm)
 Hi/lo switch
 Bulb: max. 50W 12V halogen (DL1250 - included)



B. ULT133BM
 Black
 Maximum reach is 36" (91 cm)
 Complete with heavy base:
 7.5" x 5" (19 x 12 cm)
 Bulb: max. 13W mini fluorescent =
 75W incandescent
 (DS13W41-included)

C. ULT118
 Black
 H 18" (46 cm)
 Base 6" x 9" (15 x 23 cm)
 Bulb: max. 18W mini fluorescent=
 100W incandescent (DS18W - included)

D. ULT260
 Black / Silver
 H 43" (110 cm) oval base 7.5" x 9"
 (19 x 23 cm)
 Arm extends approximately 36" (91 cm)
 Complete with heavy base and table clamp
 Bulb: max. 13W mini fluorescent bulb =
 75W incandescent (DS13W41- included)

G. DLH5001- TABLE LAMP
 Black / Silver accents
 Height 20" (50cm)
 On / off switch
 Base diameter 8" (20cm)
 Table clamp also included
 Bulb: max. 40W G9
 (included)

H. DLHA814-TB
TABLE LAMP
 Translucent Black/Silver
 Height 20" (50cm).
 Bulb: max. 20W halogen
 (included)



I. DM221 - DESK LAMP
 Black
 Metal shade & base
 Gooseneck
 Max. H 19" (49 cm) Base Diameter 5.5" (14 cm)
 Bulb: max. 100W "A" (not included)



PROFESSIONAL QUALITY

Home, Doctors Office, Aestheticians, Electronic Manufacturing...

DMAG-1-AA

ILLUMINATED FLUORESCENT MAGNIFIER

3 diopter, optical quality glass, stadium lens 7.5" (19 cm) x 6" (15 cm)

Magnifies 1.75X

Heavy duty spring-balanced arms, extend 42" (107cm)

Uses 2 - 9w compact fluorescent bulbs

(DS9W) included

Each bulb independently switched

Includes industrial duty clamp-on bracket "AA"

Metal arms, shade made of ABS plastic

AVAILABLE in WHITE only



• Magnification can be increased by purchasing clip-on lens.



OPTIONAL LENSES

SQ4D



4 diopter clip-on lens
Fits over top of existing lens
Increases magnification to 2.75X

SQ8D



8 diopter clip-on lens
Fits over top of existing lens
Increases magnification to 3.75X

3" (8cm)

OPTIONAL LENS CL10D



10 diopter clip-on lens
Clips onto magnifier
Easily swings into position when required
Increases magnification to 4.25X

IC STAND

Available in White only



Floor stand with casters.
Base diameter 26" (66cm)
Pole height 39" (99cm)

DIM10A

ILLUMINATED FLUORESCENT MAGNIFIER

- 5" diameter optical quality 3 diopter lens magnifies 1.75X
- 22W circline fluorescent bulb (included)
- Bulb cover, for safety
- Includes industrial duty clamp-on bracket "AA"
- Instant on/off switch
- Spring covers
- Heavy-duty spring balanced arms, extend 42" (107 cm)
- Magnification can be increased by purchasing replacement lens or clip-on lens.

AVAILABLE in WHITE only



OPTIONAL BRACKETS and BASES for MAGNIFIERS



"AA" BRACKET

Heavy-duty industrial
clamp-on bracket
Will not slip, slide or break



"B" BRACKET

Wall mounting bracket



"C" BRACKET

Permanent table mounting bracket



"E" BASE

Heavy weighted table base
Weight 25lbs

OPTIONAL GLASS LENSES



"8D" LENS

8 diopter clip-on lens
Clips below existing lens
Increases magnification by 3X



"5D" LENS

5 diopter replacement lens
Magnifies 2.25X



"3D" LENS

3 diopter lens
Magnifies 1.75X

When magnification is increased
the focal length decreases.
This means that working room
under lens is diminished.
For example:
a 3D working room is 13" (33cm)
at 11D working room is 2" (5cm)




#34 BUSHING

Aluminum bushing
Designed for surface mounting
any task light
Requires .75" hole for tight fit
Can be countersunk

ALL BRACKETS and BASES AVAILABLE in WHITE ONLY

Working Lamps





- A. DIM295X-MAGNIFIER - Almond
36" (91 cm) arm reach
3 diopter lens magnifies 1.75X (included),
4" (10 cm) diameter, lens cannot be upgraded
C/w metal clamp-on bracket "MX", opens to 2.25"(6cm)
Bulb: max. 60W "A" (not included)
- B. MAGNUS I - "DESIGNERS' CHOICE" - Black only
Clamp-on lamp with 36" (91 cm) reach
C/w metal clamp-on bracket "MX", opens to 2.25"(6cm)
Shade has handle for safe & effortless adjustment possibilities
On & off switch
Bulb: max. 100W "A" (not included)
- C. DXL334X - CLAMP-ON LAMP - Black, White+Black
36" (91 cm) reach
C/w metal clamp-on bracket "MX", opens to 2.25"(6cm)
All metal construction
Bulb: max. 100W "A" (not included)

- D. REMIE II - Black
Table version of MAGNUS I
Comes complete with heavy table base
36" (91 cm) reach
Base diameter 8" (20 cm)
Bulb: max. 100W "A" (not included)

- E. DC10D-COMBO - INCANDESCENT/FLUORESCENT
Black only
45" (114 cm) reach
C/w spring covers and adjustable drafting table bracket "D"
Bulbs:
- 60W incandescent (included)
- FC4-28Watt fluorescent (included)
- F. DDF10D-DUAL FLUORESCENT LAMP - White
45" (114 cm) reach
C/w spring covers and adjustable drafting table bracket "D"
Instant start
Bulbs: 2 x max. F15T8CW (included)
- G. DUN10A-PROFESSIONAL INCANDESCENT CLAMP-ON
White
41" reach (104 cm)
C/w standard "A" mounting bracket, three conductor cord,
porcelain socket & dual shade
Bulb: max. 100W "A" not included

Halogen Display Light



- A. DLHA200
 Black
 Shown with DC275 clamp bracket (E)
 Arm length: 18" (46 cm)
 Head L 5.25" (13.3cm) x D 3.5" (8.9cm) x H 1.5" (3.8cm)
 Head and base made of high temperature plastic
 On/off switch at base of arm
 c/w 12' (366 cm) black cord with grounded plug
 Bulb: max. 200W 120 Volt halogen (DL200Q3 - included)



- B. DISP150
 Black
 18" (46 cm) arm length
 12' (366cm) SVT black cord with grounded plug
 On/off switch at base of arm
 Bulb: max. 150W 120 Volt (not included)

- C. DISP150-75
 Black
 Same as DISP150 (B) with metal cover shade included
 Bulb: max. 75W 120 Volt (not included)

- D. DISP150-150
 Black
 Same as DISP150 (B) with metal cover shade included
 Bulb: max. 150W 120 Volt (not included)




Incandescent Display Lights

All the lamps above slide into the brackets below



- E. DC275
 Black
 Clamp bracket
 Max. opening: 2.75" (7 cm)



- F. DB300
 Aluminum bar 3" (7.6 cm) long
 to be screwed to top of panel or wall.
 (screws not supplied)
 Custom lengths available upon request



- G. DC360
 Aluminum
 Bracket designed to fit into pole of
 roll-up displays
 Stem OD 0.360" (9mm)

- H. DC480
 Aluminum
 Bracket designed to fit into pole of
 roll-up displays
 Stem OD 0.480" (12mm)

Halogen Picture Lights

Black, Antique Brass, Oil Brushed Bronze, Satin Brass, Satin Chrome
Mounting bracket supports the light and picture at the same time.



A. HPIC-11

Plug-in picture light
Extends 11" (28 cm) from the wall
C/w 20W MR16 shielded bulb
C/w plug-in transformer, 12' (366cm) cord
On/off switch - customer must install switch
where desired.

C. HPIC-18

Plug-in picture light
Similar to "A" but arm extends
18" (46 cm) from the wall
C/w 50W MR16 shielded bulb

B. HPIC-11-HW

Hardwire picture light
Extends 11" (28cm) from the wall
Hardware mounts on 120Volt junction
box located behind the picture
C/w 12V transformer

D. HPIC-18-HW

Hardwire picture light
Similar to "B" but arm extends
18" (47cm) from the wall
C/w 50W MR16 shielded bulb

E. UVGLS-50

Blocks 100% UV rays
Frosted glass with holder
(for MR16 only)
Cuts down glare and hot spots

F. LOUV-50

Matte black louvre clips
on to MR16 bulb
Eliminates glare and
narrows beam spread



G/H



Halogen bulbs:

G. BAB-CG
20W MR16

H. EXN-CG
50W MR16



E

Display Lighting



A. DLHA500 - "JACK"

Black & Chrome


Use as a display light, easel light or desk lamp

Arms extend 12-31" (30-79 cm)

Clamp max. opening to 4.25" (11 cm).

C/w 12' (366 cm) cord, in-line switch and grounded plug-in transformer

Bulb: max. 50W MR16 halogen (included)



B



A

B. DMPI60-EU

EUROPEAN TRANSFORMER

Black

12V transformer for European countries

Input voltage 230V 50HZ



C

C. DMPI60-UK

TRANSFORMER FOR GREAT BRITAIN

Black

12V transformer for U.K.

Input voltage 240V 50HZ



D

D. DMPI60

ELECTRONIC PLUG-IN TRANSFORMER + CORD

Black, Clear, White

12V 60W Electronic plug-in transformer with in-line switch.

Input voltage 120V 60HZ

Cord is 12' long, terminated with female connector.

Class 2.




Exhibit Lighting



- A. DLHA5522
HALOGEN DISPLAY LIGHT
Black & Chrome
Arms extend 12" - 31" (30 - 79cm)
C/w 2 x 12' (366cm) cord, in-line switch and two grounded plug-in transformers
Bulb: 2 x max. 50W MR16 halogen (EXN-CG included)
Mounting hardware not included. Choose from selection below.

- B. DLHA5521
HALOGEN DISPLAY LIGHT
Black & Chrome
Arm extend (12" - 31" (30 - 79 cm)
C/w 12' (366cm) cord, in-line switch and grounded plug-in transformer
Bulb: max. 50W MR16 halogen (EXN-CG - included)
Mounting hardware not included.
Choose from selection below.



- C. BANANA 500-3.5 or
BANANA 500-2.5
Replacement connector for DLHA500
Choose according to size of thread

- D. DC275
Black
Clamp bracket
Max. opening of 2.75" (7 cm)
Fixture slides into position

- E. DMTR500-3
White
Transformer with built-in adapters to accept three DLHA500 series fixtures
6' (183 cm) grounded cord
Built-in resettable fuses on transformer case
Input voltage 120V


- F. DB300
Aluminum bar 3" (.76 cm) long to be screwed to top of panel or wall. (screws not supplied)
Fixture slides into position
Also available in longer length upon request

- G. DC360
Aluminum
Bracket designed to fit into pole of roll-up displays
DC360 - stem OD 0.360" (9mm)

- H. DC480
Aluminum
Bracket designed to fit into pole of roll-up displays
Stem OD 0.480" (12mm)

- I. EXN-CG
HALOGEN BULB
50W MR16
C/w glass cover.

BRACKETS & COMPONENTS for ABOVE:



Display / Exhibit Lighting

Mounts
Vertically
(on wall)

Mounts
Horizontally
(on top of
a wall)

A. DLHA503

Chrome
Curved wire arms extend 18" (46 cm)
Arm pivots from base
Clear lexan base can be attached vertically or horizontally
C/w 12' (366 cm) cord, in-line switch and grounded
plug-in transformer
Bulb: max. 50W MR16 12V
(EXN-CG - included)

B. DLHA502

Chrome
Telescopic arms can extend from 12" - 31" (30 - 79 cm)
Arm pivots from base
Clear lexan base can be attached vertically or horizontally
C/w 12' (366 cm) cord, in-line switch and grounded
plug-in transformer
Bulb: max. 50W MR16 12V
(EXN-CG - included)

C. UVGLS-50

Blocks 100% UV rays
Frosted glass with holder
(for MR16 only)
Reduces glare and
hot spots

D. LOUV-50

Matte black louvre clips on to MR16 bulb
Eliminates glare and narrows beam spread

E. EXN-CG
HALOGEN BULB
50W MR16
C/w glass cover.

C



D



E



Display / Picture Lights

- A. DLHA501
HALOGEN DISPLAY LIGHT
Chrome
Arms extend 12" - 31" (30 - 79cm)
Bulb: max. 50W MR16 12V (EXN-CG included)
For mounting and electrical choose from accessories below.



B



- B. RCP2501
Black, Satin Chrome, White
Two female receptacles mounted in a 2.5" (64 mm) Dia. plate
Includes a 12' (366 cm) cord, in-line switch and grounded plug-in transformer (E)

C



- C. RCP4501
Black, Satin Chrome, White
Two female receptacles mounted in a 4.5" (11 cm) Dia. plate
Designed to be mounted over octagonal electrical box
C/w 60W 12V transformer (DMTR16S)

D



- D. RCP501
Two female receptacles c/w 12' (366cm) cord
In-line switch and grounded plug-in transformer (E)

F



- E. DMPI60
ELECTRONIC PLUG-IN TRANSFORMER & CORD
Clear
12V 60W Electronic plug-in transformer
Cord is 12' long, terminated with female connectors with in-line switch
Class 2
Input voltage 120V

- F. EXN-CG
HALOGEN BULB
50W MR16 with
glass cover.


E



- G. DMTR500-3
White
Transformer with built-in adapters to accept three DLHA500 series fixtures
6' (183 cm) grounded cord
Built-in resettable fuses on transformer case
Input voltage 120V

G





Mini-Light

12 Volt



- A. DLSL13
MINI-LIGHT
Black
13" (33cm) gooseneck
5W halogen bulb, head
BNC connector at base
- DLSL18
Same as DLSL13, but with 18" (45 cm) gooseneck
- DLSL6
Same as DLSL13, but with 6" (15 cm) gooseneck
- B. DLSL13X
MINI-LIGHT
Black
13" (33cm) gooseneck
5W halogen bulb
XLR connector at base
- DLSL18X
Same as DLSL13X but with 18" (45 cm) gooseneck
- DLSL6X
Same as DLSL13X but with 6" (15 cm) gooseneck

- C. DLSL107MP
MINI-LIGHT
Black
13" (33cm) gooseneck
5W halogen bulb (DL1815)
Square metal mounting base, 1.75" (4.45 cm)
Transformer not included

These models
do not include
transformers.

A


B



C



E



D

- D. DL1815
12V 5WATT
REPLACEMENT BULB

- E. DWX7
12V-17W TRANSFORMER
C/w 6' (183cm) cord

Use on mixing boards,
podiums, music stands,
navigation stations...

Use your imagination!

F



F. DLSL606

MINI-LIGHT

with MUSIC STAND CLIP

Black

13" (33cm) gooseneck

C/w transformer with 6' (183cm) cord

Rocker on/off switch



G¹. DLSL107

MINI-LIGHT

Black

13" (32.5 cm) gooseneck

Rocker on/off switch

5W halogen bulb

(DL1815-included))

C/w heavy-weighted base

C/w transformer

G². DLSL107-SP

Same as "G¹" (DLSL107)

but with 18" (45cm)

gooseneck

Many accessories available for this product.
See website: www.dainolite.ca for details.

H



H¹. DLSL107-NB

Same as "G¹" (DLSL107) but without base
Can be mounted to the table top,
backboard etc.

H². DLSL107-SP-NB

Same as "H¹" (DLSL107-NB)
but with 18" (45cm) gooseneck

I



I. DLED-304T

MINIATURE LED TABLE LAMP

Polished Chrome

On /off switch on base

12" (30cm) gooseneck

Hi-power 34W LED (included)

50,000 hour life expectancy

Office Furniture



A. DBS-400-GL-SV

SHELF ELEGANCE PERSONAFIED

Elegant free-standing shelf can stand alone, or can be grouped together.

4 curved, frosted tempered glass shelves, 12mm thick

Aluminum powder-coated frame

Size: H 71" x L 71" x D 39" (180 x 180 x 99 cm)

Shelves: L 71" (180 cm) x W 12" (30 cm)



B. DCT-600-GL-BK

EXECUTIVE COMPUTER DESK

Black graphite powder-coated metal parts

Frosted 10 mm tempered glass

Large keyboard tray with separate mouse tray

Adjustable keyboard angle

Table height: adjustable 29" - 32" (74 - 81 cm)

L 72" x W 37" (184 x 94 cm)



C. HFC144

HANGING FILE CART ON CASTERS

Black, Silver

Holds letter or legal size hanging files

All metal construction

4 casters

H 24" x W 17" x L 14" (61 x 43 x 35.5cm)

D. HFC600

HANGING FILE CART ON CASTERS

Black, Silver

Holds letter or legal size hanging files

All metal construction

Double-hinged cover, 4 casters

H 27" x W 17" x L 28" (69 x 43 x 71cm)

E. HFC300

HANGING FILE CART ON CASTERS

Black, Silver

Holds letter or legal size hanging files

All metal construction

Hinged cover, 4 casters

H 27" x W 17" x L 15" (69 x 43 x 38cm)



Occasional Furniture

A



A. GCT-135-CGL-PC
TWO TIER TABLE
Polished Chrome
Clear 6 mm tempered glass
Height 20" (52 cm)
Top glass Dia. 22" (56 mm)
Lower glass Dia. 14" (35 mm)

B. GCT-578-CGL-SC
END TABLE
Satin Chrome
Clear 10 mm tempered glass
Height 24" (62 cm)
W 16" x L 26" (40 x 65 cm)

B



C




C. GCT-378-CGL-SC
COFFEE TABLE
Satin Chrome
Clear 10 mm tempered glass
Height 20" (50 cm)
W 28" x L 43" (71 x 110 cm)

E. GCT-132-CGL-SC
COFFEE TABLE
Satin Chrome
8 mm glass
Height 18" (46 cm).
Dia. 32" (80 cm)
Also available:
GCT-132-CGL-OB
Oil Brushed Bronze / Clear Glass

F. GCT-510-CGL-SC
OVAL END TABLE
Satin Chrome
Clear 8 mm glass
Height 24" (60 cm)
W 14" x D 20" (36 x 52cm)
Also available:
GCT-510-CGL-OB
Oil Brushed Bronze / Clear Glass

D. GCT-124-CGL-SC
COFFEE TABLE
Satin Chrome
Clear 8 mm glass
Height 18" (46 cm)
Dia. 24" (60 cm)
Also available:
GCT-124-CGL-OB
Oil Brushed Bronze / Clear Glass



Oil Brushed
Bronze finish
with Clear Glass

Popular Fabrics

SB - Softback fabric - used with lining

HB - Hardback fabric - laminated on styrene


SILK GLOW

Tight weave, faux silk, blended fabric with semi-gloss finish.

Semi formal to formal applications.



140 - PEARL (SB)
840 - PEARL (HB)



139 - CREAM (SB)
839 - CREAM (HB)



138 - LATTE (SB)
838 - LATTE (HB)



142 - BRUSH GOLD (SB)
842 - BRUSH GOLD (HB)



133 - CELADON (SB)
833 - CELADON (HB)



134 - STEEL (SB)
834 - STEEL (HB)

JEWEL TONES

Very tight weave with a slight sheen.

Known for its true colors.

White Jewel Tone (790) typically used for fabric diffusers.



790 - WHITE (HB)



791 - IVORY (HB)



792 - PARCHMENT (HB)



795 - RED (HB)



796 - NAVY (HB)



797 - BLACK (HB)



696 - ZEBRA (HB)

ITALIAN LINEN

An even, medium weave, textured fabric.

Casual fabric with no gloss.



135 - CREAM (SB)
720 - CREAM (HB)



136 - BEIGE (SB)
721 - BEIGE (HB)



DIANA
151 - TAN (SB)
4151 - TAN (HB)

SHADOWBOX

Uniform evenly spaced small basket weave with a low sheen. Generally used for casual applications.



769 - WHITE CHOCOLATE (HB)



767 - PAPYRUS (HB)



768 - TAUPE (HB)

GINA

A faux silk fabric with a medium to light weight slub in the fabric.
A traditional semi formal fabric with a light sheen finish



130 - WHITE (SB)
130F - WHITE (HB)



131 - IVORY
131F - IVORY (HB)



132 - BEIGE
132F - BEIGE (HB)

BARONESS

Same as Gina but on Silver backing or lining.



693 - WHITE
on SILVER (HB)



695 - IVORY
on SILVER (HB)



694 - BLACK
on SILVER (HB)

LINDA FLAT

(195F, 165F)

Similar to Jewel Tone but more open weave and less sheen. More light passes through the fabric.



195F - WHITE (HB)



165F - NATURAL (HB)



753 - WHITE (HB)
(RICE PAPER)

ORGANZA




119-WHITE



114-SILVER



113 - GREY



115 - BLACK



118-CREAM



111 - GOLD



110-
CHOCOLATE
BROWN



117-OYSTER



109 - RED

LIZAGATOR

Faux reptile skin with a medium high sheen.



770 - LIZAGATOR (HB)
with WHITE LINING



INDEX

10607	53
120-15FH	20
120-24	20
120607	53
12153R-CF	32
1851-18	11
189-19	11
189-24	11
15123	10
15174	10
15245	10
200607	53
22152-CF	32
22152-CL	33
22153-CF	32
22153-CL	33
25910	5
260607	53
2815	36
30961-CM	34
30961-CMY	34
30963-CM	35
320607	53
33963R-CM	34
34710	5
34910	5
#34 BUSHING	91
3752610	23
3762910	23
3783110	23
3D LENS	91
4332210	23
4352310	23
4413	38
44710	5
46910	5
510607	53
521110	5
521809	24
521879	24
521889	24
53153R-CL	33
554809	24
571809	28
571823	29
571832	28
571890	25
571898	25
571899	25
5D LENS	91
7035-9	39
7062-16TL	73
7062-18	72
7062-18F	73
7062-22	72
731814	28
731828	28
8036-9	39
80607	53
809-1W	56
809-2W	56
809-3W	56
809-5P	42
809-5W	56

82553	58
82554	58
82555	58
82556	58
82558	58
831820	29
83201W	37
83202	37
83203	37
83204	37
83204PL13	37
83322	63
83323F	63
83553	41/58
83554A	58
83555A	58
83556	58
83557A	40
83558	58
83727	26
83889A	59
83891A	59
83893	59
83895	59
84001	43
84091A	43
85033A	43
85034W	43
85035A	43
85301	7
85302	6
85303A	5
85304	5
85305	5
85306	6
85306W	53
85310W	7, 53
85312	6
85318W	7, 53
85323	7
85324W	53
86812A	36
86815A	36
8D LENS	91
91702	38
92015	42
92017	42
920607	53
AA BRACKET	91
B BRACKET	91
BAB-CG	95
BANANA-500	97
BAR2111	19
BAR2511	19
BAR3410	19
BAR4410	18
BARONESS	18
BELLA	31
C BRACKET	91
CASINO	30
CAT-12-3	9
CAT-16-5	9
CAT-19-8	8
CAT-9-2	9

CATHARINE	8
CIRQUE	31
CL10D	90
CUSTOM SHADED FIXTURES	30
DB300	94/97
DBS-400-GL-SV	102
DC10D	93
DC275	94/97
DC360	94/97
DC480	94/97
DCT-600-GL-BK	102
DDF10D	93
DF570F	70
DGU16	85
DGUW224	83
DHC3601	46
DHC3601-12R	47
DHC3901	45
DHC3901-12R	45
DHC4601	47
DHC4901	45
DHC6901	44
DIM10A	91
DIM295X	92
DISP150	94
DISP150-150	94
DISP150-75	94
DL1815	100
DLED124	88
DLED-304COL	85
DLED-304T	101
DLED410W	85
DLH5001	89
DLHA102	86
DLHA102F	86
DLHA107	71
DLHA107F	71
DLHA111	89
DLHA1575	66
DLHA1575F	66
DLHA200	94
DLHA216	85
DLHA319F	77
DLHA500	96
DLHA501	99
DLHA502	98
DLHA503	98
DLHA5521	97
DLHA5522	97
DLHA567	77
DLHA567W	83
DLHA6052F	74
DLHA632	75
DLHA654F	81
DLHA654W	81/83
DLHA708F	75
DLHA710	71
DLHA710F	71
DLHA730	86
DLHA730F	86
DLHA801F	75
DLHA814-TB	89
DLHA831F	75
DLHAW101	82

DLSL107	101
DLSL107MP	100
DLSL107-NB	101
DLSL107-SP	101
DLSL107-SP-NB	101
DLSL13	100
DLSL13X	100
DLSL18	100
DLSL18X	100
DLSL221	49
DLSL221-12R	49
DLSL221-34L	49
DLSL309	48
DLSL309-34L	48
DLSL401	50
DLSL401-12R	50
DLSL401-34L	50
DLSL4411	50
DLSL6	100
DLSL601	47
DLSL606	101
DLSL6X	100
DLSL701	50
DLSL701-12R	50
DLSL701-34L	50
DLSL7711	50
DLSL800	51
DLSL833	51
DLSL901	45
DLSLW7700	50
DLSLW8800	51
DM1028	60
DM1958	80
DM1958F	80
DM2026	60
DM2026F	60
DM208	63
DM208F	63
DM217	67
DM217F	67
DM221	89
DM2222	69
DM2222F	69
DM238F	76
DM2578F	78
DM317	63
DM330F	76
DM450F	81
DM451F	79
DM506	65
DM506F	65
DM5105	60
DM516	67
DM516F	67
DM803	61
DM803-20	61
DM803F	61
DM849	89
DM908	69
DM908F	68
DM999F	69
DMAG-1-AA	90
DMBL618	87

DMBL710	87
DMPI60	96/99
DMTR500-3	97/99
DMWL800	79/84
DMWL800-13	84
DMWL802	84
DMWL818	84
DT500	70
DT570	70
DUN10A	93
DWX7	100
DXL15	85
DXL16	85
DXL334X	93
E BASE	91
EDR93001	40
EDR93003	41
EDR93021W	40
EDR93044	40
ELISE	24
EXN-CG	95-99
GCT-124-CGL-OB	103
GCT-124-CGL-SC	103
GCT-132-CGL-OB	103
GCT-132-CGL-SC	103
GCT-135-CGL-PC	103
GCT-378-CGL-SC	103
GCT-510-CGL-OB	103
GCT-510-CGL-SC	103
GCT-578-CGL-SC	103
HFC144	102
HFC300	102
HFC600	102
HIL900	87
HPIC-11	95
HPIC-11-HW	95
HPIC-18	95
HPIC-18-HW	95
IC STAND	90
J151407	17
J151407FH	17
J151808	17
J151808FH	17
J151811	17
J151811FH	17
J152409	17
J152409FH	17
J152410	17
J46381507	17
J5706021	15
J570607	17
J571203	15
J571203FH	15
J571603	15
J571603FH	15
J571703	15
J571703FH	15
J572203	15
J572203FH	15
J572204	15
J95371303	15
JOS-10-3	13
JOS-10-3-FH	13

JOS-120-8	12
JOS-14-4	13
JOS-14-4-FH	13
JOS-15-6	13
JOS-15-6-FH	13
JOS-20-8	13
JOS-20-8-FH	13
JOS-36-8	12
JOS-7-2W	12
JOSEPHINE	12
JOSEPHINE MICRO SHADES	14
JOSEPHINE ORGANZA SHADES	16
LAILA	28
LOUV-50	95/98
LTHR015	65
LTHR598	64
LTHR598F	64
LTHR759	65
LTHR761	65
LTHR803	65
MAGNUS1	92
MEL-228	27
MEL-307	27
MEL-448	27
MELISA	27
MIRC-PC	52
MIR-G010	52
MIR-G176	52
PALAI	30
RCP2501	99
RCP4501	99
RCP501	99
REMIE II	93
SHADE FABRICS	104, 105
SM-572111	22
SO-57287	22
SOP-12-3-SF	21
SOP-16-3	21
SOP-20-5	20
SOP-26-8	21
SOP-7-1W-L	21
SOP-7-1W-R	21
SOP-8-2W	21
SOPHIE	21
SOPHIE CUSTOM SHADES	22
SQ4D	90
SQ8D	90
ULT118	88
ULT133BM	88
ULT260	88
UVGLS-50	95/98
V010-1W	54
V010-2W	54
V010-3W	54
V010-4W	54
V099-1W	55
V099-2W	55
V099-3W	55
V099-4W	55
V1230-1W	57
V1230-2W	57
V1230-3W	57
V1230-4W	57



Dainolite Ltd.

1401 Courtneypark Drive East
Mississauga, Ontario
Canada L5T 2E4
Tel: 905.564.1262
Fax: 905.564.1299

Dallas Market Center

Showroom # 4303
2100 Stemmons Freeway
Dallas, Texas
USA 75207

General inquires:
dainolite@dainolite.ca

Designers and Architects:
contractsales@dainolite.ca

www.dainolite.ca

Printed in Canada 2009
\$ 15.00

