

Outdoor

Outdoor


Bulkheads
Wall

20305 Oden Bulkhead shown in black.

Bulkheads



20301 Poseidon Bulkhead



20301 Poseidon Bulkhead

Finish SS **Glass** FST

CETL Wet

Electronic C20301SSFSTEN1118P
(1x18w G24q-2 Spiral)

Magnetic C20301SSFSTMN1113S
(1x13w GX23 Twin)



16.75"

L 6" Ext 5.3"

20342 Poseidon Bulkhead

Finish BRZ SAT **Glass** RFR


Finish Code XXX depicts finish

CETL Wet

Electronic C20342XXXRFREN1213P
(2x13w G24q-1 Spiral)

Magnetic C20342XXXRFRMN1213S
(2x13w GX23 Twin)

Marine
Grade



16.75"

L 6" Ext 5.3"

20343 Poseidon Bulkhead

Finish BRZ SAT **Glass** RFR


Finish Code XXX depicts finish

CETL Wet

Electronic C20343XXXRFREN1213P
(2x13w G24q-1 Spiral)

Magnetic C20343XXXRFRMN1213S
(2x13w GX23 Twin)

Marine
Grade



16.75"

L 6" Ext 5.3"

20344 Poseidon Bulkhead

Finish BRZ SAT **Glass** RFR

Finish Code XXX depicts finish

CETL Wet

Electronic C20344XXXRFREN1213P
(2x13w G24q-1 Spiral)

Magnetic C20344XXXRFRMN1213Q
(2x13w GX23 Twin)

Marine
Grade

Outdoor

Bulkheads



SAT Satin



BL Black

Oden Bulkhead

Finish BL SAT Glass FST

Finish Code XXX depicts finish

CETL Wet

20330 L 10.25" H 10.25" Ext 4.75" (small)

Electronic C20330XXXFSTEN1126P (1x26w G24q-3 Spiral)

Magnetic C20330XXXFSTMN1213S (2x13w GX23 Twin)

20331 L 12.5" H 12.5" Ext 6" (large)

Electronic C20331XXXFSTEN1122C (1x22w G10q 2 CT6 Circline)

Magnetic C20331XXXFSTMN1213S (2x13w GX23 Twin)



L 7.25" Ext 5.5"

20302MG Poseidon Bulkhead

Finish BRZ SAT Glass RFR

Finish Code XXX depicts finish

CETL Wet

Electronic C20302XXXRFREN1118P (1x18w G24q-2 Spiral)

Magnetic C20302XXXRFRMN1213S (2x13w GX23-2 Quad)

Marine Grade



L 7.25" Ext 5.5"

20300MG-SAT

20300MG Poseidon Bulkhead

Finish BRZ SAT Glass RFR

Finish Code XXX depicts finish

CETL Wet

Electronic C20300XXXRFREN1118P (1x18w G24q-2 Spiral)

Magnetic C20300XXXRFRMN1213Q (2x13w GX23-2 Quad)

Marine Grade



20300MG-BRZ

Outdoor



Bulkheads



Wall



20354 Nyami Wall Fixture shown in satin.



20354 Nyami Wall Fixture

Finish BRZ SAT Glass OPL

Finish Code XXX depicts finish

CETL Wet


Electronic C20354XXXOPLN1213Q
(2x13w G24q-1 Quad)

Magnetic C20354XXXOPLMN1213S
(2x13w GX23-2 Twin)

Marine
Grade

Outdoor

Bulkheads/Wall



20370 Nyami Wall Fixture

Finish BRZ SAT Glass FST

Finish Code XXX depicts finish

CETL Wet

Electronic C20370XXXFSTEN1213Q
(2x13w G24q-1 Quad)

Magnetic C20370XXXFSTMN1213S
(2x13w GX23-2 Quad)





L 7" Ext 5"

20333 Neptune Wall Fixture

Finish BRZ SAT Glass RFR

Finish Code XXX depicts finish

CETL Wet

Electronic C20333XXRFREN1118P
(1x18w G24q-2 Spiral)

Magnetic C20333XXRFRMN1113Q
(1x13w GX23-2 Quad)

Marine
Grade



L 10.5" Ext 4.75"

20334 Neptune Wall Fixture

Finish BRZ SAT Glass RFR

Finish Code XXX depicts finish

CETL Wet

Electronic C20334XXRFREN1118P
(1x18w G24q-2 Spiral)

Magnetic C20334XXRFRMN1113Q
(1x13w GX23-2 Quad)

Marine
Grade



L 10.5" Ext 4.75"

20335 Neptune Wall Fixture

Finish BRZ SAT Glass RFR

Finish Code XXX depicts finish

CETL Wet

Electronic C20335XXRFREN1118P
(1x18w G24q-2 Spiral)

Magnetic C20335XXRFRMN1113Q
(1x13w GX23-2 Quad)

Marine
Grade

Outdoor

Wall



Fluorescent light ON

Fluorescent light activates when motion is sensed.

20359 Challenger Wall Fixture

Finish BRZ SAT **Glass** OPL

Finish Code XXX depicts finish


CETL Wet

5w LED module supplied with driver

Included Motion and Photocell Detector

Electronic 20359-XXX/OPL
(1x18w GX24q-2
Removable Ballast GU-24 Base)

Marine
Grade



Unique energy saving switching system

LED module is activated by photocell at dusk.



Outdoor

Wall



20365 Challenger Wall Fixture

Finish BRZ SAT **Glass** OPL

Finish Code XXX depicts finish


CETL Wet

4x .05w LED module supplied with driver

Included Motion and Photocell Detector

Electronic 20365-XXX/OPL (1x18w GX24q-2
Removable Ballast GU-24 Base)

Marine
Grade




Fluorescent light ON

Fluorescent light activates when motion is sensed.

Unique energy saving switching system

LED module is activated by photocell at dusk.





20358 Sentinel

Finish BRZ SAT **Glass** OPL


Finish Code XXX depicts finish

Included Photocell for dawn to dusk operation

CETL Wet

Electronic 20358-XXX/OPL
(1x18w GX24q-2
Removable Ballast GU-24 Base)

Marine
Grade




B20345 Caso Wall Fixture

Finish BRZ SAT **Glass** FST


Finish Code XXX depicts finish

CETL Wet


Electronic B20345-XXX/FST
(1x13w GU24 Self Ballasted Lamp)



Marine
Grade



SAT Satin



BRZ Bronze

Outdoor

Wall



Mountable in
any direction




20371 Totana Lantern

Finish BRZ SAT Glass OPL

Finish Code XXX depicts finish

CETL Wet

Electronic C20371XXXOPLN1118B
(1x18w GU24 Self Ballasted Lamp)



20339-SAT



20340-BRZ

Oden Bulkhead

Finish BL SAT Glass OPL

Finish Code XXX depicts finish

CETL Wet

Marine
Grade

20339 W 6.5" H 12" Ext 8.3" (small)

Electronic C20339XXXOPLN1118B
(1x18w GU24 Self Ballasted Lamp)

20340 W 8.7" H 16.25" Ext 10.8" (large)

Electronic C20340XXXOPLN1118B
(1x18w GU24 Self Ballasted Lamp)



20362 Artemis Wall Fixture



Finish BRZ SAT Glass OPL

Finish Code XXX depicts finish

CETL Wet

Electronic 20362-XXX/OPL
(2x13w GU24 Self Ballasted Lamp)

Magnetic C20362XXXOPLMN1213Q
(2x13w GX23-2 Quad)



20305 Oden Bulkhead


Finish BL SAT WH Glass FST

Finish Code XXX depicts finish

CETL Wet

Electronic C20305XXXFSTEN1113Q
(1x13w G24q-1 Quad)

Magnetic C20305XXXFSTMN1113Q
(1x13w GX23-2 Quad)





20450 Brick Wall Fixture

Glass OPL

CETL Wet ADA

Electronic C20450PLEN1113B
(1x13w GU24 Self Ballasted Lamp)



20449 Eclipse Wall Fixture

Finish BRZ SAT Glass OPL

Finish Code XXX depicts finish

CETL Wet ADA

Electronic C20449XXXOPLN1113B
(1x13w GU24 Self Ballasted Lamp)



Profile View



23061LED ZYX Wall Fixture


1Lt x 3w High Output 12v LED

Finish BRZ SAT

Included LED Driver

CETL Wet [ADA](#)

Marine Grade



Outdoor

Wall LED



23060LED ZYX Wall Fixture


2Lt x 3w High Output 12v LED

Finish SAT BRZ

Included LED Driver

CETL Wet [ADA](#)

Marine Grade



23064LED ZYX Wall Fixture


2Lt x 3w High Output 12v LED

Finish SAT BRZ

Included LED Driver

CETL Wet [ADA](#)

Marine Grade





23063LED Archer Wall Washer


2Lt x 5w High Output 12v LED

Finish SAT BRZ **Glass** CL

Included LED Driver

CETL Wet **Energy Efficient** ADA

Marine Grade



23062LED Archer Wall Washer



1Lt x 5w High Output 12v LED

Finish SAT BRZ **Glass** CL

Included LED Driver

CETL Wet **Energy Efficient** ADA

Marine Grade



20387LED Hurricane Wall Fixture

2Lt x 5w LED

Finish BRZ SAT

Included LED Driver

CETL Wet

Marine Grade



20386LED Hurricane Wall Fixture


1Lt x 5w LED

Finish BRZ SAT

Included LED Driver

CETL Wet

Marine Grade



Outdoor

Wall LED



Poseidon Wall Fixture

Finish BS **Glass** CLR

Finish Code XXX depicts finish

CETL Wet

20363 Dia 4" H 6" Ext 5.5"

Electronic C20363XXXCLREN1113B
(1x13w GU24 Self Ballasted Lamp)

20364 Dia 4" H 12" Ext 5.5"

Electronic C20364XXXCLREN1213B
(2x13w GU24 Self Ballasted Lamp)



Nyz Wall Fixture

Marine
Grade

Finish BRZ BS **Glass** OPL

Finish Code XXX depicts finish

CETL Wet

20367 W 4.3" H 11.25" Ext 5.9"

Electronic 20367-XXX/OPL (1x18w 2G11 FT18DL)

20368 W 4.3" H 22" Ext 5.9"

Electronic 20368-XXX/OPL (2x18w 2G11 FT18DL)





Front View



Profile View

Trident Wall Fixture

Finish BRZ BS Glass CLR

Finish Code XXX depicts finish

CETL Wet

Marine
Grade

20388 W 5" H 10.5" Ext 7"

Electronic C20388XXXCLREN1213B
(2x13w GU24 Self Ballasted Lamp)

20389 W 6.2" H 14" Ext 8.4"

Electronic C20389XXXCLREN1218B
(2x18w GU24 Self Ballasted Lamp)



Slide View



BL Black



Nauticus Ceiling or Wall Bulkhead

Finish BL SAT WH Glass FST

Finish Code XXX depicts finish

CETL Wet

20294 Dia 7.5" Ext 4" (small)

Magnetic C20294XXXFSTMN1113Q (1x13w GX23-2 Quad)

20296 Dia 10" Ext 5" (large)

Electronic C20296XXXFSTEN1118P (1x18w G24q-2 Spiral)

Magnetic C20296XXXFSTMN1113Q (1x13w GX23-2 Quad)



20292-SAT
Satin

20290-WH
White



Nauticus Ceiling or Wall Bulkhead

Finish BL SAT WH Glass FST

Finish Code XXX depicts finish

CETL Wet

20290 W 4.25" H 8.25" Ext 3.5" (small) [ADA](#)

Electronic C20290XXXFSTEN1113B
(1x13w GU24 Self Ballasted Lamp)

20292 W 6.25" H 11" Ext 4.75" (large)

Electronic C20292XXXFSTEN1118P (1x18w G24q-2 Spiral)

Magnetic C20292XXXFSTMN1213Q (2x13w GX23-2 Quad)



20292-BL
Black



SAT Satin

BRZ Bronze

Oceanus Wall or Ceiling Fixture

Finish SAT BRZ Glass FST

Finish Code XXX depicts finish

Marine Grade

CETL Wet

20355 Dia 10.5" Ext 4" (small)


Electronic C20355XXXFSTEN1113Q (1x13w G24q-1 Quad)

Magnetic C20355XXXFSTMN1113Q (1x13w GX23-2 Quad)

20356 Dia 15.75" Ext 4.5" (large)

Electronic C20356XXXFSTEN1213Q (1x13w G24q-1 Quad)

Magnetic C20356XXXFSTMN1213S (1x13w GX23 Twin)



20291 Nauticus Ceiling or Wall Bulkhead

Finish BL WH Glass FST

CUL Wet [ADA](#)

Electronic C20291XXXFSTEN1113B
(1x13w GU24 Self Ballasted Lamp)



SAT Satin

BRZ Bronze


20337 MicroMoon Ceiling or Wall Fixture

Finish BRZ SAT Glass FST

Finish Code XXX depicts finish

CETL Wet

Electronic 20337-XXX/FST
(1x13w GU24 Self Ballasted Lamp)





Index and Product Matrix

Model Number	Page Number	MAGNETIC			120v ELECTRONIC NPF									ELECTRONIC HPF														
		NPF	HPF	277v	Hard Wired Ballast			GU-24 Base (includes self ballasted and remvable ballast/lamps)						UNIVERSAL (120V - 277V)				120v										
13	13	13	13	18	26	13	18	26	C	C	C	13	18	26	42	13	18	26	42	2D	2D	2D	FT	FT	FT			
20290	131							1																				
20291	132							1																				
20292	131	2	1	1	1	1		1	1								1	1										
20294	131	1																										
20296	131	2	1	1	2	1		1	1						1	1												
20300	120	2	1	1	1	1		1	1	1					1	1			1	1								
20301	119	1	1	1	1	1		1	1						1	1			1	1								
20302	120	2	1	1	1	1		1	1	1					1	1			1	1								
20305	126	1		1	1			1																				
20330	120	2	2	2	2	2	1	2	2	1					2	2	1											
20331	120	2	2	2	2	2	1	2	2	1	1				2	2	1											
20333	122	2	1	1	1	1		2	1	1					1	1	1		1	1								
20334	122	2	1	1	1	1		1	1	1					1	1			1	1								
20335	122	2	1	1	1	1		1	1	1					1	1			1	1								
20337	132							1																				
20339	125							1	1																			
20340	125							1	1																			
20342	119	2	2	2	2	2	1	2	2	1					2	2	1											
20343	119	2	2	2	2	2	1	2	2	1					2	2	1											
20344	119	2	2	2	2	2	1	2	2	1					2	2	1											
B20345	124							1																				
20354	121	2						2		1					2	2	1											
20355	132	1			1																							
20356	132	2			2			2	2						2	2	2											
20358	124								1																			
20359	123								1																			
20362	126	2	2	2	2	2	2	2	2	1					2	2	1		2	1								
20363	129							1																				
20364	129							2																				
20365	123							1	1																			
20367	129							1	1																			
20368	129							1	1																			
20370	121	2	2	2	2	2	2	2	2	2	1	1	1	2	2	1												
20371	125								1																			
20386LED	128																											
20387LED	128																											
20388	130							2																				
20389	130							2																				
20412	91	1		1	E1			1						1														
20415	91	1			1	1		1	1	1				1	1	1		1	1									
20416	94	2	2	2	2	2	2	2	2	2				2	2	2	1											
20417	92	1		1				1	1																			
20418	91	1	1	1	1	1	1	1	1					1	1	1		1	1									
20420	93	2	2	2	2	2	2	2	2	2				2	2	2	1	2	1									
20421	31 96							1																				

Model Number	Page Number	MAGNETIC			120v ELECTRONIC NPF									ELECTRONIC HPF															
		NPF	HPF	277v	Hard Wired Ballast			GU-24 Base (includes self ballasted and remvable ballast/lamps)						UNIVERSAL (120V - 277V)				120v											
13	13	13	13	18	26	13	18	26	22	C	C	C	13	18	26	42	13	18	26	42	16	28	38	55	18	24			
20422	94	2	1	1	2	1	1	1	1	1				2	1	1		1	1										
20432	93							1																					
20439	93	2	2	2	2	1	1	2	2	1				2	2	1													
20440	93	2	2	2	2	1	1	2	2	2				2	2	1		1	1	1									
20441	99							E1	1																				
20442	99							E2	2																				
20444	95							2	2																				
20445	31 95	2						E2						1	1			1	1										
20449	126							1	1																				
20450	126							1	1																				
20524	91							1	1																				
20525	91							1	1																				
20624	31 86	2	1	1	E2	E1		1	1					1	1														
20625	31 86	2	2	2	E2	E2	1	2	2	1	1			2	2	1													
20626	31 86	2	2	2	E2	E2	1	3	2	1	1	1		2	2	2													
20630	85	2	1	1	E2	E1		1	1					1	1														
20631	85	2	2	2	E2	E2	1	2	2	1	1			2	2	1													
20632	85	2	2	2	E2	E2	1	3	2	1	1	1		2	2	2													
20633	82							1																					
20634	82							2																					
20635	92	1	1	1	E1	E1	1	1						1	1	1		1	1	1									
20638	30 74	2	2	2	E2	E2	1	2	2	1	1			2	2	1													
20639	30 72	2	2	2	E2	E2	2	3	2	1	1	1		2	2	2													
20650	86	1						1																					
20651	86	2	2	2	E2	E2	1	2	2	1	1			2	2	1													
20652	86	2	2	2	E2	E2	1	3	2	1	1	1		2	2	2													
20656	84	1		1	1			1																					
20657	84	2	1	1	2	1	1	2	1	1				2	1	1													
20658	84	2	2	2	2	2	1	2	2	1	1	1		2	2	1													
20660	38 92	1						1	1																				
20661	38 84	2	1	2	2	1		2	1					1	1	1													
20662	38 84	2	2	2	2	2	1	2	2	1	1	1		2	2	2													
20724	35 85	2	1	1	2	1		1	1					1	1														
20725	35 85	2	2	2	2	2	1	2	2	1	1			2	2	1													
20726	35 85	2	2	2	2	2	1	3	2	1	1	1		2	2	2													
20728	34 75	2	2	2	3	2	2	2			1	1		2	2	2	2												
20729	34 72	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2												
20730	34 72	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2												
20731	38 69	2	2	2	3	2	2	2			1	1		2	2	2	2												
20732	38 69	3	2	2	3	2	2	2			1	1		2	2	2	2												
20735	82							4	4																				
20738	36 68							1	1																				
20739	37 95	2	2	2	2	2	2	2	2	2				2	2	2	1	2	1										
23019	84	2	1	1	E2	E1	1	1						1	1	1													
23020	84	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1												

Index & Matrix

Model Number	Page Number	MAGNETIC			120v ELECTRONIC NPF									ELECTRONIC HPF													
		NPF	HPF	277v	Hard Wired Ballast			GU-24 Base (includes self ballasted and remvabe ballast/lamps)						UNIVERSAL (120V - 277V)				120v									
		13	13	13	13	18	26	13	18	26	22	40	58	13	18	26	42	13	18	26	42	16	28	38	55	18	24
23021	84	3	2	2	E3	E2	1	3	3	2	1	1	1	2	2	2	1										
23022	85	2	1	2	2	1		2	1					1													
23023	85	2	2	2	2	2	1	2	2	1	1	1		2	2	1											
23024	85	3	2	2	3	2	1	3	3	2	1	1	1	2	2	2	1										
23060LED	127																										
23061LED	127																										
23062LED	128																										
23063LED	128																										
23064LED	127																										
23071	74	2	2	2	2	2	2	2			1	1		2	2	2	2										
23072	70	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2										
23073	70	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2										
23074	70	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2										
23075	27 81	2	2	2	E2	E2	1	2	2	1	1			2	2	1											
23076	27 81	2	2	2	E2	E2	1	3	2	1	1	1		2	2	2											
23077	27 73	2	2	2	3	2	2	2			1	1		2	2	2	2										
23078	27 73	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2										
23079	27 73	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2										
23080	26 69	2	2	2	2	2	2	2			1	1		2	2	2	2										
23081	26 69	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2										
23082	26 69	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2										
23086LED	128																										
23087LED	128																										
23088FC	43							1	E1																		
23091	44							1	1																		
23093	45							1	E1																		
23107	89	1		1	E1	1		1	1																		
23108	89	1		1	E1	1		1	1																		
23109	41 89	1		1	E1	1		1	1																		
23110	90	1				1																					
23117	90	1						1																			
23121	41 90	1						1																			
23200	22 73	2	2	2	2	2	2	2			1	1		2	2	2	2										
23201	23 69	2	2	2	2	2	2	2			1	1		2	2	2	2										
23203	23 69	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2										
23204	24 90	1		1	1	1		1	1																		
23214	24 90	1			1																						
23425	67							1	1																		
23426	67							1	1																		
23630	40 66							1																			
23632	40 66						2	3	3																		
23636	67							1																			
23637	67							1	1																		
23801	101							E1	E1																		
23802	101							E2	E2																		

Model Number	Page Number	MAGNETIC			120v ELECTRONIC NPF										ELECTRONIC HPF													
		NPF	HPF	277v	Hard Wired Ballast			GU-24 Base (includes self ballasted and remvable ballast/lamps)					UNIVERSAL (120V - 277V)				120v											
13	13	13	13	18	26	13	18	26	C	C	C	13	18	26	42	13	18	26	42	2D	2D	2D	FT	FT	FT			
23803	101							E3	E3																			
23804	101							E4	E4																			
23805	101							5	5																			
23901	102							E1	E1																			
23902	102							E2	E2																			
23903	102							E3	E3																			
23904	102							E4	E4																			
23950	66								1																			
23951	66								1																			
23952	66								1																			
23970	42 102							1	1																			
23991	108							E1	E1																			
23993	108							E3	E3																			
23994	108							E4	E4																			
25025	74							2	2																			
26004	71	3	3	3	3	2	2	3	3	3	1	1	1	2	2	2	2											
28303	44							1	1																			
28304	44							1	1																			
28306	44							1	1																			
28312	44							1	1																			
28312	44							1	1																			
28314	44							1	1																			
28314	44							1	1																			
28318	44							1	1																			
28322	44							1	1																			
28325	44							1	1																			
28330	44							1	1																			
28333	44							1	1																			
28344	44							1	1																			
28359	44							1	1																			
28366	44							1	1																			
28369	44							1	1																			
28370	44							1	1																			
28376	44							1	1																			
28378	44							1	1																			
28503	45							1	E1																			
28504	45							1	E1																			
28506	45							1	E1																			
28512	45							1	E1																			
28514	45							1	E1																			
28515	45							1	E1																			
28518	45							1	E1																			
28522	45							1	E1																			
28525	45							1	E1																			
28528	45							1	E1																			

Index & Matrix

[illegible]

Index & Matrix

Model Number	Page Number	MAGNETIC			120v ELECTRONIC NPF										ELECTRONIC HPF														
		NPF	HPF	277v	Hard Wired Ballast			GU-24 Base (includes self ballasted and remvable ballast/lamps)						UNIVERSAL (120V - 277V)				120v											
13	13	13	13	18	26	13	18	26	22	40	58	13	18	26	42	13	18	26	42	2D	2D	2D	FT	FT	FT				
50022	84	2	1	1	E2	E1	1							1	1	1		1	1			1							
50030	76 96	1			1	1								E1	E1			1	1			1							
50031	76 96	2			2	2	1							E2	E2	1		2	2	1			1						
50032	76 96	2			2	2	1							E2	E2	2		2	2	1			1						
50033	76 96	1			1													1	1										
50034	76 96	2			2	1	1							E2	E2	1		2	2	1									
50035	76	2	2	2	2	2	2							E2	E2	1		2	2				1	1	1				
50041	83	2	1	1	E2	E1	1	1						1	1	1													
50046	83	2	1	1	E2	E1	1	1						1	1	1													
50048	84	3	2	2	E2	E2	1	3	2	2	1	1		2	2	2	1												
50049	83	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1												
50050	83	3	2	2	E2	E2	1	3	2	2	1	1		2	2	2	1												
50052	32 85	2	1	1	E2	E1	1	1						1	1	1													
50053	32 85	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1												
50054	32 74	2	1	1	E2	E1	1	1						1	1	1													
50055	32 63	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1												
50056	77	2			1	1								1	1														
50057	77	2												2	2	2													
50058	78	2			2	2	1							2	2	1		2	2	1									
50059	78	2			2	2	2							2	2	2		2	1	1									
50061	83	2	1	1	2	1	1	1						1	1	1													
50062	83	2	1	1	2	1	1	1						1	1	1													
50063	83	2	2	2	2	2	1	3	2	2	1	1		2	2	2	1												
50064	83	2	2	2	2	2	1	3	2	2	1	1		2	2	2	1												
50067	79	1			1																								
50068	79	2			2	2	1	2		1	1	1		2	2	1		2	1	1									
50069	18 79	2			1	1	1											1	1	1									
50070	18 79	2			2	1	1				1	1		2	2	1													
50071	7 78							1	1																				
50072	7 78	2	1	2	E2	E1	1	2	1	1		1		2	1	1	1												
50073	7 78	3	2	2	E3	E2	1	3	2	2	1	1	1	2	2	2	1												
50074	7 75	2	1	2	E2	E1	1	2	1	1		1		2	1	1	1												
50075	7 75	3	2	2	E3	E2	1	3	2	2	1	1	1	2	2	2	1												
50078	6 64	3	2	2	E3	E2	1	3	2	2	1	1	1	2	2	2	1												
50079	80	2	1	1	2	1	1	2	1	1				1	1	1													
50080	80	2	2	2	2	2	1	2	2	1	1	1		2	2	1													
50081	80	2	2	2	2	2	1	2	2	1	1	1	1	2	2	2													
50082	9 79	2	1	2	E2	E1	1	2	1	1		1		2	2	1	1												
50083	9 79	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1												
50084	9 75	2	1	2	E2	E1	1	2	1	1		1		2	1	1	1												
50085	9 75	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1												
50088	8 64											1																	
50090	17 64	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1												
50091	17 78							1																					
50092	17 78	2	1	2	E2	E1	1	2	1	1		1		2	1	1	1												

ELECTRONIC HPF						ELECTRONIC HPF														ELECTRONIC DIMMING						ELECTRONIC					
120v						277v														120v			277v			EMERGENCY				Cold Cathode	
	FT	FT	FT	T5	T5					2D	2D	2D	2D	FT	FT	FT	FT	FT	T5	T5											GX-53
	36	40	55	24	39	13	18	26	42	16	28	38	55	18	24	36	40	55	24	39	18	26	42	18	26	42	13	18	26	42	18
						1	1																								
						1	1			1																					
						2	2	1			1																				
						2	2	1			1																				
						1	1	1																							
						2	2				1	1	1								2			2							
																					2	2		2	2						
																					2	2		2	2						
																					2	2		2	2						

Index & Matrix

Index & Matrix

Model Number	Page Number	MAGNETIC			120v ELECTRONIC NPF									ELECTRONIC HPF													
		NPF	HPF	277v	Hard Wired Ballast			GU-24 Base (includes self ballasted and remvable ballast/lamps)						UNIVERSAL (120V - 277V)				120v									
		13	13	13	13	18	26	13	18	26	22	40	58	13	18	26	42	13	18	26	42	2D	2D	2D	FT	FT	FT
50093	17 78	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1										
50094	16 75	2	1	2	E2	E1	1	2	1	1		1		2	1	1	1										
50095	16 75	3	2	2	E3	E2	1	3	2	2	1	1		2	2	2	1										
50101	65											1															
50102	18 64											1															
50103	73	3	2	3	2	2	2	3	2	2				2	2	2	2										
50108	14 62	4			4	2	2							4	2	2	2										
50110	15 62	4			4	2	2							4	4	4	2										
50120	28 82	2			2	2		2	2		1			2	2	1											
50121	28 82	2			2	2		2	2	2		1		2	2	2											
50123	28 63	2			2	2		2	2	2		1		2	2	2											
50125	70				1	1																					
50126	93				1	1																					
50127	77																										
50130	37 78		1	1	2	1	1	2	1	1				1	1	1											
50131	37 78		2	2	2	2	1	2	2	1	1	1		2	2	1											
50132	12 92	1			1	1	1	1	1									1	1	1							
50133	12 80	1			1	1	2	1										1	1								
50134	12 80	2	2	2	2	1	1	2	2	1	1	1		2	2	2	1										
50135	12 80	2	2	2	2	2	1	3	2	2	1	1		2	2	2	1										
50441	11 63																										
50443	11 63																										
50444	10 63																										
50562	37 98							1	1																		
50566	100																										
50567	100																										
50569	99																										
50570	99																										
50944	65							1	1																		
50955	65							1	1																		
50956	20 81							2	2																		
50957	20 81							4																			
50958	21 62							2	2																		
50959	21 62							4																			
52026	46							3	3																		
52027	47							4	4																		
52028	48							3	3																		
52045	68							1	1	1																	
52603	46							3	E3																		
52604	46							3	E3																		
52606	46							3	E3																		
52612	46							3	E3																		
52614	46							3	E3																		
52618	46							3	E3																		
52622	46							3	E3																		

Index & Matrix

Model Number	Page Number	MAGNETIC			120v ELECTRONIC NPF									ELECTRONIC HPF														
		NPF	HPF	277v	Hard Wired Ballast			GU-24 Base (includes self ballasted and remvable ballast/lamps)						UNIVERSAL (120V - 277V)				120v										
13	13	13	13	18	26	13	18	26	C	C	C	13	18	26	42	13	18	26	42	2D	2D	2D	FT	FT	FT			
52625	46							3	E3																			
52630	46							3	E3																			
52633	46							3	E3																			
52644	46							3	E3																			
52659	46							3	E3																			
52669	46							3	E3																			
52670	46							3	E3																			
52676	46							3	E3																			
52678	46							3	E3																			
52703	47							4	E4																			
52704	47							4	E4																			
52706	47							4	E4																			
52712	47							4	E4																			
52714	47							4	E4																			
52718	47							4	E4																			
52722	47							4	E4																			
52725	47							4	E4																			
52730	47							4	E4																			
52733	47							4	E4																			
52744	47							4	E4																			
52759	47							4	E4																			
52769	47							4	E4																			
52770	47							4	E4																			
52776	47							4	E4																			
52778	47							4	E4																			
52803	48							3	E3																			
52804	48							3	E3																			
52806	48							3	E3																			
52812	48							3	E3																			
52814	48							3	E3																			
52818	48							3	E3																			
52822	48							3	E3																			
52825	48							3	E3																			
52830	48							3	E3																			
52833	48							3	E3																			
52844	48							3	E3																			
52859	48							3	E3																			
52869	48							3	E3																			
52870	48							3	E3																			
52876	48							3	E3																			
52878	48							3	E3																			
53340	95	2	2	2	2	1	1	2	2	2				2	2	1		2	1	1								
53341	95	2	2	2	2	2	1	2						2	1	1												
62041	108	1	1		E1	E1	1											1	1									
62042	108	2	2	2	E2	E2	2	2	2	2				2	2	2	1									1		

Index & Matrix

Model Number	Page Number	MAGNETIC			120v ELECTRONIC NPF									ELECTRONIC HPF															
		NPF	HPF	277v	Hard Wired Ballast			GU-24 Base (includes self ballasted and remvable ballast/lamps)						UNIVERSAL (120V - 277V)				120v											
13	13	13	13	18	26	13	18	26	C	C	C	13	18	26	42	13	18	26	42	2D	2D	2D	FT	FT	FT				
62043	108	3	2	2	E2	E2	2	2	2	2				2	2	2	1								1				
62050	33 94	2			1	E1	1											1	1	1									
62051	106	2			E1	E1																							
62052	106	2	2	2	E2	E2	2	2	2	2				2	2	2	1												
62053	106	3	2	2	E2	E2	2	2	2	2				2	2	2	2												
62054	33 94	1	1	1	E1	1								1	1														
62055	33 91	1	1	1	E1	1		1	1	1				1	1														
62056	94	2			1	1	1	1	1	1				1	1	1													
62057	94	2			1	1	1	1	1	1				1	1	1													
62058	103	1	1		E1	1												1											
62059	103	2	2		E2	E1	1											1	1										
62060	106	2	2	2	E2	E1	1							2	2	2													
62061	107	1																1	1										
62062	107	2			E2	E1	1											2	2										
62063	107	3			E3	E2	2																						
62064	103	2			E1	E1	1											1	1										
62065	103	2			E2	E1	1							2	2	1													
62066	103	2			E2	E2	1							2	2	2													
62081	104	2	1	1	E1	E1		1	1									1	1										
62082	104	2	2	2	E2	E1	2	2	2	2				2	2	2													
62083	104	3	2	2	E2	E2	2	2	2	2				2	2	2	2												
62089	117																												
62094	15 97	2	2	2	2	1	1	2	2	2				2	1	1													
62095	15 97	2	2	2	2	1	1	2	2	2				2	1	1													
62104	97	1	1	1	1	1		1	1									1	1										
62105	97	2	2	2	2	2	1	2	2	2								2	2	1									
62211	105	1			1																								
62212	105	2		2	2	1	1	2	2	2																			
62213	105	3			3	3	2	3	3	2				3	3	2													
62214	105	4			4	3	3	4	3	3				3	3	2													
62215	105	2			1	1	1							1	1	1		1	1	1									
62216	105	1																											
62218	97	2	1		2	1	1	2	2	1R								2	1	1									
62219	97	2	2		2	2	1	2	2	1R				2	2	1		2	2	1									
62229	110	2			2	1	1							2	2	1													
62230	110	2			2	2								2	2														
62231	109	2			2	1	1							2	1	1													
62232	110	2			2	2								2	2	2													
62233	109	2			2	2		2	2									2	1	1					1				
62234	109	2			2	2		2	2					2	2	2		2	2	1					1				
62235	103	2			2	2	2							2	2	2		2	2	2									
62236	103	1			1	1																							
62242	92							2																					
62255	104	1			1	1																							
62256	104	2	2		2	2	2							2	2			2	2	2				1	1				

[illegible]

Index & Matrix

[illegible]

Lamping Specifications

Magnetic 13w Twin 2-Pin (GX23 Base)



Magnetic 13w Quad 2-Pin (GX23-2 Base)




Electronic 13w 4-Pin (G24q-1 Base)



Electronic 18w 4-Pin (G24q-2 Base)



Electronic 26w 4-Pin (G24q-3 Base)



Electronic 42w Triple 4-Pin (G24q-4 Base)



Electronic 22w Circline T-5 4-Pin (2GX13 Base)



Electronic 40w • 58w Circline T-6
4-Pin (G10q Base)



Electronic 22w • 32w • 40w Circline T-9
4-Pin (G10q Base)



Electronic 16w • 28w • 55w 2D
4-Pin (GR10q Base)



Electronic 24w • 18w • 36w • 40w • 55w Long Twin
4-Pin (2G11 Base)



Electronic 24w • 39w High Output T-5 Linear
4-Pin (MiniBiPin Base)



Electronic 13w Self-Ballasted (GU-24 Base)



Electronic 18w Self-Ballasted (GU-24 Base)



Electronic 26w Self-Ballasted (GU-24 Base)



Basic Model Number with the most common Lamping options as reflected in Price List

C Product Number	ES	=	Energy Star
	EN	=	Electronic
	MN	=	Magnetic

Custom model numbers used to create purpose built fixtures using Lamping Matrix reflected on Page's 134 thru 154 and Custom Fixture Chart on Pg 156

Certifications

UL / CUL / CETL



Certified UL, CUL or CETL. All fixtures are certified by these accredited testing laboratories for wet, damp or dry locations as noted.

Energy Star / Title 24



Fixtures in this catalogue conform to Title 24 and Energy Star unless otherwise stated.

ADA Compliant

Fixtures with ADA comply with the Americans with Disabilities Act. (Extends 4" or less.)

GU-24 Removable Ballast System

Simple easy removable, just twist on and off
Title 24 and Energy Star compliant
Available in separate Ballast and Lamp combinations, or
Self Ballasted lamps in a variety of popular wattages
Including T6 and T9 Circlines



Custom Built Fixtures

Quoatable custom finish options are available for most fixtures. Custom Fluorescent fixtures are purpose built and therefore are non - returnable. In order to simplify the ordering process, the following product identification code is utilized.

The fixture that the code below represents will be 20624 in the BS finish with Opal glass and equipped with a Electronic Normal Power Factor Ballast for 120v supply. Supplied with one socket to accept a 13 watt Quad Lamp

C20624BSOPL1113QA

Custom BuildAccess Lighting 5 Digit Model NumberFinish CodeGlass CodeBallast TypePower FactorVoltageLamp QuantityLamp WattageLamp TypeSpecial Features

1234567891011

1. Custom Build

C= Custom Construction

2. Model Number

SKU Number

3. Finish Code

(Please note Finish Options are limited to those specified in our price list)

ABRZ	Antique Bronze	
ALU	Aluminum	
BB	Brushed Brass	
BCHR	Black Chrome	
BL	Black	
BRZ	Bronze	
BRZ	Bronze Marine Grade	
BS	Brushed Steel	
CH	Chrome	
MC	Matte Chrome	
ORB	Oil-Rubbed Bronze	
PB	Polished Brass	
RU	Rust	
SAT	Satin	
SILV	Silver	
SS	Stainless Steel	
ST	Stone	
TWH	Textured White	
WH	White	

4. Glass Code

(Please note Glass Options are limited to those specified in our price list)

8CL	8mm Clear Glass	FST	Frosted
12C	12mm Clear Glass	GRN	Green
ACR	Acrylic	ICA	Inca
ALB	Alabaster	IRD	Irridescent
AMB	Amber	LAV	Lava
AMM	Amber Marble	LFR	Line Frosted
AMZ	Amazon	MRB	Marbleized
ASC	Amber Scarvo	MTI	Multi
AZT	Aztec	MTL	Metal
BDY	Burgandy	MYA	Maya
BLC	Blanco	OPC	Opal Inner / Clear Outer
BLK	Black	OPL	Opal
BLU	Blue	OPM	Opal Matte
BSC	Brushed Steel Inner / Clear Outer Glass	ORG	Orange
CCL	Clear Crystal	ORO	Gold
CLAM	Clear Outer Amber Inner Glass	PLM	Plum
CLCB	Clear Outer Cobalt Inner Glass	PLOP	Purple outer Opal Inner Glass
CLOP	Clear Outer Opal Inner Glass	PLC	Plum Cloud
CLRD	Clear Outer Red Inner Glass	PLS	Purple Swirl
CFR	Clear / Center Frosted Ring	RED	Red
CKF	Checkered Frosted	RFR	Ribbed Frosted
CLF	Clear / Frosted Band	SAF	Stepped Acid Frosted
CLM	Clear / Perforated Metal Band	SLA	Silver Amber
CLR	Clear	TEX	Textured Linen
CLS	Cream Linen Shade	TRA	Terra
COB	Cobalt Blue	WHC	White Cloud
COG	Cognac	WHT	White
CRM	Crème	WRD	White Raindrop
CRN	Carnival	WTP	White Teardrop
FCL	Inner Frosted Crystal	YEL	Yellow
FRA	French Amber		
FRS	Frosted Swirl		

5. Ballast Type

E = Electronic
M = Magnetic

6. Power Factor

H = High Power Factor
N = Normal Power Factor

7. Voltage

1 = 120v
2 = 277v
3 = Universal

8. Lamp Quantity

1 = 1 Lamp
2 = 2 Lamp
3 = 3 Lamp
4 = 4 Lamp
5 = 5 Lamp
6 = 6 Lamp

9. Lamp Voltage

13 = 13w 32 = 32w
16 = 16w 36 = 36w
18 = 18w 39 = 39w
22 = 22w 42 = 42w
24 = 24w 55 = 55w
26 = 26w 70 = 70w

10. Lamp Type

D = 2D B = Self Ballasted Lamp
C = Circline P = Spiral
F = Long Twin 5 = T-5 Linear
L = Low Profile Spiral T = Triple Biax
S = Twin
Q = Quad

11. Special Feature

D = Dimmable
E = Emergency Back-Up



Headquarters
1200 Valencia Avenue
Tustin, CA 92780 | USA
800-828-5483 toll-free
714-247-1270 phone
714-247-1351 fax
info@accesslighting.com email

Dallas Trademart
2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA

www.accesslighting.com

access
LIGHTING

\$15.00

Catalogue 23 | © 2010 All Rights Reserved