





# The Mosaic Collection

**Fresh, vibrant, distinctive**

For centuries, mosaic has been a respected art that mixes small pieces of colored stone or glass to create beautiful, lasting designs. A19's Mosaic Collection takes this Old World craftsmanship and gives it a modern twist.

## **Quality that stands the test of time**

In addition to their beauty, all of A19's fixtures – including the Mosaic Collection – are manufactured for durability. Because they're ceramic, they're resistant to harsh weather conditions and won't rust or corrode. Additionally, we seal the grout on each mosaic wall sconce and pendant to prevent soiling and make cleaning a breeze.

The Mosaic Collection includes both incandescent and Energy Star fluorescent options, as well as ADA-compliant sconces. Our sconces are available with an open top to provide ambient up-and-down light, or a closed top for Dark Sky applications and down-light effects by request.

Each pendant comes with a matching canopy and six feet of cord, which can be cut to the desired length.

## **Unique, handcrafted fixtures**

The ceramic process we use to create our Mosaic Collection fixtures means that there will be subtle variations in each piece – it's what makes A19's products unique and why people have continued to buy our products since 1998. We're proud to say that the Mosaic Collection, like all A19 products, is made in America – or as we love to say, in sunny Southern California.

## Customize your choice

The Mosaic Collection allows you to customize our wall sconces and pendants to suit the specific needs of your space. If you're looking for an alternate color combination or have an idea you don't see, simply give us a call at (800) 664-4204. We'll work with you to create just the right fixture.

## Options legend (add code for desired option to fixture item#)

| LAMPING OPTIONS        | CODE                         | DESCRIPTION                                                                                                                                                                                                                                                                |
|------------------------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard               |                              | 100W A19 Medium base, or 60W Candelabra base as noted per fixture (Bulb not included).                                                                                                                                                                                     |
| Compact Fluorescent    | <b>CFL13</b> or <b>CFL26</b> | 13W or 26W GU24 base, Energy Star rated (Bulb included).                                                                                                                                                                                                                   |
| Halogen                | <b>HAL</b>                   | 100W Medium base, double envelope halogen bulb (Bulb included).                                                                                                                                                                                                            |
| Outdoor / Wet Location | <b>WET</b>                   | Single outdoor sheltered socket for wet locations (this is an open-top fixture suitable for rainy locations; use bulb coated for shatter resistance) (Bulb not included).                                                                                                  |
|                        | <b>WETST</b>                 | Sealed Top for Wet Location (Available with CFL options only; <i>add CFL codes to the order number</i> ).                                                                                                                                                                  |
|                        | <b>WETL</b>                  | Wet Location Label (For Downlights, where the socket is sheltered by the fixture).                                                                                                                                                                                         |
| Diffuser Option        | <b>DIF</b>                   | Frosted Diffuser: use only to conceal view of bulb from above (on stairs, lofts etc.) <i>Suitable for CFL option; if incandescent is required, selecting this option will change the base to 60W candelabra max; not for use in wet locations and not sold separately.</i> |
| Pendant Cord & Canopy  | <b>WCC</b>                   | White Cord & Canopy (6 ft cord).                                                                                                                                                                                                                                           |
|                        | <b>BCC</b>                   | Black Cord & Canopy (6 ft cord).                                                                                                                                                                                                                                           |

## How to Order

To order any pendant from the Mosaic Collection, simply choose the item number for the style you prefer and add the code for any desired option(s).

## Damp or Wet

A19's standard light fixtures are UL listed for damp locations. Any location, indoors or out, is considered to be a "damp" location—as long as the fixture is not in direct contact with water. Outdoors under an eave, for instance, would be "damp."

Wet locations are unsheltered outdoor areas that are exposed to direct contact with rain and require fixtures to be ordered with an "outdoor/wet location" option

## ADA Compliance

Fixtures with a depth of 4 inches or less meet the handicap projection requirements set forth by the American Disabilities Act (ADA).

## Dark-Sky & Light Pollution Reduction Efforts

Fully shielded downlights are available by request to meet IDA's Dark-Sky standards and other growing outdoor lighting regulations. They direct all light downward, where it is needed, rather than outward and upward where it contributes to sky glow, light trespass and other forms of light pollution. Artificial light at night has also been shown to affect the mating, migration, and predation behaviors of many different species (including turtles), and consequently, the ecological community as a whole.





# The Mosaic Collection

40




## The Mosaic Collection

Available Options\* (Add code for desired option to fixture item #)

| Item# | Product Title (Name)                            | W | x | H   | x | D | Std. Lamping     | Fluorescent |       | Halogen | Outdoor/Wet Location |       |      | Diffuser | Pendant |     |
|-------|-------------------------------------------------|---|---|-----|---|---|------------------|-------------|-------|---------|----------------------|-------|------|----------|---------|-----|
|       |                                                 |   |   |     |   |   |                  | CFL13       | CFL26 | HAL     | WET                  | WETST | WETL | DIF      | WCC     | BCC |
| 1     | PM20301-MI Borders Pendant Mint Green           | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 2     | M20301-MI Borders Wall Sconce Mint Green        | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 3     | PM20301-SY Borders Pendant Sunflower Yellow     | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 4     | M20301-SY Borders Wall Sconce Sunflower Yellow  | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 5     | PM20302-SY Channels Pendant Sunflower Yellow    | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 6     | M20302-SY Channels Wall Sconce Sunflower Yellow | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 7     | PM20302-MU Channels Pendant Multicolor          | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 8     | M20302-MU Channels Wall Sconce Multicolor       | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 9     | PM20302-CB Channels Pendant Cobalt Blue         | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 10    | M20302-CB Channels Wall Sconce Cobalt Blue      | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 11    | PM20303-MU Picasso Pendant Multicolor           | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 12    | M20303-MU Picasso Wall Sconce Multicolor        | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |

\*See Options Legend on page 38. Measurements are in inches. Includes **glazed finish** as shown; contact us for custom requests.



## The Mosaic Collection

Available Options\* (Add code for desired option to fixture item #)

| Item# | Product Title (Name)                           | W | x | H   | x | D | Std. Lamping     | Fluorescent |       | Halogen | Outdoor/Wet Location |       |      | Diffuser | Pendant |     |
|-------|------------------------------------------------|---|---|-----|---|---|------------------|-------------|-------|---------|----------------------|-------|------|----------|---------|-----|
|       |                                                |   |   |     |   |   |                  | CFL13       | CFL26 | HAL     | WET                  | WETST | WETL | DIF      | WCC     | BCC |
| 1     | PM20303-SY Picasso Pendant Sunflower Yellow    | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 2     | M20303-SY Picasso Wall Sconce Sunflower Yellow | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 3     | PM20303-BL Picasso Pendant Black               | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 4     | M20303-BL Picasso Wall Sconce Black            | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 5     | PM20304-CB Passage Pendant Cobalt Blue         | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 6     | M20304-CB Passage Wall Sconce Cobalt Blue      | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 7     | PM20304-SA Passage Pendant Sand                | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 8     | M20304-SA Passage Wall Sconce Sand             | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 9     | PM20304-SY Passage Pendant Sunflower Yellow    | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 10    | M20304-SY Passage Wall Sconce Sunflower Yellow | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 11    | PM20307-CB Impact Pendant Cobalt Blue          | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 12    | M20307-CB Impact Wall Sconce Cobalt Blue       | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |

\*See Options Legend on page 38. Measurements are in inches. Includes **glazed finish** as shown; contact us for custom requests.



# The Mosaic Collection

42



## The Mosaic Collection

Available Options\* (Add code for desired option to fixture item #)

| Item# | Product Title (Name)                          | W | x | H   | x | D | Std. Lamping     | Fluorescent |       | Halogen | Outdoor/Wet Location |       |      | Diffuser | Pendant |     |
|-------|-----------------------------------------------|---|---|-----|---|---|------------------|-------------|-------|---------|----------------------|-------|------|----------|---------|-----|
|       |                                               |   |   |     |   |   |                  | CFL13       | CFL26 | HAL     | WET                  | WETST | WETL | DIF      | WCC     | BCC |
| 1     | PM20307-MR Impact Pendant Matador Red         | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 2     | M20307-MR Impact Wall Sconce Matador Red      | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 3     | PM20307-SY Impact Pendant Sunflower Yellow    | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 4     | M20307-SY Impact Wall Sconce Sunflower Yellow | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 5     | PM20308-MU Confetti Pendant Multicolor        | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 6     | M20308-MU Confetti Wall Sconce Multicolor     | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 7     | PM20308-GY Confetti Pendant Grey              | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 8     | M20308-GY Confetti Wall Sconce Grey           | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 9     | PM20308-CB Confetti Pendant Cobalt Blue       | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 10    | M20308-CB Confetti Wall Sconce Cobalt Blue    | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 11    | PM20308-MR Confetti Pendant Matador Red       | 6 |   | 9.5 |   |   | 1-100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 12    | M20308-MR Confetti Wall Sconce Matador Red    | 6 |   | 9.5 | 4 |   | 1-100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |

\*See Options Legend on page 38. Measurements are in inches. Includes **glazed finish** as shown; contact us for custom requests.



## The Mosaic Collection

Available Options\* (Add code for desired option to fixture item #)

| Item# | Product Title (Name)                           | W | x | H   | x | D | Std. Lamping     | Fluorescent |       | Halogen | Outdoor/Wet Location |       |      | Diffuser | Pendant |     |
|-------|------------------------------------------------|---|---|-----|---|---|------------------|-------------|-------|---------|----------------------|-------|------|----------|---------|-----|
|       |                                                |   |   |     |   |   |                  | CFL13       | CFL26 | HAL     | WET                  | WETST | WETL | DIF      | WCC     | BCC |
| 1     | PM20309-RW Checkers Pendant Red and White      | 6 |   | 9.5 |   |   | 1–100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 2     | M20309-RW Checkers Wall Sconce Red and White   | 6 |   | 9.5 | 4 |   | 1–100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 3     | PM20309-RB Checkers Pendant Red and Black      | 6 |   | 9.5 |   |   | 1–100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 4     | M20309-RB Checkers Wall Sconce Red and Black   | 6 |   | 9.5 | 4 |   | 1–100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 5     | PM20310-BL Ladders Pendant Black               | 6 |   | 9.5 |   |   | 1–100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 6     | M20310-BL Ladders Wall Sconce Black            | 6 |   | 9.5 | 4 |   | 1–100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 7     | PM20310-WH Ladders Pendant White               | 6 |   | 9.5 |   |   | 1–100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 8     | M20310-WH Ladders Wall Sconce White            | 6 |   | 9.5 | 4 |   | 1–100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 9     | PM20310-SY Ladders Pendant Sunflower Yellow    | 6 |   | 9.5 |   |   | 1–100W Med. Base | •           | •     |         |                      |       |      |          | •       | •   |
| 10    | M20310-SY Ladders Wall Sconce Sunflower Yellow | 6 |   | 9.5 | 4 |   | 1–100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |
| 11    | M20306-CO Solar Wall Sconce Composite          | 6 |   | 9.5 | 4 |   | 1–100W Med. Base | •           | •     | •       | •                    | •     |      | •        |         |     |

\*See Options Legend on page 38. Measurements are in inches. Includes **glazed finish** as shown; contact us for custom requests.





# The Jewel Collection

**Vibrant, glowing and contemporary**

Like precious gemstones, A19's Jewel collection sparkles with color and life. Some subtle, some bold, each fused glass design is as distinctive as the individuals who enjoy them.

## **Created using a unique fused glass process**

We incorporate a special fused glass process in the kiln to bond the art glass together. The fused glass is then carefully mounted on a ceramic frame, which is hand slip cast, fired in A19's kilns and finished in satin white to set off the dynamic colors. Each light fixture is truly a work of art.

## **Art that's made to last**

The value of A19's Jewel Collection extends far beyond their beauty. One of the greatest advantages of our glass and ceramic fixtures is that they're specifically made to withstand harsh weather – no need to worry about rust or corrosion.

The Jewel Collection includes both incandescent and Energy Star fluorescent options, as well as ADA-compliant sconces. Our wall sconces were designed with an open top and bottom to provide ambient up and down light effects.

Because our Jewel Collection fixtures are handmade, there will be subtle variations in each piece – it's what makes A19's products unique and why people have turned to us for a range of lighting solutions since 1998. We're proud to say that the Jewel Collection, like all A19 products, is made in America.



## Customize Your Choice

The Jewel Collection allows you to customize our wall sconces and pendants to suit the specific needs of your space. If you're looking for an alternate color combination or have an idea you don't see, simply give us a call at (800) 664-4204. We'll work with you to create just the right fixture.

## Options legend (add code for desired option to fixture item#)

| LAMPING OPTIONS        | CODE                         | DESCRIPTION                                                                                                                                                                                                                                                                   |
|------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard               |                              | 100W A19 Medium base, or 60W Candelabra base, as noted per fixture (Bulb not included).                                                                                                                                                                                       |
| Compact Fluorescent    | <b>CFL13</b> or <b>CFL26</b> | 13W or 26W GU24 base, Energy Star rated (Bulb included).                                                                                                                                                                                                                      |
| Halogen                | <b>HAL</b>                   | 100W Medium base, double envelope halogen bulb (Bulb included).                                                                                                                                                                                                               |
| Outdoor / Wet Location | <b>WET</b>                   | Single outdoor sheltered socket for wet locations (this is an open-top fixture suitable for rainy locations; use bulb coated for shatter resistance) (Bulb not included).                                                                                                     |
|                        | <b>WETST</b>                 | Sealed Top for Wet Location (Available with CFL options only; <i>add CFL codes to the order number</i> ).                                                                                                                                                                     |
|                        | <b>WETL</b>                  | Wet Location Label (For Downlights, where the socket is sheltered by the fixture).                                                                                                                                                                                            |
| Diffuser Option        | <b>DIF</b>                   | Frosted Diffuser: use only to conceal view of bulb from above (on stairs, lofts etc.)<br><i>Suitable for CFL option; if incandescent is required, selecting this option will change the base to candelabra max 60W; not for use in wet locations and not sold separately.</i> |

## How to Order

To order any fixture from the Jewel Collection, simply choose the item number for the style you prefer and add the code for any desired option or finish.

## Damp or Wet

A19's standard light fixtures are UL listed for damp locations. Any location, indoors or out, is considered to be a "damp" location—as long as the fixture is not in direct contact with water. Outdoors under an eave, for instance, would be "damp."

Wet locations are unsheltered outdoor areas that are exposed to direct contact with rain and require fixtures to be ordered with an "outdoor/wet location" option.

## ADA Compliance


Fixtures with a depth of 4 inches or less meet the handicap projection requirements set forth by the American Disabilities Act (ADA).





# The Jewel Collection

48




## The Jewel Collection

Available Options\* (Add code for desired option to fixture item #)

| Item# | Product Title (Name)                    | W    | x | H     | x | D    | Std. Lamping       | Fluorescent |       | Halogen | Outdoor/Wet Location |       |      | Diffuser |
|-------|-----------------------------------------|------|---|-------|---|------|--------------------|-------------|-------|---------|----------------------|-------|------|----------|
|       |                                         |      |   |       |   |      |                    | CFL13       | CFL26 | HAL     | WET                  | WETST | WETL | DIF      |
| 1     | G1A White Serenity Wall Sconce          | 4.25 |   | 11    |   | 4    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
| 2     | G1B Amber Wave Wall Sconce              | 4.25 |   | 11    |   | 4    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
| 3     | G1C Gemstones Wall Sconce               | 4.25 |   | 11    |   | 4    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
| 4     | G1D Alladin Wall Sconce                 | 4.25 |   | 11    |   | 4    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
| 5     | G2A Silk Scarf Wall Sconce              | 6    |   | 11.75 |   | 4.75 | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G2AADA Silk Scarf ADA Wall Sconce       | 6    |   | 11.75 |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 6     | G2B Vivid Wall Sconce                   | 6    |   | 11.75 |   | 4.75 | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G2BADA Vivid ADA Wall Sconce            | 6    |   | 11.75 |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 7     | G2C Singularity Wall Sconce             | 6    |   | 11.75 |   | 4.75 | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G2CADA Singularity ADA Wall Sconce      | 6    |   | 11.75 |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 8     | G2D String Quartette Wall Sconce        | 5    |   | 11.75 |   | 4.75 | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G2DADA String Quartette ADA Wall Sconce | 5    |   | 11.75 |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |

\*See Options Legend on page 46. Measurements are in inches. Includes ceramic finished in **white satin** (as shown). See page 67 for custom finishes and decorations.



## The Jewel Collection

Available Options\* (Add code for desired option to fixture item #)

| Item# | Product Title (Name)                    | W     | x | H     | x | D    | Std. Lamping       | Fluorescent |       | Halogen | Outdoor/Wet Location |       |      | Diffuser |
|-------|-----------------------------------------|-------|---|-------|---|------|--------------------|-------------|-------|---------|----------------------|-------|------|----------|
|       |                                         |       |   |       |   |      |                    | CFL13       | CFL26 | HAL     | WET                  | WETST | WETL | DIF      |
| 1     | G2E Marina Wall Sconce                  | 5     |   | 11.75 |   | 4.75 | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G2EADA Marina ADA Wall Sconce           | 5     |   | 11.75 |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 2     | G3A Amber Current Wall Sconce           | 5.25  |   | 9.75  |   | 5    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G3AADA Amber Current ADA Wall Sconce    | 5.25  |   | 9.75  |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 3     | G3B Sapphire Current Wall Sconce        | 5.25  |   | 9.75  |   | 5    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G3BADA Sapphire Current ADA Wall Sconce | 5.25  |   | 9.75  |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 4     | G3C Ruby Current Wall Sconce            | 5.25  |   | 9.75  |   | 5    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G3CADA Ruby Current ADA Wall Sconce     | 5.25  |   | 9.75  |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 5     | G3D Niagara Wall Sconce                 | 5.25  |   | 9.75  |   | 5    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G3DADA Niagara ADA Wall Sconce          | 5.25  |   | 9.75  |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 6     | G3E Fourth Of July Wall Sconce          | 5.25  |   | 9.75  |   | 5    | 1-100W Medium Base | •           | •     | •       | •                    | •     |      | •        |
|       | G3EADA Fourth Of July ADA Wall Sconce   | 5.25  |   | 9.75  |   | 4    | 1-60W Candelabra   | •           | •     |         |                      |       |      |          |
| 7     | G4A Alluvial Wall Sconce                | 14.25 |   | 7     |   | 4    | 1-100W Medium Base | •           | •     | •       |                      | •     |      | •        |

\*See Options Legend on page 46. Measurements are in inches. Includes ceramic finished in **white satin** (as shown). See page 67 for custom finishes and decorations.



