


# **USE AND CARE GUIDE**

# 26" WOOD FRAMED MIRROR IN NATURAL WOOD FINISH



Questions, problems, missing parts?
Before returning, contact us on:
info@tjamerican.com
TJAMERICAN.COM


#### THANK YOU

We appreciate the trust and confidence you have placed in TJAmerican LLC through the purchase of this Vanity.

Visit us online to see our full line of products available for your home improvement needs.


# **TABLE OF CONTENTS**

Safet	y Instruction2
Speci	fication3
Repla	cement Parts List4
Packa	age Contents5
Asser	mbly6
Warra	anty8
SAF	ETY INFORMATION
DA	NGER:
_ l	Keep small parts away from children during assembly.
	ailure to follow warning and cautions could result in serious injury.
WA	RNING:
	Read these instructions carefully and keep in a safe place.
	dult assembly required.
	o not over tighten connectors (screws, bolts, etc.). Overtightening can lead to product amage.
□ S	Small parts may present choking hazard prior to assembly.
	o not stand, step, or climb on unit.
CAI	JTION:
İI	se sure to check all packing materials carefully for small parts that may have come loose nside the carton during shipment. If parts are missing, contact info@tjamerican.com to obtain my missing parts.



# **REPLACEMENT PARTS LIST**

For replacement parts, please contact customer service at info@tjamerican.com.




















PART	DESCRIPTION	QUANTITY	PART#
AA	Anchor	2	AC-00839020
BB	Screw	2	SC-83551331
CC	Metal Hook	2	MH-00100330
DD	Touch Up Pen	1	TP-15000000

#### **PACKAGE CONTENTS**



PART	DESCRIPTION	QUANTITY	PART#
Α	Mirror	1	0228V2630BE-MI
AA	Anchor	2	AC-00839020
BB	Screw	2	SC-83551331
DD	Touch Up Pen	1	TP-15000000




Note: Tips for using touch-up pen (DD): For scratches, stroke in direction of scratch; for worn areas, stroke in direction of wood grain. Rub off excess colorant promptly with a soft cloth.

#### **PRE-ASSEMBLY**

#### **PLANNING ASSEMBLY**

Check the mirror for damage before installation. If any part of the mirror is missing or damaged, contact customer service at info@tjamerican.com.


#### **TOOLS REQUIRED**



#### **ASSEMBLY**


#### 1. Pre-drilling holes for anchors

- ☐ Measure the dimension between the two metal hooks attached to the mirror.
- □ Use a pencil to mark the designed installation location on the wall.
- □ Pre-drill Ø3/8"x1.75" (Ø8x45mm) deep holes for anchors by using a drill.




2. Installing the anchors into the wall

Install the 2 anchors (AA) provided into the wall.




# **ASSEMBLY**

- 3. Tightening screws into the wall
- □ Insert the two screws (BB) into the anchors (AA). Leave a 1/4" (6mm) space between the screws (BB) and the wall.



4. Hanging the mirror to the wall



#### WARRANTY

#### LIMITED LIFETIME WARRANTY

#### WHAT IS COVERED

TJAmerican LLC products are manufactured to superior quality standards and workmanship, and are backed by our limited lifetime warranty. TJAmerican LLC products are warranted to the original consumer purchaser to be free of defects in materials or workmanship. We will replace FREE OF CHARGE any product or part that proves defective. Simply return the product or part to any TJAmerican LLC retail location or info@tjamerican.com to receive the replacement item. Proof of purchase (original sales receipt) from the original consumer purchaser must be made available for all TJAmerican LLC warranty claims.

#### WHAT IS NOT COVERED

This warranty excludes incidental or consequential damages and failures due to misuse, abuse, or normal wear and tear. Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state and province to province. Please see a store or contact info@tjamerican.com for more details.