



CHANDELIER INSTRUCTION



CHANDELIER INSTRUCTION

DIRCTORY

Product Analysis 1

Features and Scope of Application 2

Product Details 3

Pre Cautions 4

Technical Parametrs 5

Product Installation Manual 6

To customer 7

100% After-Sales Guarantee

We promises a 100% return and refund policy, due to the heavy weight of the product, it is a larger product after assembly, so please find a professional electrician and assistant to install the lamp. If you have any questions, please contact our professional service team via the amazon message box.

Thank you for choosing this product.

Dear Amazon Customer:

Thank you for choosing us. Our brand started with the desire to strive for the best chandeliers on Amazon, meeting people's needs for dream home space. Our chandelier is well made and super solid, easy to install, always leading other light in the market.

Every our chandelier comes from our exquisite design, ensuring the high quality and perfect appearance of the product. If you have any questions about our product, please contact us in time, you can log in the Amazon store contact, send an email to tell us, we will reply in time.




01

Product Analysis

02


Features and Scope of Application

This Chandelier with textured matt black finish with exquisite craftsmanship ensures the best quality, durability, and anti-corrosion, adding some vintage and industrial atmosphere to your space.



03

Product Details



04


Pre Cautions

- 1.Wheel light must be installed by professional lighting equipment and can only be used in India.
 - 2.Mains power must be switched off when installing or replacing bulbs.
 - 3.The wheel light can be used for indoor or waterproof outdoor use, it is not waterproof.
 - 4.AC110-130V,50-60Hz,Maximum bulb power is 40W, suitable for all kinds of E12/E26bulbs
 - 5.Connect all wires labeled L, N. Connect all power cords labeled (L) with the black power cord of the main cord, and connect all power cords labeled (N) with the white power cord of the main cord.
- Please be careful not to mix L and N connections.
- 5.Connect all wires labeled L, N. Connect all power cords labeled (L) with the black power cord of the main cord, and connect all power cords labeled (N) with the white power cord of the main cord.
- Please be careful not to mix L and N connections.

05

Technical Parametrs

SIZE(in):	Bullet foundation	Number of lights	Maximum power
Ø32*H33	E12	12	20W
Ø40*H40	E12	20	20W
Ø54*H59	E12	28	10W
Ø64*H59	E12	42	10W
Ø32*H33	E26	12	20W
Ø40*H40	E26	20	20W
Ø54*H59	E26	28	20W
Ø64*H59	E26	42	10W
Ø40*H40	E12	30	10W
Ø48*H48	E12	36	10W
Ø59*H59	E12	54	10W
Ø70*H70	E12	64	10W
Ø90*H90	E12	72	10W




1. Check that all the accessories are complete.




2. Assemble 4 short arcs into a circle and 4 long arcs into a big circle. Remove the screws above first, then assemble as shown in the figure, and lock all screws.



3. Note that it will be very easy to lock the top one first and then the side one.




4. Put the small circle into the large circle and pass the power supply on the small circle through the short connecting rod. Lock one end of the connecting rod to the small circle and the other end to the large circle. Note that the power cable on the small circle cannot pull TAIJ.



5. All power cords must not be pulled too tight.



6. After passing through the power line of the small circle, combine the lines of the large circle and the small circle through the long connecting rod.



7. Connect the power cord, connect all the white power cords together, and connect all the black power cords together. Cover the semicircle. Note that the inner wiring must be tightly pressed with the wiring cap, and professional wiring protection must be done.





1. Check whether all accessories are complete



2. Combine 6 long arcs into a large circle. Remove the upper screws first, then assemble as shown in the figure, and lock all screws




3. Please note that it is easier to lock the upper screw first, and then the side screw.



4. As shown in the figure, thread the power cord through the straight pipe with a bead chain.



5. Thread the power cord through the straight pipe and connect it with a lock catch.



6. Plug all power cables labeled "(N)" into the wiring cap, then plug in the black power main line. Plug all power cables labeled "(L)" into the wiring cap and then connect to the white power main line. Then close the lid. Hang the lamp from the ceiling.

Larger Chandelier Design

Thank you again for your purchase and support for Chandelier. We will strive to do our best and provide you with the best products. We also hope that you can make more purchases. If you are satisfied with our products and services, we hope you can leave a real experience about the product to help other buyers better understand our product. As an Amazon seller, we thrive on your feedback and support, review means the world to us.