SAFETY DATA SHEET



1. Identification **Product identifier** HYDROSTOP PREMIUMCOAT FINISH COAT Other means of identification **Product Code** Not available. **Recommended use** Manufacturer/Importer/Supplier/Distributor information Manufacturer GAF **Company name** 1 Campus Drive Parsippany, NJ 07054 USA Telephone 1-800-766-3411 **Emergency phone number** CHEMTREC [DAY OR NIGHT] 1-800-424-9300 Within USA and CANADA 1-800-424-9300 Outside USA and Canada: 1703-741-5970 **Collect Calls Accepted**

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Reproductive toxicity	Category 1
Environmental hazards	Harmful to the aquatic life.	Category 3
	Harmful to the aquatic life with long- lasting effects.	Category 3
	Not classified.	

OSHA defined hazards

Label elements



Signal word	None.
Hazard statement	May cause an allergic skin reaction. Suspected of causing cancer. May damage fertility or the unborn child. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If on skin: Wash with plenty of water. If exposed or concerned: Get medical advice/attention.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

WIXTURES				
Chemical name	Common name and synonyms	CAS number	%	_
Material name: HYDROSTOP PREMIUMCOAT FINISH COAT			SE	
Version #: 08 Revision date: 08-08-2018				

Chemical name	Common name and synonyms	CAS number	%
Titanium Dioxide		13463-67-7	5
Zinc Oxide		1314-13-2	1
2-N-Octyl-4-Isothiazolin-3-one		26530-20-1	0.3
Ammonium Hydroxide 20-30%		1336-21-6	0.1
PARAFFINIC PETROLEUM OIL		64742-54-7	0.1
Pure (Dibutyl Phthalate)		84-74-2	0.6
Non Hazardous Ingredients			50 to <60

4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop orpersist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Incase of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Upper respiratory tract irritation. Irritation of eyes and mucous membranes. Coughing. Skin irritation. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Do not scatter thematerial.
Specific methods	Use standard firefighting procedures and consider the bazards of other involved materials

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: HYDROSTOP PREMIUMCOAT FINISH COAT Version #: 08 Revision date: 08-08-2018 SDS 3021 Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Cont Components	Туре	Value	Form
Ammonium Hydroxide 20-30% (CAS 1336-21-6)	PEL	35 mg/m3	
Calcium Carbonate (CAS	PEL	50 ppm 5 mg/m3	Respirable fraction.
1317-65-3)		15 mg/m3	Total dust.
Pure (Dibutyl Phthalate) (CAS 84-74-2)	PEL	5 mg/m3	
Titanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
Zinc Oxide (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3 15 mg/m3	Fume. Total dust.
US. ACGIH Threshold Limit Values		-	
Components	Туре	Value	Form
Ammonium Hydroxide 20-30% (CAS 1336-21-6)	STEL	35 ppm	
	TWA	25 ppm	
PARAFFINIC PETROLEUM OIL (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Pure (Dibutyl Phthalate) (CAS 84-74-2)	TWA	5 mg/m3	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Zinc Oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
,	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chemical		Malaas	Form
Components	Туре	Value	Form
Ammonium Hydroxide 20-30% (CAS 1336-21-6)	STEL	27 mg/m3	
	T A/A	35 ppm	
	TWA	18 mg/m3	
Coloium Corbonata (CAC	T\A/A	25 ppm	Poonirable
Calcium Carbonate (CAS 1317-65-3)	TWA	5 mg/m3	Respirable. Total
Pure (Dibutyl Phthalate)	TWA	10 mg/m3 5 mg/m3	ισιαι
(CAS 84-74-2) Zinc Oxide (CAS	Ceiling	15 mg/m3	Dust.
1314-13-2)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.

Components	Туре	Value	Form
		5 mg/m3	Dust.
Biological limit values	No biological exposure limits noted for t	he ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
ndividual protection measure	s, such as personal protective equipmen	nt	
Eye/face protection	If contact is likely, safety glasses with side shields are recommended.		
Skin protection			
Hand protection	Wear appropriate chemical resistant glo	oves.	
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratoryequipment.		
Thermal hazards	Wear appropriate thermal protective clothing, whennecessary.		
General hygiene considerations	When using, do not eat, drink or smoke as washing after handling the material wash work clothing and protective equi clothing should not be allowed out of th	and before eating, drinking, pment to remove contamina	and/or smoking. Routinely

9. Physical and chemical properties

Appearance		
Physical state	Liquid.	
Form	Liquid.	
Color	Not available.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling	Not available.	
range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or exp		
Flammability limit - lower	Not available.	
(%)		
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)	Not available.	
Solubility (water)	Not available.	
Partition coefficient	Not available.	
(n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	

Other information Density

Flammability class	Not available.
Percent volatile	32.45 % estimated
Specific gravity	1.44
VOC	0.068956 lbs/gal Material estimated 0.129727 lbs/gal Regulatory estimated 8.262997 g/l Material estimated 15.545186 g/l Regulatoryestimated

10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions. No dangerous reaction known under conditions of normaluse.
Conditions to avoid Incompatible materials	Contact with incompatible materials. Fluorine.
Hazardous decomposition products	No hazardous decomposition products areknown.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes and mucous membranes. Upper respiratory tract irritation. Coughing. Skin irritation. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	May cause an allergic skin reaction.		
Components	Species	Test Results	
Ammonium Hydroxide 20-30	0% (CAS 1336-21-6)		
<u>Acute</u>			
Oral			
LD50	Rat	350 mg/kg	
Pure (Dibutyl Phthalate) (CA	AS 84-74-2)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	4200 mg/kg	
		20 ml/kg	
Inhalation			
LC50	Mouse	25 mg/l, 2 Hours	
	Rat	15.68 mg/l, 4 Hours	
Oral			
LD50	Guinea pig	10000 mg/kg	
	Mouse	4840 mg/kg	
	Rat	6300 mg/kg	
Zinc Oxide (CAS 1314-13-2)		
Acute			
Inhalation			
LC50	Mouse	> 5.7 mg/l, 4 Hours	
Material name: HYDROSTOP	PREMIUMCOAT FINISH COAT		SDS US

Oral LD50

Components	Species	Test Results
	Rat	> 5 g/kg
* Estimates for product may	be based on additional compon	ent data notshown.
Skin corrosion/irritation	Prolonged skin contact may	cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may	<i>r</i> cause temporary irritation.
Respiratory or skinsensitization	n	
Respiratorysensitization	Not available.	
Skin sensitization	May cause an allergic skin re	eaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Suspected of causing cancer.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	у
Titanium Dioxide (CAS 1 OSHA Specifically Regulate	3463-67-7) ed Substances (29 CFR 1910.	2B Possibly carcinogenic to humans. 1001-1050)
Not listed.		
•••	ogram (NTP) Report on Carci	-
Reproductive toxicity	UM OIL (CAS 64742-54-7) May damage fertility or the u	Known To Be Human Carcinogen.
Specific target organ toxicity -	Not classified.	hiborrenia.
single exposure	NUL CIASSINEU.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be	harmful. Prolonged exposure may cause chronic effects.
12. Ecological information	n	
~		

otoxicity	Toxic to a	aquatic life with long lastingeffects.	
Components		Species	Test Results
Ammonium Hydroxide	20-30% (CAS 133	6-21-6)	
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	15 mg/l, 96 hours
Pure (Dibutyl Phthalate	e) (CAS 84-74-2)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	2.99 mg/l, 48 hours
Fish	LC50	Channel catfish (Ictalurus punctatus)	0.4 - 0.53 mg/l, 96 hours
Titanium Dioxide (CAS	13463-67-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
Zinc Oxide (CAS 1314-	·13-2)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	2246 mg/l, 96 hours

4.9

* Estimates for product may be based on additional component data notshown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)	
Pure (Dibutyl Phthalate)	

No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

S federal regulations	This product is a "Hazardou Standard, 29 CFR 1910.120 All components are on the U	0.	ed by the OSHA Hazard Communic ntory List.
TSCA Section 12(b) Export	Notification (40 CFR 707, Su	bpt. D)	
Not regulated. TSCA Chemical Action Plar	s, Chemicals of Concern		
Pure (Dibutyl Phthalate) (CERCLA Hazardous Substa		Phthalates Actio	n Plan
Ammonium Hydroxide 20-30% (CAS 1336-21-6) Pure (Dibutyl Phthalate) (CAS 84-74-2) Zinc Oxide (CAS 1314-13-2) SARA 304 Emergency release notification		Listed. Listed. Listed.	
Not regulated. OSHA Specifically Regulate	d Substances (29 CFR 1910	.1001-1050)	
Not listed.		-	
uperfund Amendments and Re	authorization Act of 1986 (S	ARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard	lous substance		
Not listed.			
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting)			
Chemical name		CAS number	% by wt.
Zinc Oxide Ammonium Hydroxide 20)-30%	1314-13-2 1336-21-6 84-74-2	1 to <5 0.1 to <1 0.1 to <1

Pure (Dibutyl Phthalate) (CAS 84-74-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

PARAFFINIC PETROLEUM OIL (CAS 64742-54-7) Pure (Dibutyl Phthalate) (CAS 84-74-2) Titanium Dioxide (CAS 13463-67-7)

US. Massachusetts RTK - Substance List

Ammonium Hydroxide 20-30% (CAS 1336-21-6) Calcium Carbonate (CAS 1317-65-3) Pure (Dibutyl Phthalate) (CAS 84-74-2) Titanium Dioxide (CAS 13463-67-7) Zinc Oxide (CAS 1314-13-2)

US. New Jersey Worker and Community Right-to-Know Act

Ammonium Hydroxide 20-30% (CAS 1336-21-6) Calcium Carbonate (CAS 1317-65-3) Pure (Dibutyl Phthalate) (CAS 84-74-2) Titanium Dioxide (CAS 13463-67-7) Zinc Oxide (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Ammonium Hydroxide 20-30% (CAS 1336-21-6) Calcium Carbonate (CAS 1317-65-3) Pure (Dibutyl Phthalate) (CAS 84-74-2) Titanium Dioxide (CAS 13463-67-7) Zinc Oxide (CAS 1314-13-2)

US. Rhode Island RTK

Ammonium Hydroxide 20-30% (CAS 1336-21-6) Pure (Dibutyl Phthalate) (CAS 84-74-2) Zinc Oxide (CAS 1314-13-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

- US California Proposition 65 CRT: Listed date/Carcinogenic substance Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011
- US California Proposition 65 CRT: Listed date/Developmental toxin

Pure (Dibutyl Phthalate) (CAS 84-74-2)) Listed: December 2, 2005
Fule (Dibulyi Fillialale) (CAS 64-74-2)	LISIEG. December 2, 2005

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin Pure (Dibutyl Phthalate) (CAS 84-74-2) US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Pure (Dibutyl Phthalate) (CAS 84-74-2) Listed: December 2, 2005	Pure (Dibutyl Phthalate) (CAS 84-74-2)	Listed: December 2, 2005
---	--	--------------------------

International Inventories

Country(s) or region	Inventory name On i	nventory(yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of ExistingCommercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A UNZ U to all to - the - to - U.	en et al 1916 de la constata en la constata de la constata en la constata en desta factores de la constata en e	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	09-08-2014
Revision date	08-08-2018
Version #	08

HMIS® ratings	Health: 2* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
Disclaimer	This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee , expressed or implied, is made as to its accuracy, reliability, or completeness. GAF cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.
Revision Information	Revision to Section 2.