




SPEC SHEET

KoolMore 79 in. Commercial Chest Freezer, 30 Cu. Ft. in White.

SKU: KM-SCF-30C

FEATURES

- Capacity: 30 cu. ft., suitable for commercial and residential use.
- Doors: Dual vertical swing doors for easy access.
- Garage Ready: Performs well in varied ambient temperatures.
- Storage: Includes 2 freezer baskets, each with a 55 lbs. capacity.
- Construction: White coated steel exterior, aluminum interior for durability.
- Defrost: Manual defrost for energy efficiency and longevity.
- Noise: Quiet operation at 55 dB.
- Temperature Control: Mechanical controls for easy temperature management.
- Mobility: Equipped with six casters for easy movement.
- Security: Comes with a lock and key for secure storage.
- Certification: ETL certified for safety.
- Warranty: 1-year manufacturer's warranty on parts and labor.



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	79.06
Width	33.43
Height	38.88
WeightLbs	201.72
Interior Depth	72.6
Interior Width	31.5
Interior Height	33.1
Depth Including Handles	34.88
Depth Excluding Handles	33.3
Depth With Door Open 90 Degrees	33.3
Depth Less Door	33.3
Height To Top Of Door Hinge In	37.44
Power Cord Length	70.8

Capacity

Net Cubic Feet	30 Cu. Ft.
Number Of Freezer Baskets Bins	2
Individual Bin Capacity	55 lbs



Features & Material

Defrost Type	Manual
Refrigerant Type	R-290
Temperature Range	-8 -14 F
Ambient Temperature Range	0-100 F
Temperature Control Type	Mechanical
Door Material	Coated Steel
Interior Material	Aluminum
Exterior Material	Coated Steel
Casters	6
Noise	55 db
Door Style	Vertical Swing
Number Of Doors	2
Color Door Handles	White
Color Finish	White
Counter Depth	34.88
Hinge Location	Back of the Door
Interior Lights	No

Electric Data & Certifications

Voltage	110
Amps	4.6
Hertz	60
Wattage	387
Plug Type	Nema 5-15P
Certifications	ETL Listed for Safety and Sanitation

Plan View



CERTIFICATIONS



706 Eastern Parkway STE 1G, Brooklyn NY 11213
718-576-6342
info@koolmore.com