


Store
Your
Patio Well

ASSEMBLY INSTRUCTIONS

METAL GARDEN SHED

SKU: T-PS25-0952



E-mail:
saleservice@madepot.com




Please read the instruction manual carefully,
Please assemble the resin garden shed in
the following steps.

SITE PREPARATION

Level the ground surface.



Recommendation: Construct a wooden or concrete base as a foundation.








BEFORE STARTING ASSEMBLY

Remove all of the pieces from the package and spread them out on the ground. Before installation, please check the type and quantity of parts first. It is recommended to use a clean work surface to spread the parts out and for pre-assembly steps. Review all instructions before you begin, continue to refer to instructions during assembly.

Be sure to follow all steps thoroughly.

Please prepare these components in advance at the beginning of each stage.

REQUIRED TOOLS



CAUTION













Some parts have steel edges. Please be careful when handling components. Always wear work gloves, eye protection and long sleeves when assembling or performing any maintenance on your shed. Do not attempt assembly on days with strong winds or low temperatures.

















Requires two people and takes 2-3 hours for Installation. Recommended to wear gloves to avoid scratches. Please read the manual carefully before installation.

**DO NOT RETURN YOUR UNIT
TO THE STORE**
Contact us first
saleservice@madepot.com










ROOF PARTS

 <p>P1S x 2</p>	 <p>P9S x 1</p>	 <p>P3S x 1</p>
	 <p>A1L X1</p>	 <p>A1R X1</p>
 <p>S10 X1</p>	 <p>L2S X2</p>	 <p>L1S X2</p>
 <p>GC X4</p>		




WALL PARTS

			
W1A X4	WS2A X4	ULB X1	UR2 X1
			
U6S X1		U5S X1	
			
U7L X1	U7R X1	C2 X4	B3S X2
			
B2S X1		B1S X1	
			
V1 X16	V2 X124		


DOOR PARTS

 DD1 X1	 DLA X1	 DR1 X1	 20 X2	 DM X1
			 DX2 X2	 DN X1
			 DK X1	 DJ X2

SCREW


 F1(X153) M4*10	 F2(X37) M4*10
 For GC F5(X4) M4*16	

CONTENTS




Bottom frame

09-10
(page)




Wall

11-17
(page)



Roof



18-20
(page)





Door

21-25
(page)


STEP 1



STEP 2




STEP 3



STEP 4


Tips: Align the gasket with the hole, and then use the electric drill to drill the F1 into the hole.




STEP 5




Please align the screws with the screw holes for installation.




STEP 6






STEP 7






STEP 8




STEP 9




STEP 10





STEP 11





STEP 12




STEP 13




STEP 14




STEP 15




STEP 16





STEP 17




STEP 18







STEP 19




Tips: Internal setup.




STEP 20





STEP 21





STEP 22




STEP 23




STEP 24





STEP 25





STEP 26





STEP 27





STEP 28






STEP 29






STEP 30




STEP 31




STEP 32




STEP 33



Put it on the screw tip to prevent injury.



FINISH



CARE & SAFETY

- Unsuitable for storage of flammable or corrosive substances.
- It is of utmost importance to assemble all of the parts according to the directions. Do not skip any step.
- Please consult your local authorities if any permits are required to erect shed.
- Periodically check shed to assure that it remains stable and that the site remains level.
- It is highly recommended to secure the shed to an immovable object or to the ground by drilling holes in the floor at the pre-marked locations and inserting proper screws into the ground (screws are not included).
- Wear safety-goggles and always follow the manufacturer's instructions when using power tools.
- Wash shed with garden hose or a mild detergent solution. Using a stiff brush or abrasive cleaner could damage shed.
- Hot items such as recently used grills, blowtorches, etc. Must not be stored in the shed.
- Heavy articles should not be leaned against the walls, as this may cause distortion.
- Keep roof clean of snow and leaves. Heavy amounts of snow on roof can damage the shed making it unsafe to enter.
- Although wind direction varies, it is an important factor when taking into account where to place your shed. Therefore, it is recommended to reduce wind exposure of the shed in general, and the door side in particular.
- Keep doors closed and locked to prevent wind damage.
- Do not stand on the roof.