
SPECIFICATION SUBMITTAL

Six Port Frame Field Customizable Multiport Frame With Blanks (Connectors Sold separately) CA-6PF-, NT-6PF-, SC-6PF-

Family:	☐ Satin Colors		☐ Claro	☐ Nova T*
Color:	☐ (HT) Hot ☐ (OC) Ochre ☐ (TC) Terracotta ☐ (DS) Desert Stone ☐ (ST) Stone ☐ (LS) Limestone	☐ (TP) Taupe ☐ (ES) Eggshell ☐ (BI) Biscuit ☐ (SW) Snow ☐ (MN) Midnight ☐ (BT) Blue Mist	☐ (BL) Black ☐ (AL) Almond ☐ (WH) White ☐ (LA) Light Almond ☐ (BR) Brown ☐ (GR) Gray ☐ (IV) Ivory	☐ (WH) White☐ (BE) Beige☐ (BL) Black☐ (BR) Brown☐ (GR) Gray☐ (IV) Ivory☐ (TP) Taupe☐
Wallplate:	Order separately	Order separately	Order separately	Included



Features

- Field Customizable
- Matching blanks provided
- Multiple connector types available (Phone, Cable, Fiber, BNC)
- Connectors snap fit into frame

Specification Features

- Phone available in Category 3, Category 5E and Category 6
- Fiber available in MT-RJ, SC Simplex, LC and ST styles
- BNC is 50Ω F/F coupler
- Cable is 75Ω F-type

Flexibility Frames

Claro frame with CA-6PF-I matching blanks

*Nova T** frame with NT-6PF-I matching blanks

- Can be used in single and multigang applications
- Fits faceplates with a Designer opening

SPECIFICATION SUBMITTAL

Satin Colors frame with matching blanks

SC-6PF-I

Connectors (For use with Six Port Frame ONLY)

AVAILABLE NOW

Equipment

•		_,	· ·	•
		Cat 3 (6 pin) Phone	CON-1P-C3-WH	Contractor shall provide an appropriate barrier (partition) to isolate jacks from high voltage wiring
		Cat 5e (8 pin) Phone	CON-1P-C5E-WH	when ganged together. This complies with NEC Articles 800-3 and 820- 13.
		Cat 6 (8 pin) Phone	CON-1P-C6-WH -	Telephone jack shall be designed to mate with standard 4- or 6-conductor modular jacks and be compatible with 2, 4, or 6 conductor lines. Telephone jacks shall meet FCC Part 68, paragraph F standards to ensure compatibility with U.S. telephone systems.
	F	MTRJ Feed- through Fiber	CON-1F-MTRJ-WH	
	6	SC Style Fiber	CON-1F-ST-WH	
		SC Simplex Fiber	CON-1F-SC-WH -	Fiber jacks shall meet EIA/TIA-568-B.3 specifications for optical, mechanical and

Note(s)

- Connectors only available from Lutron in White. For additional connector and/or color availabilty, contact Lutron cutomer service at 1-800-523-9466.
- For additional specification information refer to http://www.hubbell-premise.com

CON-1F-LC-WH

CON-1C-WH

CON-1B-WH

Satin Colors and Claro wallplates sold separately

LC Non-flush

Cable (F-type)

BNC

Mount Fiber

environmental

performance.

Ohm cables.

F/F couplers

Cable jacks shall be the

for use with standard 75-

BNC connectors shall be

coaxial type, designed

SPECIFICATION SUBMITTAL

Frames are compatable with Hubbell XceleratorTM and snapfit connectors

Limited Warranty

LUTON WILL, at its option, repair or replace any unit that is defective in materials or manufacture within one year after purchase. For warranty service, return unit to place of purchase or mail to Lutron at 7200 Suter Rd., Coopersburg, PA 18036-1299, postage pre-paid.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES, AND THE IMPLIED WARRANTY OF MERCHANTABILITY IS LIMITED TO ONE YEAR FROM PURCHASE. THIS WARRANTY DOES NOT COVER THE COST OF INSTALLATION, REMOVAL OR REINSTALLATION, OR DAMAGE FROM MISUSE, ABUSE, OR IMPROPER OR INCORRECT REPAIR, OR DAMAGE FROM MISUSE, ABUSE, OR IMPROPER OR INCORRECT IN THE WARRANTY DOES NOT COVER INCIDENTAL OR CONSEQUENTIAL DAMAGES, LUTRON'S LIABILITY ON ANY CLAIM FOR DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE MANUFACTURE, SALE, INSTALLATION, DELIVERY, OR USE OF THE UNIT. SHALL NEVER EXCEED THE PURCHASE PRICE OF THE UNIT.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation apply to you.

Copyright 2003 Lutron Electronics Co. Inc.

03/2003

