

48" Induction Range

L'Elise, s'il vous plaît "The Elise, please"

An Elegant Statement of Superior Performance

AFI 48IN

Oven Features

- Over 6 cubic feet of oven space amongst 3 separate ovens maximize space and reduce energy consumption
- One extra-large 7-Mode Multi-Function™ Oven (left oven) tailored to your cooking needs with Defrost, Convection, Convection Broiling, Fan Assist Bake, Conventional, Browning and Base Heat
- A second extra-large true European convection oven (right oven)
- Each large oven features 2 heavy-duty stainless steel racks, and 1 removable telescopic shelf with 5 rack positions
- Powerful dual-element Broiler with an 8-pass, 2,300 watt broiler – ready to cook in just 5 minutes
- Glide Out Broiler System[™] with Full Broil and Half Broil mode to provide complete coverage with adjustable heights and extendable gliding tray spacious enough to cook six 6-oz steaks at once
- Distinguished brushed stainless steel control knobs give a touch of elegant detail
- Spacious storage drawer with rubber mat to protect and store your cookware
- EasyClean™ Technology with black enamel interior



Cooktop Features

- Extra-large ceramic glass induction cooktop with 5 induction burners
- Induction cooktop makes use of 90% of the available heat compared to just 55% with that of a gas burner
- Efficient induction cooking surface with the following features:
 - Each zone offers a boost in power
 - · Residual heat indicator
 - 9 power settings giving instant response
 - Automatic heat up per zone
 - Low temperature and simmering setting
 - Overheat detection
 - · Child safety lock
 - Generous cooking space with three 7" dia., one 6" dia. and one 10" dia. defined pan areas
- Built-in pan recognition sensors automatically turn the burner off when not is use saving energy and increasing safety while the Child Lock feature protects little hands

Cooktop Power


A: 1,850 watts with 3,000 watt Boost: 7" dia.

B: 1,400 watts with 2,200 watt Boost: 6" dia.

C: 2,300 watts with 3,700 watt Boost: 10" dia.

D: 1.850 watts with 3.000 watt Boost: 7" dia.

E: 1,850 watts with 3,000 watt Boost: 7" dia.





AGA Kitchen Concierge 800-525-5601



48" Induction Range

L'Elise, s'il vous plaît "The Elise, please"

An Elegant Statement of Superior Performance

AEL48IN

Technical Details	
Circuit Breaker (A)	50A
Volts (V)	240V
Frequency (Hz)	60Hz
Plug Type	4 Wire
Power Cord Length	48"
Energy Source	Electric

Dimensions & Weights	
Appliance Dimensions	47 ⁹ / ₁₆ " W x 28 ⁷ / ₁₆ " D x 36 ¹ / ₈ " H
Depth with Door Open	46 1/8"
Weight	357 lbs.
Shipping Weight	390 lbs.
Package Dimensions	49 ¹ / ₄ " W x 31" D x 46 ¹ / ₂ " H

Accessories Included

1 - Enameled broiler pan

1 - Storage Drawer Mat

1 - Broiler pan insert

Warranty

1 Year Warranty, Entire Appliance, Parts and Labor



General Properties	
Oven Capacity	6 cu. ft.
Cooking Modes Main Cavity - Right side	Convection Bake 2.8 cu. ft.
Cooking Modes Second Cavity – Left side	Multi-function Oven with 7 Cooking Modes 2.8 cu. ft.
Cooking Modes Third Cavity - Broiler	Dual-element with 8-pass 2,300W .5 cu. ft.
Cleaning Type	EasyClean™ Enamel
Controls	Knobs on fascia

Oven Performance	
Main Cavity - Right side	2,500W
Second Cavity - Left side	2,500W
Third Cavity - Broiler	2,300W
Broiler Type	8 Pass Radiant Heat

Cooktop Performance	
Cooktop Dimensions	43" W x 21 1/2" D
Number of Zones	5
Power of Front Left Zone: 6" dia.	1,400 watts with 2,200 watt Boost
Power of Back Left Zone: 7" dia.	1,850 watts with 3,000 watt Boost
Power of Center Zone: 10" dia.	2,300 watts with 3,700 watt Boost
Power of Front Right Zone: 7" dia.	1,850 watts with 3,000 watt Boost
Power of Back Right Zone: 7" dia.	1,850 watts with 3,000 watt Boost







48" Induction Range

An Elegant Statement of Superior Performance

AEL48IN













Gloss Black

Matte Black

White







Scarlet

Ivory

Stainless Steel

Ordering Details	Model #
AEL48IN-BLK	Gloss Black
AEL48IN-MBL	Matte Black
AEL48IN-WHT	White
AEL48IN-SCR	Scarlet
AEL48IN-IVY	Ivory
AEL48IN-SS	Stainless Steel

