

### Pressure Reducing Valve

Model Number 104198

#### Features

- Corrosion Resistant Sealed Body and Bonnet
- 100% Factory Tested
- Integral SS Strainer
- Balanced Piston Design
- Internal Thermal Expansio By-Pass
- 100% Manufactured in USA

#### Size

☐ 1/2" NPT

#### Material Specifications

Part Name	Material
Body	Bronze, ASTM B584
Covers	Bronze, ASTM B584
Diaphragm	FDA Grade Buna w/Polyester
Seat Disc	FDA Grade EPDM
Stem	Brass, ASTM B-16
Spring	Stainless Steel
O-Rings	FDA Approved Nitrile



#### Performance Rating

Maximum Supply Pressure up to 300 psig

Temperature Range 33° F – 180° F

Set Pressure: 15 psig

#### Approvals



#### FOR ILLUSTRATIVE PURPOSES ONLY. IMPORTANT NOTE: FOR SAFE AND TROUBLE FREE INSTALLATION

Before installation visit [mrsteam.com](http://mrsteam.com) to download the Installation, Operation and Maintenance Manual or refer to the manual provided with the unit.

MODEL	PROJECT INFORMATION	
<input type="checkbox"/> 104198	Location:	Contractor:
	Architect:	Submitted By:
	Engineer:	Date:
Notes:		