


ASSEMBLY INSTRUCTIONS

METAL STORAGE SHED

SKU: T-PS22-0080-BK



E-mail:
saleservice@patiowell.com




Be careful to wear gloves to prevent cuts.

SITE PREPARATION


Level the ground surface.



Recommendation: Construct a wooden or concrete base as a foundation.



The external dimensions of the product :



BEFORE STARTING ASSEMBLY




Remove all of the pieces from the package and spread them out on the ground. Before installation, please check the type and quantity of parts first.

It is recommended to use a clean work surface to spread the parts out and for pre-assembly steps. Review all instructions before you begin, continue to refer to instructions during assembly.

Be sure to follow all steps thoroughly.

Please prepare these components in advance at the beginning of each stage.

REQUIRED TOOLS



CAUTION








Some parts have steel edges. Please be careful when handling components. Always wear work gloves, eye protection and long sleeves when assembling or performing any maintenance on your shed. Do not attempt assembly on days with strong winds or low temperatures.








Requires two people and takes 2-3 hours for Installation.
Recommended to wear gloves to avoid scratches.
Please read the manual carefully before installation.

**DO NOT RETURN YOUR UNIT
TO THE STORE**
Contact us first
saleservice@patiowell.com






ROOF PARTS

P5 X2 	P6 X1 	P7 X1 
P8 X1 	21L X1 	21R X1 
8 X1 	15 X1 	
16 X1 	18 X2 	
B1 X2 	G3 X2 	
DK X3 	DJ X4 	

WALL PARTS


			
P2 X2	P3 X6	P4 X1	P4B X1
			
P4A X1	29L X1	29R X1	JM5 X4
			
			JM6 X4
			
			9 X1
			
			15R X1
			
1 X2			15L X1
			Please see page 27.
3 X1	V2 X185		
			
4 X1		10 X1	
			
11L X1		11R X1	
			
12 X1			

DOOR PARTS

		 20U X2	 20D X2
		 DC X2	 DG X1
		 DH X4	 DF X1
 DX2 X4	 M8 X2		

SCREW

  cm 1 2 3 4  inch 0.5 1 1.5 F1(X235) M4*10	  cm 1 2 3 4  inch 0.5 1 1.5 F2(X10) M4*10
  cm 1 2 3 4  inch 0.5 1 1.5 F3(X32) M5*12	




CONTENTS




Bottom frame

09-10
(page)




Wall

11-19
(page)



Door



19-22
(page)





Roof

23-26
(page)




STEP 1





STEP 2




STEP 3





STEP 4




STEP 5





X2




STEP 6



X2




STEP 7




STEP 8

Note: When fitting 12 is installed, the hole is on the upper side and the side is upward.




STEP 9




STEP 10


Note: When fitting 11R and 11L are installed, the hole position is upward and the side is upward.





STEP 11





STEP 12




STEP 13





STEP 14





X4





STEP 15




Note: 29R and 29L are on the inside of P4A and P4B respectively




STEP 16





X2




X2






STEP 17




X2




STEP 18




X2




STEP 19




STEP 20





STEP 21




STEP 22





STEP 23





X4





STEP 24




STEP 25



STEP 26




X4




F3 X16


STEP 27




DETAIL DISPLAY





STEP 28




STEP 29





STEP 30



X3




STEP 31




X2



Note: Tighten the bolts with a wrench according to the position shown in the figure.



STEP 32




STEP 33




Note: The chains for the garbage can lid.


STEP 34



Put it on the screw tip to prevent injury.



FINISH



CARE & SAFETY

- Unsuitable for storage of flammable or corrosive substances.
- It is of utmost importance to assemble all of the parts according to the directions. Do not skip any step.
- Please consult your local authorities if any permits are required to erect shed.
- Periodically check shed to assure that it remains stable and that the site remains level.
- It is highly recommended to secure the shed to an immovable object or to the ground by drilling holes in the floor at the pre-marked locations and inserting proper screws into the ground (screws are not included).
- Wear safety-goggles and always follow the manufacturer's instructions when using power tools.
- Wash shed with garden hose or a mild detergent solution. Using a stiff brush or abrasive cleaner could damage shed.
- Hot items such as recently used grills, blowtorches, etc. Must not be stored in the shed.
- Heavy articles should not be leaned against the walls, as this may cause distortion.
- Keep roof clean of snow and leaves. Heavy amounts of snow on roof can damage the shed making it unsafe to enter.
- Although wind direction varies, it is an important factor when taking into account where to place your shed. Therefore, it is recommended to reduce wind exposure of the shed in general, and the door side in particular.
- Keep doors closed and locked to prevent wind damage.
- Do not stand on the roof.