



THANKS FOR WATCHING

Your feedback is invaluable to us and we would love to hear about your experience. Please take the time to leave us a review.





Thank you for shopping with us!


We encourage you to take a few minutes to go through this booklet. It contains important information on installation and care tips to keep your furniture looking as good as new.

Item NO.:BV C11324


Hardware

NO.	Draw	QTY	NO.	Draw	QTY
A	 Screws Ø4x14mm	32	G	 Bracket (53x70x44mm)	2
B	 Two-in-one connector	30	H	 Bracket (19x19x35mm)	2
C	 Two-in-one connector	30	I	 Hinges (Internal hiding)	2
D	 Wood plug	7	J	 Anti-collision gasket	2
E	 Plastic anchor(Ø10mm)	4	K	 Screwdriver	1
F	 Screws for fix on the wall	4			


Recommended tools




Dimensions



Top View



Front View







Side View






Floor

CARE CLEANING AND MAINTENANCE


- 1.Dust regularly with a soft , dry cloth.
- 2.Avoid the use of all chemicals household cleaners, abrasives, or cleaners that contain lemon, vinegar, or other acids that may damage the finish.
- 3.Excessive exposure to sunlight and extreme changes in temperature and moisture can damage wood furniture.
4. The sink is fragile, please pay attention to maintaining its appearance.
- 5.Do not place hot appliances, such as curling irons and hot hair dryers directly on the countertop. Wipe spills immediately.




Step 1






Notes: Screw installation depth as shown





Step 2






Note: The D parts are used for this hole.



Step 12




Step 13




Step 9


	x2
I	(Ø4 x 14mm)
	x12
A	
	x2
J	
	Tool




You can adjust the doors by tightening or loosening the screws on the hinge. →



Step 10




Step 11



Step 3


	x3
B	
	x3
C	
	x1
D	
	K




Note: The D parts are used for this hole.

Step 4


	x1
B	
	x1
C	
	K




Step 5



Step 7



Step 6



Step 8

