Product Magnetize-It! Contractor Pro

Revision Date 01/13/2022

Revision 7

SDS Number 1628



Safety Data Sheet

SECTION 1: IDENTIFICATION

Product Name Magnetize-It! Contractor Pro

Product Code MICNC-2285

Identifier Uses Magnetic paint and coating

Supplier Global Bizz Force INC.

13446 Poway Road #202 Poway CA 92064

support@magnetize-it.com

EmergencyTelephone Call CHEMTREC Day or Night 1-800-424-9300 / +1 703-527-3887 CCN819098

SECTION 2: HAZARDS IDENTIFICATION

Appearance Liquid
Color Black
Odor Weak odor

Pictogram(s)

Contact Email



Signal Word Warning

Hazard Statements H303 May be harmful if swallowed

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs (kidney) through prolonged or repeated exposure (if

swallowed)

Precautionary Statements Prevention

P102 Keep out of reach of c h i l d r e n.

P260 Do not breathe mist/vapors.

P261 Avoid breathing dust/fume/ gas/mist/vapors/spray.

P264 Wash [*] thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P281 Use personal protective equipment as required.
P280 Wear protective gloves/ protective clothing/eye

protection/face protection.

Response

P301+ P312 IF SWALLOWED: Call a POISON CONTROL or doctor if you feel unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

 $P305 + P351 + P338 \ IF \ IN \ EYES: \ Rinse \ cautiously \ with \ water for \ several \ minutes. \ Remove$

contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

GHS Classification

Physical and Chemical Hazards Not classified

Human Health Acute Tox. 4 - H303, H373

Skin Irrit.2 - H315, Eye Irrit.2A - H319, Skin. Sens 1 - H317

Environment Not classified

OSHA Regulatory Status This product is Hazardous under the OSHA Hazard communication Standard.

InhalationProlonged inhalation may result in irritation of the respiratory tract.IngestionMay cause irritation of digestive tract. May be harmful if swallowed.Skin contactMay stain skin and cause skin irritation. May cause an allergic skin reaction.

Eye contact May cause eye irritation.
Routes of Exposure No Information available.
Other Hazards Not applicable.

SECTION 3: Composition/Information on Ingredients

Name	Product Identifier	GHS Classification	%
Magnetic Pigment	CAS-No.: Proprietary		55-65%
Water	CAS-No.:7732-18-5		15-25%
Acrylic resin	CAS-No.: 9003-01-4		10-20%
Triethanolamine	CAS-No.: 102-71-6		1-5%
Proprietary organic compounds	CAS-No.: Proprietary		0-5%

Composition Comments

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General InformationGeneral first aid, rest, warmth and fresh air. **Inhalation**Move the exposed person to fresh air at once.

Ingestion If ingestion of large amount, wash mouth out with water, and seek medical attention

immediately.

Skin contact Wash affected skin with water and soap to remove stain. If irritation persists seek medical

attention.

Eye contact Do not rub eyes. Flush eyes with clean, lukewarm water for at least 15 minutes, occasionally

lifting upper and lower eyelids to remove particles. If irritation persists seek medical

attention.

Most important symptoms and effects, both acute and delayed

General Information Irritating to eyes, respiratory systems and skin.

InhalationProlonged inhalation may result in irritation of the respiratory tract.IngestionMay cause irritation of digestive tract. May be harmful if swallowed.Skin contactMay stain skin and cause skin irritation. Sensitization by skin contact.

Eye contact May cause eye irritation. **Routes of Exposure** No Information available.

Notes To The Physician

Treat Symptomatically.

SECTION 5: Firefighting Measures

Auto Ignition Temperature (°C)

Flammability Limit - Lower (%)

Flammability Limit - Upper (%)

No Information available.

No Information available.

Flash point

>95.0 °C

Extinguishing Media

Use water spray, dry chemical, carbon dioxide, or chemical foam.

Hazardous combustion products

No information available.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Special Fire Fighting Procedures

If possible, fight fire from protected position. Ventilate closed spaces before entering them.

Containers close to fire should be removed immediately or cooled with water.

Protective equipment for fire-fighters

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH

(approved or equivalent), and full protective gear.

SECTION 6: Accidental Release Measures

Personal Precautions

Use proper personal protection (refer to Section 8). Exercise appropriate precaution to minimize direct contact with skin or eyes and prevent inhalation.

Environmental Precautions
Spill Clean Up Methods

Avoid discharge into drains, water courses or onto the ground.

Clean spilled area with absorbent materials, and wash with soap and water. Dispose of spill residue in accordance with federal, state, and local hazardous waste disposal regulations

(see Section 13. Disposal Considerations). Affected area may remain stained.

SECTION 7: Handling and Storage

Handling Wear gloves while handling, to avoid staining of skin. Avoid inhalation. Avoid contact with eyes,

and skin. Avoid ingestion.

Usage Description Use only according to directions.

Storage Precautions Store in tightly closed container, in a cool dry, well ventilated area away from incompatible

substances. Incompatible: oxidizing agents, bases, acids, reducing agents and foods. Optimal temperature range for storage is 41°F - 95°F (5°C -35°C). Keep out of reach

of children. Keep away from sparks and open flames.

Specific End Use(s) The identified uses are in section 1 of this Safety Data Sheet.

SECTION 8: Exposure Controls/Personal Protection

Protective Equipment





Ingredient Comments

OSHA

Process Conditions
Engineering Measures
Respiratory Equipment
Hand Protection
Eye Protection
Hygiene Measures

Keep container tightly sealed when not in use. Provide eyewash, quick drench.

Provide adequate ventilation, mechanical exhaust required.

Government approved respirator.

Wear appropriate protective gloves to prevent skin exposure.

Wear protective goggles to minimize exposure to eyes.

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

smoke.

Information on Basic Physical and Chemical Properties

AppearanceLiquidColorBlackOdorWeak odor

Odor Threshold - Lower No Information available.

Odor Threshold - Upper No Information available.

pH-Value, Conc. Solution 8.0-10

Melting point No Information available.

Initial boiling point and boiling range

No Information available.

Flash point $>95.0~^{\circ}\mathrm{C}$

Evaporation rate No Information available.

Flammability State No Information available.

Flammability Limit - Lower (%) No Information available.

Flammability Limit - Upper (%) No Information available.

Vapor pressure Not determined.

Vapor Density (air=1)

Relative density 2.00-2.50 g/ml

Bulk Density No Information available.

Solubility Some solubility in water.

Decomposition temperature No Information available.

Partition coefficient; n-octanol/water Not known.

Auto Ignition Temperature (°C) No Information available.

Viscosity No information available.

Explosive Properties No information available.

Oxidizing Properties No Information available.

Molecular Weight No Information available.

Volatile Organic Compound $< 5.0 \mathrm{\ wt\ \%}$

SECTION 10: Stability and Reactivity

Reactivity Reactions may occur with strong oxidizers.

Stability Stable at recommended storage conditions.

Hazardous Polymerization Hazardous polymerization is not expected to occur under normal temperatures and pressures.

Hazardous Decomposition Products Carbon monoxide, carbon dioxide, magnesium oxide, silicon oxides, nitrogen oxides (Nox).

Conditions to Avoid Avoid heat, flames and sparks.

Materials to Avoid Keep away from strong oxidizing agents, bases, acids, reducing agents and foods.

SECTION 11: Toxicological Information

Toxicological Information No Information available.

Acute Toxicity (Oral LD50)

Acute Toxicity (Dermal LD50)

Acute Toxicity (Inhalation LC50)

No Information available.

No Information available.

Skin Corrosion/Irritation Irritation to eyes, respiratory systems and skin.

Respiratory Sensitization No Information available.

Skin Sensitization May cause sensitization by skin contact.

Reproductive Toxicity: Germ Cell Mutagenicity: Genotoxicity - In Vitro Genotoxicity - In Vivo No Information available.

Carcinogenicity:

Carcinogenicity No Information available.

NTP-Carcinogenicity

OSHA-Carcinogenicity

The product and its components are not listed.

Specific Target Organ Toxicity - Single Exposure:

STOT - Single Exposure No Information available.

Specific Target Organ Toxicity - Repeated Exposure:

STOT - Repeated Exposure No Information available.

SECTION 12: Ecological Information

Eco toxicity No Information available.

Acute Toxicity - FishNo Information available.Acute Toxicity - AquaticNo Information available.

Invertebrates

Acute Toxicity - Aquatic Plants No Information available.

Degradability No information available.

Bio accumulative Potential No Information available.

Mobility Soluble in water.

Results of PBT and vPvB Assessment No information available.

Other Adverse Effects No information available

SECTION 13: Disposal Considerations

Waste Management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Disposal Methods Waste disposal must be in accordance with appropriate federal, state, and local regulations.

Contact a licensed professional waste disposal service to dispose of this material.

SECTION 14: Transport Information

UN Number

UN No. (DOT/TDG)
UN No. (IMDG)
UN No. (IATA)
Not applicable.
Not applicable.

DOT/TDG Proper Shipping Name IMDG Proper Shipping Name IATA ProperShipping Name Not applicable. Not applicable. Not applicable.

Transport Hazard Class(es)

DOT/TDG ClassNot applicable.IMDG ClassNot applicable.IATA ClassNot applicable.

Transport Labels Not applicable

Packing Group(s)

DOT Packing Group

IMDG Packing Group

IATA Packing Group

Not applicable.

Not applicable.

Special Precautions for User

EMS Not applicable.

Environmentally Hazardous Substance/Marine Pollutant

ADR No IMDG No IATA No

SECTION 15: Regulatory Information

CAA Accidental Release Prevention

The Following ingredients are listed None listed.

OSHA Highly Hazardous Chemicals

The Following ingredients are listed None Listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The Following ingredients are listed None Listed.

California Air Toxics "Hot Spots" (A-I)

The Following ingredients are listed None Listed.

California Air Toxics "Hot Spots" (A-li)

The Following ingredients are listed None Listed.

Massachusetts "Right To Know" List

Proprietary organic compounds

Minnesota "Right To Know" List

The Following ingredients are listed None Listed.

New Jersey "Right To Know" List

The Following ingredients are listed Acrylic resin
Triethanolamine

Proprietary organic compounds


Pennsylvania "Right To Know" List

Triethanolamine

Proprietary organic compounds

SECTION 16: Other Information

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	2
Flammability	0
Physical Hazard	0
Personal Protection	В

Revision CommentsNo Information available.Revision Date01/13/201Supersedes Date04/30/2020Revision6

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.