Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance







 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside. For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.




Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in carton for hardware packs and legs. Sets often ship in multiple boxes and may arrive a day or two apart.

Club Chair



Parts List			
Label	Picture	Description	QTY
Α		Chair Seat	1
В		Backrest	1
С		Front Leg	2
D		Hind Leg	2
<u>Hardware</u>			
Label	Picture	Description	QTY
1)		Gasket	7
2		Silicon Gasket	3

Assembly Preparation

Before Beginning Assembly:



В











Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-


Assembly Steps

Overview



This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Note: It is recommended that you have an adult partner to assist during the entire assembly process.




Position the Chair Seat(A) on a clean, non-marring surface, as shown.

Do not place on surface that can scratch or damage the upholstery. Unzip to open and remove the 4 wooden legs.

Close the pouch before assembling.

Step 2



Install the first Front Leg(C) into the Chair Seat(A) by placing one Gasket() onto the threaded stem.

Insert the threaded stem of the Front Leg(C) into one of the front mounting positions of the Chair Seat(A), then tighten by turning the Leg clockwise until it is completely secure. Repeat this process with the remaining Front Leg(C).


Install the Hind Leg(D) into the Chair Seat(A) by placing one Gasket() and one Silicon Gasket () onto the threaded stem.

Insert the threaded stem of the Hind Leg(D) into one of the back mounting positions of the Chair Seat(A), then tighten by turning the Leg clockwise until it is completely secure. Repeat this process with the remaining Hind Leg(D).

Note: The use of the Gaskets are OPTIONAL and are especially useful to help alleviate slight wobbles.

Some Legs may need more than one whilst some Legs may not need any.

Step 3




Position yourself behind the chair. Place Chair Backrest(B) into the Chair Seat(A). While tilting the Chair Backrest(B) slightly forward. Then gently pull the Chair Backrest(B) towards you while pushing it down all the way into the Chair Seat (A) slot located to the rear of the Chair Seat(A). (as marked by the arrow above).

Make sure all parts are connected and locked into position.

Assistance from an adult partner is needed for this assembly process.

Caution: Ensure that your fingers do not get caught or pinched in the assembly process.

Step 4



Your Chair is ready for use.

This Chair can only be used on a flat, level surface.