



## FLAMMABILITY TEST REPORT

Report No.:JKC20251509902XCC

Date : Aug.25,2025

Page 1 of 4

**Applicant Address:** Nanchang Montary Industrial Co.,Ltd.  
1002 Room , Changqing Guomao Building, No8 Hongcheng Road,  
Nanchang, Jiangxi, China

**Manufacturer Address:** Nanchang Montary Industrial Co.,Ltd.  
1002 Room , Changqing Guomao Building, No8 Hongcheng Road,  
Nanchang, Jiangxi, China

### Sample Details

Sample Name.: Makeup table  
Model No.: W2699P345799/W2699P345800/W2699P345801/W2699P345802/  
W2699P345803/W2699P345804

Manufacture Date.: Jul.05,2024  
Sample Received Date.: Aug.19,2025  
Testing Period: Aug.19,2025 To Aug.25,2025

Supplier: Nanchang Montary Industrial Co.,Ltd.

Test Requested.: Test samples according to customer requirements

Quoted Fibre Composition: Polyester Nonwoven

Retailer: Not stated

Material: Polyester/Polyester

Test Method	Result
16 CFR 1640 Flammability testing of upholstered furniture	*PASS

Signed for and on behalf of:

Certification Manager/Murphy Chen

Date:Aug.25,2025



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

JieKe (Shenzhen) Testing Technology Co.,Ltd.

4A06, No.93, Qianjin Second Road, 81 District, Hexi Community, Xixiang Street, Bao'an District, Shenzhen, China

Tel:0755-2665-4605 E-mail:jiekejiance@yeah.net <http://www.jktf-lab.com>



# FLAMMABILITY TEST REPORT

Report No.: JKC20251509902XCC

Date : Aug.25,2025

Page 2 of 4

## Sample photo



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrer to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

JieKe (Shenzhen) Testing Technology Co., Ltd.

4A06, No.93, Qianjin Second Road, 81 District, Hexi Community, Xixiang Street, Bao'an District, Shenzhen, China

Tel: 0755-2665-4605 E-mail: jiekejiance@yeah.net <http://www.jktf-lab.com>



## FLAMMABILITY TEST REPORT

Report No.: JKC20251509902XCC

Date : Aug.25,2025

Page 3 of 4

### Sample photo



\*\*\* END OF REPORT\*\*\*

---

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

JieKe (Shenzhen) Testing Technology Co., Ltd.

4A06, No.93, Qianjin Second Road, 81 District, Hexi Community, Xixiang Street, Bao'an District, Shenzhen, China

Tel: 0755-2665-4605 E-mail: jiekejiance@yeah.net <http://www.jktf-lab.com>



## FLAMMABILITY TEST REPORT

Report No.: JKC20251509902XCC

Date : Aug.25,2025

Page 4 of 4

### Test Specification

Test method 16 CFR 1640  
Criterion of ignition: Methenamine tablet

### Pre - Treatments

None

### Conditioning

Prior to testing: 2 hours at  $105 \pm 5^{\circ}\text{C}$  followed by a minimum of 1 hour over desiccant  
At time of testing: Temperature between  $15^{\circ}\text{C}$  &  $30^{\circ}\text{C}$ . Relative humidity between 15% & 80%

### Test results

The results relate only to the behaviour of specimens after the application of a small source of ignition; they shall not be used as a means of assessing how the product will contribute to an established fire.

Specimen Tested	Minimum distance from the flattening frame to the charred area (mm)	Flaming Ceased	Afterglow Ceased	Smoking Ceased	Time effects of ignition reached the flattening frame
1	94	109	N/A	115	DNRCCR
2	92	103	N/A	112	DNRCCR
3	93	99	N/A	105	DNRCCR
4	91	105	N/A	110	DNRCCR
5	92	102	N/A	107	DNRCCR
6	94	107	N/A	113	DNRCCR
7	93	102	N/A	108	DNRCCR
8	93	104	N/A	109	DNRCCR

N/A = Not applicable

DNI = Did not ignite

FE= Forcibly extinguished after charred area reached the flattening ring

DNRCCR = Did Not Reach Clamping Ring

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurrals to the content of this report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

JieKe (Shenzhen) Testing Technology Co., Ltd.

4A06, No.93, Qianjin Second Road, 81 District, Hexi Community, Xixiang Street, Bao'an District, Shenzhen, China

Tel: 0755-2665-4605 E-mail: jiekejiance@yeah.net <http://www.jkcf-lab.com>