

Test Report

Number: SZHH01549831

Applicant: KENYIELD INNOVATIONS LIMITED
RM 810, 8/F, PENINSULA CENTRE,
67 MODY ROAD, TST EAST,
KOWLOON, HONG KONG

Date: Apr 09, 2021

Attn: JESSIE LEE

Sample Description:

One (1) set of submitted sample said to be :

Item Name : **Teamson Kids-Outdoor Summer Sand Box - Wood/Blue**
Item No. : **TK-KF0003**
Labelled Age Group : **3+**
Applicant Specified Age : **Over 3 Years**
Grading for Testing :
Packaging Provided by : **Yes(artwork)**
Applicant :
Additional Material and Wet : **No**
Paint Provided :
Manufacturer : **China**
Date Sample Received : **Mar 25, 2021**
Testing Period : **Mar 25, 2021 ~ Apr 09, 2021**



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

<u>Tested Samples</u>	<u>Standard – U.S. ASTM F963-17</u>	<u>Result</u>
Submitted samples	Physical and mechanical tests	Pass
	Flammability test of materials other than textile materials	Pass



Page 1 of 23



Test Report

Number: SZHH01549831

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted samples	U.S. CFR Title 16 (CPSC Regulations) Mechanical and physical test	Pass
	U.S. CFR Title 16 (CPSC Regulations)Part 1500.3(c)(6)(vi) flammability test on rigid and pliable solids	Pass
	EN 71-1: 2014+A1: 2018 for mechanical and physical properties	Pass
	EN 71 Part 2: 2011+A1: 2014 Flammability test	Pass
Tested component(s) of submitted samples	U.S. ASTM F963-17 on soluble heavy elements test	Pass
	U.S. ASTM F963-17 on total Lead content in surface coating	Pass
	U.S. ASTM F963-17 on total Lead content in non-surface coating	Pass
	U.S. CFR Title 16 Part 1303 total Lead content	Pass
	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass



Page 2 of 23



Test Report

Number: SZHH01549831

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Tested component(s) of submitted samples	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in surface coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for Total Lead content in Non-surface coating materials (substrate)	Pass
	EN 71-3:2019 on migration of certain elements and (EU) 2019/1922 amending 2009/48/EC (applies from 20 May 2021) for Aluminium migration	Pass

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.



Rachel L. Guo
General Manager



Page 3 of 23



Test Report

Number: SZHH01549831

Tests Conducted

1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations :		
Test	FHSA	Parameter
Tip over test	---	3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

Section	Testing Items	Assessment
4.1	Material quality (visual check on cleanliness)	P
4.3.7	Stuffing materials (10X magnification check on contaminations)	NA
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	NA
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	P
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA



Page 4 of 23



Test Report

Number: SZHH01549831

Tests Conducted

Section	Testing Items	Assessment
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings	
7.1	- Name of producer/distributor (Toy)	Yes
	- Address (Toy)	Yes
7.2	Battery-Powered Ride-on Toy	NA
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass

NA = Not Applicable

2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.



Test Report

Number: SZHH01549831

Tests Conducted

3 Physical and Mechanical Test

As per U.S. Code of Federal Regulations Title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

	No. of Sample Tested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As received	1	P	P	NA
Impact (1500.53(b))	1	P	P	NA
Flexure (1500.53(d))	0	NA	NA	NA
Torque (1500.53(e))	1	P	P	NA
Tension (1500.53(f))	1	P	P	NA
Compression (1500.53(g))	1	P	P	NA

Remark : P = Pass
NA= Not Applicable

4 Flammability Test

As per U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids.

Result: Ignited but self-extinguished before burn rate could be determined.

5 Mechanical and Physical Test

As per European Standard on Safety of toys EN 71-1: 2014+A1: 2018.

Clause	Testing items	Assessment
4	General requirements	
4.1	Material	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA



Page 6 of 23



Test Report

Number: SZHH01549831

Tests Conducted

Clause	Testing items	Assessment
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	P
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P / #
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	NA



Page 7 of 23



Test Report

Number: SZHH01549831

Tests Conducted

Clause	Testing items	Assessment
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark : P = Pass

NA = Not Applicable

= - Age warning statement and indication of hazard was found on the packaging.

Remark : Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present
CE-marking	Absent	Present



Page 8 of 23



Test Report

Number: SZHH01549831

Tests Conducted

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Toy	Packaging
Name of authorised representative in Great Britain	Present	Present
Address of authorised representative in Great Britain	Present	Present
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy.

After checking UKCA marking, it was found that

	Toy	Packaging
UKCA marking	Absent	Absent

6 Flammability Test

As per European Standard on Safety of Toys EN 71-2: 2011+A1: 2014

Clause	Testing items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	P
4.5	Soft filled toys	NA

Remark : P = Pass NA = Not applicable

Washing method:

The test specimen was pre-washed according to the EN 71-2 Clause 5.4.1 before testing.



Test Report

Number: SZHH01549831

Tests Conducted

7 Heavy Elements Analysis

With reference to Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Non-modelling clay

Test Item	Result					Units	D.L.	Limit
	1	2	3	4	5			
Barium (Ba)	6.5	ND	ND	ND	ND	mg/kg	5	1000
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	5	90
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	75
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	5	60
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	5	500
Chromium (Cr)	ND	ND	ND	ND	ND	mg/kg	5	60
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	5	60
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	2.5	25
Test Item	Result					Units	D.L.	Limit
	6	-	-	-	-			
Barium (Ba)	6.1	-	-	-	-	mg/kg	5	1000
Lead (Pb)	ND	-	-	-	-	mg/kg	5	90
Cadmium (Cd)	ND	-	-	-	-	mg/kg	5	75
Antimony (Sb)	ND	-	-	-	-	mg/kg	5	60
Selenium (Se)	ND	-	-	-	-	mg/kg	5	500
Chromium (Cr)	ND	-	-	-	-	mg/kg	5	60
Mercury (Hg)	ND	-	-	-	-	mg/kg	5	60
Arsenic (As)	ND	-	-	-	-	mg/kg	2.5	25

Remarks:

D.L. = Detection Limit

ND = Not detected

The sample weight in bracket was for soluble toxic elements analysis only.
Component (1): (sample weight: 71.3mg)

Tested Component(s): See component list in the last section of this report

8 Total Lead (Pb) Content

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	1	-	-	-	-			
Lead (Pb)	ND	-	-	-	-	mg/kg	10	90

Remarks:



Page 10 of 23



Test Report

Number: SZHH01549831

Tests Conducted

D.L. = Detection Limit
ND = Not detected

Tested Component(s): See component list in the last section of this report

9 Total Lead (Pb) Content

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	2+3+4	5+6	8	9	10			
Lead (Pb)	ND	ND	ND	13	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	11	-	-	-	-			
Lead (Pb)	ND	-	-	-	-	mg/kg	10	100

Remarks:

D.L. = Detection Limit
ND = Not detected

Tested Component(s): See component list in the last section of this report

10 Total Lead (Pb) Content

With reference to Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	1	-	-	-	-			
Lead (Pb)	ND	-	-	-	-	%	0.001	0.009

Remarks:

D.L. = Detection Limit
ND = Not detected

The above limit was quoted according to U.S. CFR Title 16 Part 1303 for Ban of Lead-containing Paint and Certain Consumer Products Bearing Lead-containing Paint.

Tested Components: See component list in the last section of this report

11 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result					Units	D.L.	Limit
		1	2+3+4	5+6	-	-			
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	-	-	%	0.01	0.1



Test Report

Number: SZHH01549831

Tests Conducted

Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	-	-	%	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	-	-	%	0.01	0.1
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	-	-	%	0.01	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	-	-	%	0.01	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	-	-	%	0.01	0.1
Di-n-hexyl phthalate (DnHP/DHEXP)	84-75-3	ND	ND	ND	-	-	%	0.01	0.1
Di-cyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	-	-	%	0.01	0.1

Remarks:

D.L. = Detection Limit

ND = Not detected

The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates.

Tested Component(s): See component list in the last section of this report

12 Total Lead (Pb) Content in Surface Coating

With reference to Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	1	-	-	-	-			
Lead (Pb)	ND	-	-	-	-	mg/kg	10	90

Remarks:

D.L. = Detection Limit

The above limit was quoted according to U.S. CFR Title 16 Part 1303 and U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in surface coating.

ND = Not detected

Tested Component(s): See component list in the last section of this report



Test Report

Number: SZHH01549831

Tests Conducted

13 Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

With reference to Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Test Item	Result					Units	D.L.	Limit
	2+3+4	5+6	8	9	10			
Lead (Pb)	ND	ND	ND	13	ND	mg/kg	10	100
Test Item	Result					Units	D.L.	Limit
	11	-	-	-	-			
Lead (Pb)	ND	-	-	-	-	mg/kg	10	100

Remarks:

D.L. = Detection Limit

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in Non-surface coating materials.

ND = Not detected

Tested components: See component list in the last section of this report

14 19 Toxic Element Migration Test

As per EN 71-3:2019 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Test Item	Result					Units	D.L.	Limit
	1	2	3	4	5			
Aluminium (Al)	ND	ND	ND	ND	ND	mg/kg	300	70000/28130 ▲
Antimony (Sb)	ND	ND	ND	ND	ND	mg/kg	10	560
Arsenic (As)	ND	ND	ND	ND	ND	mg/kg	10	47
Barium (Ba)	ND	ND	ND	ND	ND	mg/kg	10	18750
Boron (B)	ND	ND	ND	ND	ND	mg/kg	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	mg/kg	5	17
Chromium (III) (Cr III)#	ND	ND	ND	ND	ND	mg/kg	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	mg/kg	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	mg/kg	10	130
Copper (Cu)	ND	ND	ND	ND	ND	mg/kg	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	mg/kg	10	23
Manganese (Mn)	18	ND	ND	ND	ND	mg/kg	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	mg/kg	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	mg/kg	10	930
Selenium (Se)	ND	ND	ND	ND	ND	mg/kg	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	mg/kg	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	mg/kg	2.5	180000



Page 13 of 23



Test Report

Number: SZHH01549831

Tests Conducted

Organic tin++	ND	ND	ND	ND	ND	mg/kg	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	mg/kg	100	46000
Test Item	Result					Units	D.L.	Limit
	6	7	-	-	-			
Aluminium (Al)	ND	ND	-	-	-	mg/kg	300	70000/28130▲
Antimony (Sb)	ND	ND	-	-	-	mg/kg	10	560
Arsenic (As)	ND	ND	-	-	-	mg/kg	10	47
Barium (Ba)	ND	ND	-	-	-	mg/kg	10	18750
Boron (B)	ND	ND	-	-	-	mg/kg	50	15000
Cadmium (Cd)	ND	ND	-	-	-	mg/kg	5	17
Chromium (III) (Cr III)#	ND	ND	-	-	-	mg/kg	10	460
Chromium (VI) (Cr VI)	ND	ND	-	-	-	mg/kg	0.025	0.053
Cobalt (Co)	ND	ND	-	-	-	mg/kg	10	130
Copper (Cu)	ND	ND	-	-	-	mg/kg	10	7700
Lead (Pb)	ND	ND	-	-	-	mg/kg	10	23
Manganese (Mn)	32	85	-	-	-	mg/kg	10	15000
Mercury (Hg)	ND	ND	-	-	-	mg/kg	10	94
Nickel (Ni)	ND	ND	-	-	-	mg/kg	10	930
Selenium (Se)	ND	ND	-	-	-	mg/kg	10	460
Strontium (Sr)	ND	ND	-	-	-	mg/kg	100	56000
Tin (Sn)	ND	ND	-	-	-	mg/kg	2.5	180000
Organic tin++	ND	ND	-	-	-	mg/kg	5	12
Zinc (Zn)	ND	ND	-	-	-	mg/kg	100	46000

Remarks:

D.L. = Detection Limit

ND = Not detected

++ = Unless the test results were marked with "Δ", Organic tin contents were not directly determined and were derived from migration results of total tin.

- Organic tin test result was expressed as tributyl tin.

▲ = The new Aluminium migration limit were quoted from Directive (EU) 2019/1922 amending Directive 2009/48/EC applicable from 20 May 2021.

= The reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN 71-3:2019.



Page 14 of 23



Test Report

Number: SZHH01549831

Tests Conducted

The sample weight in bracket was for soluble toxic elements analysis only.

Component (1): (sample weight: 71.3mg)

Tested component(s): See component list in the last section of this report

Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Component List

No.	Test Component Description(s)
(1)	Blue coating on wood (base)
(2)	White plastic (base)
(3)	Blue plastic (roof)
(4)	Yellow plastic (corner)
(5)	Black plastic (knob)
(6)	Beige wood with brown printing (frame)
(7)	Beige wood excluding coating (base)
(8)	Silver color metal (small screw)
(9)	Silver color metal (big screw of base and knob)
(10)	Silver color metal (nut of base)
(11)	Silver color metal (washer)



Page 15 of 23



Test Report

Number: SZHH01549831

Tests Conducted

Warranty sign up
www.teamsonkids.com



USA Teamson US Inc
668 Pine Aire Dr., Bay Shore, NY11706
Tel: +1 (800) 935-3959
support@teamson.com
www.teamson.com

EU Teamson UK Ltd
Pemberton House 1, Suites 1 & 2, Stafford Court,
Stafford Park 1, Telford, TF3 3AP
Tel: +44 (0) 1952-916-050
support@teamson.co.uk
www.teamson.co.uk

ASIA Teamson Shenzhen Co., Ltd
No.11 Fulong Road, Tiantou, Songgang,
Baoan Dist Shenzhen Guangdong 518125
深圳办公室:
Tel: +86 (0755) 8865-3558, 分机号 105
sales_ec@teamson.com

台北办公室:
Tel: +886 (2) 2556-6268
sales_ec@teamson.com



Page 16 of 23



Test Report

Number: SZHH01549831

Tests Conducted

TK-KF0003

Outdoor Summer Sandbox-Wood

CASE PACK: 1PC

G.W.: 12.5 KGS

N.W.: 11.5 KGS

DIMS:48.03" x15.16" x3.74"

Not suitable for children
under three years
Made in China



810014813202





WARNING

Prior to assembly this package contains
sharp edges and sharp points.
Keep away from children until assembled.



WARNING

CHOKING HAZARD-small parts
Not for children under 3yrs
The product is to be assembled by an adult.



Page 17 of 23



Test Report

Number: SZHH01549831

Tests Conducted



TK-KF0003

Outdoor Summer Sandbox-Wood



Page 18 of 23



Test Report

Number: SZHH01549831

Tests Conducted

Not suitable for children
under three years
Made in China



810014813202

 Adult Assembly Required

CASE PACK: 1PC

G.W.: 12.5 KGS

N.W.: 11.5 KGS

DIMS: 48.03" x 15.16" x 3.74"

© 2020 , All Rights Reserved Manufactured Date: 04/2021



Page 19 of 23



Test Report

Number: SZHH01549831

Tests Conducted

TK-KF0003
Outdoor Summer Sandbox-Wood



Page 20 of 23



Test Report

Number: SZHH01549831

Tests Conducted

POLSKI OSTRZEŻENIE! Produkt nie nadaje się dla dzieci poniżej 3-go roku życia. Ze względu na małe części istnieje ryzyko zadławienia, połknięcia, itd. Montaż wózka powinien odbywać się pod nadzorem osoby dorosłej. Przed pierwszym użyciem proszę usunąć wszystkie elementy opakowania. Kolory i wzory mogą się różnić. Należy zachować opakowanie w przypadku konieczności wymiany.

PORTUGAL AVISOS! Guarde esta informação para futura referência. Não apropriado para crianças com menos de 3 anos de idade devido à existência de peças pequenas e bordas/pontas afiadas. Este brinquedo deve ser montado por um adulto. As cores e o conteúdo podem ser algo diferentes do mostrado na caixa. Retire todo elemento de embalagem antes de entregar o produto à criança.

ENGLISH WARNING! Not suitable for children under 3 years, as there is a choking hazard from swallowable small parts. Assembly should be carried out by an adult. Prior to assembly this package contains sharp edges and sharp points. Keep away from children until assembled. Please remove all packaging attachments before giving this item to your child. Please keep this information for possible future correspondence.

CROATIA UPOZORENJE! Igračka nije prikladna za djecu mlađu od tri godine zbog malih dijelova gušenje opasnost. Skupština mora biti izvedena od strane odrasle osobe. Varijacije u boji i dizajnu, mi se pridržavamo. Uklonite sve ambalaže prije prve uporabe. Sačuvajte ove informacije za bilo koji naknadno dopisivanje.

ITALIAN AVVERTENZA! Non adatto a bambini al di sotto dei 3 anni, visto che vi è rischio di asfissamento causato dall'ingerimento di componenti piccoli. Il montaggio di questo prodotto deve essere fatto sotto di un adulto. I colori e le decorazioni possono variare. Per favore conservare la confezione nel caso ci sia bisogno di spedire indietro qualcosa.

SLOVENIJA OPOZORILO! Ni primerno za otroke mlajše od treh let. Nevarnost zadušitve. Majhni deli. Sestav mora opraviti odrasla oseba. Razlike v barvo in obliko, si pridržujemo pravico do. Prosim, odstranite vse pakirni material pred prvo uporabo. Prosim, da shranite te informacije za vsak nadaljnji korespondenci.



Page 21 of 23



Test Report

Number: SZHH01549831

Tests Conducted

SLOVENSKY UPOZORNENIE! Výrobok nie je vhodný pre deti do 3 rokov. Obsahuje drobné časti, hrozí nebezpečenstvo udusenía. Montáž musí vykonávať dospelý. Design a farby výrobkov môžu byť zmenené bez predchádzajúceho upozornenia. Pred prvým použitím odstráňte všetky obaly z dosahu detí. Tieto informácie uschovajte pre prípadné budúce použitie.

DUTCH WAARSCHUWING! Niet geschikt voor kinderen beneden 3 jaar omdat er gevaar voor verstikking door inslikbare kleine voorwerpen bestaat. De montage van dit speelgoed moet door een volwassene worden uitgevoerd. Kleuren en versieringen kunnen afwijken. Verwijder alle verpakkingselementen voordat u dit speelgoed aan uw kind geeft. Bewaar deze verpakking voor een eventuele latere correspondentie.

ČESKY UPOZORNĚNÍ! Výrobek není vhodný pro děti do 3 let. Obsahuje drobné části, hrozí nebezpečí udušení. Montáž musí provádět dospělý. Design a barvy výrobků mohou být změněny bez předchozího upozornění. Před prvním použitím odstraňte všechny obaly z dosahu dětí. Tyto informace uschovejte pro případné budoucí použití.

HUNGARY FIGYELMEZTETÉS! Nem alkalmas 3 év alatti gyermekek, mert a kis alkatrészek fulladást okozhatnak. A szerkezetet úgy kell elvégezni egy felnőtt. Szín és design fenntartva. Kérjük, távolítsa el a csomagolást az első használat előtt. Kérjük, őrizze meg ezt az információt bármilyen későbbi vonatkozó levelezést.

SPAIN ADVERTENCIA! Guarde esta información para futura referencia. No apto para niños menores de 3 años por contener piezas pequeñas, contiene bordes/puntas afiladas. Este juguete debe ser montado por un adulto. Los colores y el contenido pueden ser algo diferentes de lo mostrado en la caja. Retire todos los elementos de embalaje antes de dar el artículo a su hijo.

SVENSKA VARNING! Inte lämplig för barn under 3 år på grund av små delar kvävningsrisk. Monteringen måste utföras av en vuxen. Färg och design är reserverade. Ta bort allt förpackningsmaterial före första användningen. Vänligen behålla denna information för eventuell senare korrespondens på.



Page 22 of 23



Test Report

Number: SZHH01549831

Tests Conducted

FRENCH ATTENTION! Ce produit est inadapté aux enfants de moins de 3 ans, car il existe le risque d'étouffement causé par les petites pièces qui peuvent s'avaler. Le montage doit être effectué par un adulte. Nous nous réservons le droit d'apporter des modifications aux couleurs et à la conception. Retirer l'emballage et les attaches plastiques avant de donner cet article à votre enfant. Nous vous prions de conserver cette information pour une éventuelle utilisation ultérieure

GERMAN ACHTUNG! Nicht geeignet für Kinder unter 3 Jahren, da Erstickenungsgefahr durch verschluckbare Kleinteile besteht. Der Zusammenbau muss von einem Erwachsenen durchgeführt werden. Abweichungen in Farbe und Gestaltung behalten wir uns vor. Bitte entfernen Sie alle Verpackungsteile vor dem erstmaligen Gebrauch. Bitte bewahren Sie diese Information für evtl. spätere Korrespondenz auf.

簡體 警告：需要成年人帮忙组装。不适合三岁以下的儿童使用。完成组装前，本包装包含细小零件，可能引发窒息危险；以及包含锋利边缘和尖角，所以完成组装前，请确保其远离儿童。

繁體 警告：需由成年人完成組裝。本產品不適於3歲以下兒童使用。本包裝包含細小零件，完成組裝前，請慎防兒童吞食小零件，避免窒息危險，且可能有鋒利邊緣及尖角，所以組裝完成前應置於兒童不能觸及之處。

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shenzhen Ltd.



Page 23 of 23

