



Manufactured by ProBuilt Professional Lighting: 877-707-0800



Thank you for purchasing Wobblelight® WL85F

IMPORTANT SAFETY INSTRUCTIONS

WARNING !!!

READ AND UNDERSTAND ALL INSTRUCTIONS

Failure to follow all instructions listed below may result in electric shock, fire and/or serious injury.

SAVE THESE INSTRUCTIONS

QUESTIONS OR PROBLEMS?

Call ProBuilt Professional Lighting Customer Service and Technical Support at 877-707-0800 (Monday-Friday from 8:30 a.m. until 5 p.m. Central time) or e-mail customerservice@probuillighting.com anytime.

This manual contains important safety and operating instructions for Wobblelight® WL85F portable lighting. Before using Wobblelight® WL85F please review all of the following safety instructions carefully and read all labels on the Wobblelight® WL85F unit.

INSTRUCTIONS PERTAINING TO THE RISK OF FIRE, ELECTRIC SHOCK, AND INJURY TO PERSONS:

WARNING: To reduce the risk of fire, electric shock, or injury to persons:

- DO NOT connect Wobblelight® WL85F to power source until the bulb is installed and the unit is completely assembled.
- DO NOT attempt to remove the protective lens to change bulbs unless the Wobblelight® WL85F unit is disconnected from the power source and the bulb has completely cooled.
- Not for use in wet locations. DO NOT use Wobblelight® WL85F where there is potential for exposure to excessive moisture from rain, snow, ice, water spray or standing water.
- Connect Wobblelight® WL85F only to 120 volt, 60 Hz power source which is protected with a ground-fault circuit interrupter (GFCI) and over-current protection which is rated no higher than 15 amps. Any other connection voids warranty and may result in damage to the product, fire, property damage and injury.
- Keep away from flammable materials.
- Wobblelight® WL85F must be operated in the upright position only. DO NOT mount Wobblelight® WL85F units upside down or restrain them such that they lay on their side.
- Use only approved extension cords in good condition and of the appropriate type, gauge and length.
- Keep extensions cords dry and use ground fault circuit interrupter (GCFI) devices in accordance with all applicable electrical code requirements.

- DO NOT operate Wobblelight® WL85F units with the protective dome and cap missing or broken. DO NOT use Wobblelight® WL85F units with a broken housing or damaged electrical cord. Take any damaged units out of service immediately. Replacement bulbs and parts are available from ProBuilt Professional Lighting or a local authorized distributor or retailer.
- Use ONLY designated replacement bulbs of the appropriate type and wattage.
- DO NOT expose Wobblelight® WL85F to intense heat or sparks from welding slag, cutting torches, metal saws, etc.
- DO NOT expose Wobblelight® WL85F to corrosive chemicals, excessive paint spray or abrasive blasting materials.
- Disassembly (other than re-lamping) of Wobblelight® WL85F will void the warranty. Contact ProBuilt Professional Lighting or a local authorized service center for repairs and replacement parts.
- DO NOT remove silicone bumpers from fluorescent lamp tubes.
- Avoid excessive bumping and bouncing during operation since mechanical shock can cause shattering of the fluorescent lamp.
- Always operate the lamp with the Wobblelight® WL85F dome/cap assembly in place to prevent personal injury or property damage.
- **Install and remove lamp by grasping the plastic base only.**

WARNING: Deviation from these instructions may result in the increased risk of fire, electric shock, injury to persons or property damage.

The Wobblelight® 85-watt compact fluorescent bulb is self-ballasted and must not be used in any other fluorescent fixture with an external starter or ballast. This device is not intended for use with emergency exit fixtures or emergency exit lights.

RE-LAMPING AND ASSEMBLY INSTRUCTIONS

Your Wobblelight® WL85F carton should include the following parts:

- Wobblelight® WL85F fixture.
- Dome / cap assembly.
- Lamp (85-watt self-ballasted fluorescent bulb).
- Dome screw packet containing four (4) screws (1/4" x 5/8" Phillips button-head sheet metal screw).

If there are any parts missing or damaged, DO NOT contact your Wobblelight® retailer. Please contact ProBuilt Professional Lighting Customer Service toll-free at 877-707-0800.

Instructions for Wobblelight® WL85F assembly:

1. Remove and verify the contents of your Wobblelight® WL85F carton.
2. Install the bulb into the socket by screwing the lamp firmly but not forcibly into socket in order to avoid breakage.
3. Grasp bulb by the plastic base and not the glass tubes. **DO NOT REMOVE SILICONE BUMPERS** which are in place to protect the bulb from breakage.
4. Tighten bulb until it is secure in the socket – do not over tighten.
5. Install the Wobblelight® WL85F dome / cap assembly by aligning the four mounting holes with the four mounting nuts (note that the dome handle should be aligned with the Wobblelight® logo). The fit will be snug, but the dome will slide over the four mounting nuts if properly aligned.
6. Secure dome with the four mounting screws – do not over tighten.
7. Your assembled Wobblelight® WL85F is now ready for use.
8. Use only Wobblelight® WL85F replacement bulbs.

OPERATION and USE OF Wobblelight® WL85F

By following the safety and operating instructions in this manual, your Wobblelight® WL85F should endure normal abuse and last trouble-free for years.

Step 1: Connect Wobblelight® WL85F to proper electrical power source.

Step 2: Place Wobblelight® WL85F in desired location.

Step 3: Unplug Wobblelight® WL85F from power source when finished using.

Wobblelight® LIMITED WARRANTY INFORMATION

Manufacturer's Limited Warranty

Wobblelight® products manufactured by ProBuilt Professional Lighting LLC are warranted against defects in material and workmanship for a period of one year (Wobblelight® and Wobblelight® WL85F) from date of purchase. ProBuilt Professional Lighting LLC will repair or replace any defects due to faulty materials or workmanship during the warranty period. Proof of purchase and compliance with all product use information is required. A restocking fee of 15% will be charged for all non-defective goods. Shipment or delivery of defective products for warranty repair or replacement is the responsibility of the purchaser.

EXCLUSIONS. This warranty does not cover:

- Bulbs
- Physical damage to plastic components including (but not limited to) domes, caps and housings.
- Damages or repairs of any kind to any products, items or personal or other property resulting from use of the Wobblelight® product.
- Damages or repairs of any kind to any products, items or personal or other property caused by accidents, abuse or misapplication of the Wobblelight® product.
- Failure of the Wobblelight® product to meet your requirements that differ from our specifications.
- Damages or repairs of any kind to any products, items or personal or other property caused by use of the Wobblelight® product that is contrary to the instructions or documentation accompanying your Wobblelight® product.
- Costs of shipment or delivery for any returns or repairs under this Limited Product Warranty.
- Damages or repairs of any kind to any products, items or personal or other property from fire, flood, moisture, heat, acts of God or causes beyond the control of ProBuilt Professional Lighting LLC.
- The repair or replacement of a Wobblelight® product that has been transferred to anyone other than the original purchaser.
- Damages or repairs of any kind to any products, items or personal or other property where repairs or alterations have been attempted or performed by the purchaser or others.

To register your WL85F:

e-mail ProBuilt Professional Lighting Customer Service at: customerservice@probuillighting.com

Please put "Warranty" in the subject line and include the following information:

- the serial number from your unit
- your name and address
- the retail location where you purchased your WL85F
- the date of purchase

If you do not have e-mail please call 877-707-0800 to register your product.