


Outdoor Insect Trap

Model No. SVE6212



OneBait™ Universal Mosquito Trap Attractant

- Designed for use with any mosquito trap.
- Effective in attracting mosquitoes, including those which may carry diseases such as Zika virus, West Nile Virus, Encephalitis, Chikungunya or Dengue.

ACTIVE INGREDIENTS:

Lactic acid	34.59%
Ammonium bicarbonate	26.49%
Hexanoic acid	8.82%
OTHER INGREDIENTS:	30.10%
TOTAL:	100.00%

Net Contents: 0.39 oz. (11.1 grams) Contains 1 sachet

EPA Est. No. 92693-DEU-001
EPA Est. No. 91324-CHN-001EPA Reg. No. 87472-1-74939
ESL091016 REV012417KEEP OUT OF REACH OF CHILDREN
CAUTION

See Safety Instructions for Precautionary Statements and Directions for Use.

**WARNING**

FOR YOUR SAFETY:

For Outdoor Use Only
(outside any enclosure)**WARNING**

FOR YOUR SAFETY:

1. Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage.
2. Read the installation, operation, and maintenance instructions thoroughly before installing or servicing this equipment.
3. Failure to follow these instructions could result in fire or explosion, which could cause property damage, personal injury or death.
4. This instruction manual contains important information necessary for the proper assembly and safe use of the appliance.
5. Read and follow all warnings and instructions before assembling and using the appliance.
6. Follow all warnings and instructions when using the appliance.
7. Keep this manual for future reference.

**WARNING**

FOR YOUR SAFETY:

Do NOT store or use gasoline or other flammable liquids or vapors in the vicinity of this or any other appliance.

**WARNING**

FOR YOUR SAFETY:

Keep out of reach of children.

Table of Contents

Important Safeguards	Page 2
Expanded View	4
Assembly Instructions	5
Important Information	6
Operating Instructions	6
Cleaning and Care	7
Product Registration	8
Replacement Parts	8
Limited Warranty	8
Troubleshooting	8

THIS INSTRUCTION BOOKLET CONTAINS IMPORTANT SAFETY INFORMATION. PLEASE READ AND KEEP FOR FUTURE REFERENCE.

If you are assembling this unit for someone else, give this manual to them to read and save for future reference.

California Proposition 65: Wash your hands after handling this product.

California Proposition 65: Handling the brass material on this product exposes you to lead, a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.




XXXXXXXXXX

Manufactured in China for: Blue Rhino Global Sourcing, Inc.
Winston-Salem, NC 27105 USA • 1.888.753.7137 • BGTrap.com

© Blue Rhino Global Sourcing, Inc.

Bite-Guard,® TacTrap™ and OneBait™ are trademarks of Blue Rhino Global Sourcing, Inc.

Made from 75% Bagasse
(environmentally friendly sugar cane pulp by-product)

Important Safety Instructions

▲ WARNINGS:

- ▲ Instructions pertaining to a risk of fire, electric shock, or injury to persons.
- ▲ When using electrical appliances, basic safety precautions should always be followed, including the following:
 1. Read all instructions before using the appliance.
 2. To reduce the risk of injury, close supervision is necessary when an appliance is used near children.
 3. Only use attachments recommended or sold by the manufacturer.
 4. For a cord-connected appliance, the following shall be included:
 - a. To disconnect, turn all controls to the OFF ("○") position, then remove from outlet.
 - b. Do NOT unplug by pulling on cord. To unplug, grasp the plug, not the cord.
 - c. Unplug from outlet when not in use and before servicing or cleaning.
 - d. Do NOT operate any appliance with a damaged cord or plug, or after the appliance malfunctions or is dropped or damaged in any manner. Return appliance to the nearest authorized service facility for examination, repair, or electrical or mechanical adjustment.
 5. To reduce the risk of electrical shock, do NOT put appliance in water or other liquid. Do NOT place or store appliance where it can fall or be pulled into a tub or sink.
 6. Replace bulbs with bite-guard® SVX00027 (120V 4Watt bulb). Always unplug before replacing the bulbs.
 7. To reduce the risk of electrical shock, unplug before cleaning or servicing.
 8. Risk of Electric Shock. Keep extension cord connection dry and off the ground.
 9. Do NOT contact moving parts. Do NOT unplug by pulling on cord. To unplug, grasp the plug, not the cord.
 10. If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
 11. Household Type Only.
 12. Skin or eye damage may result from directly viewing the light produced by the lamp in this apparatus. Always disconnect power before relamping or servicing.
 13. Declaration of conformity to the appliance provisions of applicable US Federal requirements. Including the *Performance Standards for Light-Emitting Products, 21 CFR, Part 1040, Chapter 1, Subchapter J, Radiological Health.*
 14. Not suitable for use on counter-top surface.
- ▲ This insect trap is for use with electricity. Use with any other fuel source is dangerous, may cause bodily harm and will void your warranty.
- ▲ This insect trap is for outdoor use only, and should not be used in a building, garage or any other enclosed area.
- ▲ For residential use only. This insect trap is NOT for commercial use.
- ▲ It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- ▲ This insect trap is safety certified for use in the United States only. Do NOT modify for use in any other location. Modification will result in a safety hazard and will void your warranty.

- ▲ Do NOT use 16-gauge or higher extension cords. Damage to household wiring and/or fire could result.
- ▲ **ELECTRIC SHOCK CAN KILL OR RESULT IN SERIOUS INJURY. TO PREVENT ELECTRICAL SHOCK:**
 - a. Use only with GFI (Ground Fault Interrupter) protected circuit.
 - b. Do NOT use insect trap when raining.
 - c. To prevent insect trap from being splashed or falling into water, do NOT use insect trap within ten feet (3.05 m) of pool, pond or other body of water.
 - d. Keep insect trap and electric controller dry and out of rain when not in use.
 - e. Do NOT operate insect trap with an electric controller that has a damaged cord, plug, or metal probe. Use only the controller provided. The replacement controller should be that specified by the manufacturer.
 - f. Never remove the grounding plug.
 - g. Keep electric plug off ground and dry.
 - h. In case of fire, turn controller "OFF," unplug insect trap from outlet and allow fire to burn out. Do NOT use water to put out a fire in this or any other electrical appliance.
 - i. Do NOT clean insect trap without first unplugging electric controller and removing heating element.
- ▲ Do NOT block holes on any part of the insect trap.
- ▲ Do NOT place anything on or cover the insect trap.
- ▲ The use of alcohol, prescription or non-prescription drugs may impair the consumer's ability to properly assemble or safely operate the appliance.
- ▲ Do NOT store or use gasoline or other flammable liquids or vapors within 25 feet (7.62 m) of this appliance.
- ▲ Do NOT use in an explosive atmosphere. Keep insect trap area clear and free from combustible materials, gasoline and other flammable vapors and liquids.
- ▲ Do NOT alter insect trap in any manner. Any alteration will void your warranty.
- ▲ Do NOT use the insect trap unless it is COMPLETELY assembled and all parts are securely fastened and tightened.
- ▲ Inspect insect trap before each use.
- ▲ This insect trap should be thoroughly cleaned and inspected on a regular basis. Clean and inspect the electric cord before each use of the appliance. If there is evidence of abrasion, wear or cuts, the electric cord must be replaced prior to the appliance being put into operation.
- ▲ Do NOT operate this appliance without reading "Operating Instructions" in this manual.
- ▲ Product performance can vary due to weather, wind and other environmental conditions.
- ▲ It is essential to keep the insect trap's compartment and circulating air passages clean.
- ▲ Use only the electric cord provided. Use only the replacement electric cord specified by Blue Rhino Global Sourcing, Inc.
- ▲ Do NOT hang clothing or other flammable materials either on or near the insect trap.
- ▲ Use only Blue Rhino Global Sourcing, Inc. factory-authorized parts. The use of any part that is not factory-authorized can be dangerous and will void your warranty.
- ▲ Do NOT operate this appliance without reading "Operating Instructions" in this manual.
- ▲ Keep children and pets away from insect trap at all times.
- ▲ Do NOT allow children to operate or play near a insect trap when it is in use.

- ▲ Always place your insect trap on a hard, non-combustible, level surface. An asphalt or blacktop surface may not be acceptable for this purpose.
- ▲ After a period of storage and/or nonuse, obstructions and inspect for any abrasion, wear or cuts to the cord.
- ▲ Use protective gloves when assembling this product.
- ▲ Do NOT force parts together as this can result in personal injury or damage to the product.
- ▲ If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- ▲ This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge unless they have been given supervision or instructions concerning the use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do NOT play with the appliance.
- ▲ Deaths, serious injury or damage to property may occur if the above is not followed exactly.

▲ CAUTION:

- ▲ To reduce the risk of injury from moving parts, unplug before servicing.
- ▲ Risk of UV exposure. Ensure product is installed to ensure no person is likely to be within 40 in. (1 m) distance of the unit while illuminated.
- ▲ The longer extension cord (or a longer detachable power supply cord) should be arranged so that it will not drape over the countertop or tabletop where it can be tripped over, snagged, or pulled on unintentionally (especially by children).
- ▲ Use only extension cords which have plugs and receptacles which accept the product's plug.
- ▲ The electrical rating of the extension cord must be as great as the electrical rating of the product.
- ▲ Don't Abuse Cord - Keep cord from heat, oil, and sharp edges.
- ▲ Do not insert foreign objects into this product.

▲ SAVE THESE INSTRUCTIONS.

OneBait™ Mosquito Attractant

PRECAUTIONARY STATEMENTS

KEEP OUT OF THE REACH OF CHILDREN

▲ CAUTION:

FIRST AID

If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do NOT induce vomiting unless told to do so by the poison control center or doctor.• Do NOT give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also contact 1-800-222-1222 for emergency medical treatment information.

▲ PRECAUTIONARY STATEMENTS

▲ Hazards to Humans and Domestic Animals - CAUTION:

- ▲ May cause severe eye irritation.
- ▲ Do NOT get in eyes, on skin or on clothing.
- ▲ Harmful if swallowed.
- ▲ Avoid contact of mouth, skin, or eyes with the contents.
- ▲ Wash hands before eating, drinking, chewing gum, using tobacco or using bathroom facilities.

▲ Environmental Hazards:

- ▲ To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.
- ▲ Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.
- ▲ Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

▲ This product does not eliminate or reduce the risk of insect-borne disease or prevent the spread of disease. Visit the Centers for Disease Control and Prevention at www.cdc.gov for tips on protecting you and your family from mosquito bites.

▲ STORAGE AND DISPOSAL

- ▲ Do NOT contaminate water, food or feed by storage and disposal.
- ▲ Pesticide Storage: Store in a cool, dry place out of reach of children until ready to use.

▲ Pesticide Disposal and Container Handling:

- ▲ Nonrefillable container.
- ▲ Do NOT reuse or refill this container.
- ▲ Dispose of used sachet in the trash.


▲ It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

▲ DO NOT OPEN PACKET.

Parts List

①	Ring*	57-11-921
②	OneBait™ Cover*	57-11-934
③	OneBait™ Lure	SVX00022
④	Hood*	57-11-935
⑤	Upper Body Assembly*	57-11-936
⑥	Ultraviolet Bulb* (2)	SVX00027
⑦	ON/OFF Switch*	57-11-916
⑧	AC Cord*	57-11-925
⑨	Lower Body Assembly*	57-11-925
⑩	bite-guard™ TacTrap™	SVX00021
⑪	Catch Cup Top*	57-11-918
⑫	Catch Cup*	57-11-926
⑬	Foot (3)*	57-11-915


* Pre-assembled

Expanded View


Assembly Instructions


1

Attach TacTrap™




2

Remove OneBait™ Cover



3

Insert OneBait™ Lure and Re-attach OneBait™ Cover



Important Information

Your insect trap operates 24 hours a day to help reduce the nuisance of mosquitoes. It attracts female mosquitoes that are seeking a blood meal to nourish their eggs. By removing these females, you also remove their eggs.

- It may take weeks to see a noticeable reduction in the nuisance. Be patient.
- Begin operating your insect trap once low temperatures remain above 50° F.
- To reduce and maintain mosquito populations, it is important for your insect trap to operate continuously.
- Always contact our Customer Care Team at 1.888.753.7137 before returning product to place of purchase.

Important Information about OneBait™

See Insert for First Aid and Precautionary Statements.

Your insect trap includes a lure that contains Lactic acid, Ammonium bicarbonate and Hexanoic acid. This pesticide is an effective attractant supplement for a wide variety of flying insects and mosquito species.

KEEP OUT OF REACH OF CHILDREN.

- ⚠ CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with skin, eyes and mouth. Wash hands thoroughly with soap and water after handling.**

Important Information about Ultraviolet Light

This device radiates intense ultraviolet (UV) light when operated.

- ⚠ WARNING: Skin or eye damage may result from directly viewing the light produced by the lamp in this apparatus. Always disconnect power before relamping or servicing.**

- ⚠ CAUTION: Do NOT look directly at the device during operation. Exposure to UV light, even for a brief period, can damage your eyes.**

Always contact our Customer Care Team at 1.888.753.7137 before returning product to place of purchase.

Mosquito Facts

- About 3,000 species of mosquitoes have been identified on a worldwide basis. Approximately 150 are known to exist in North America.
- There are approximately 25 known "human nuisance species" of mosquitoes.
- Most adult mosquitoes only have a life span of 2-4 weeks.
- Only female mosquitoes bite.
- Mosquitoes are very effective at reproducing. Attracting, trapping and killing just one female mosquito at the start of mosquito season can prevent the birth of up to 25,000 more mosquitoes that season alone!

Controlling Mosquitoes

In addition to properly installing and using a insect trap, you can reduce mosquito breeding around your home significantly by reducing the amount of water that is stagnating on your property. Be aware that mosquitoes can and will develop in any puddle or pool of water that lasts more than 4 days.

- Dispose of cans, plastic containers, pots, or similar water-holding containers that have accumulated on your property.
- Drill holes in the bottom of containers that you must leave out of doors – trash cans, recycling bins, etc.
- Clean clogged roof gutters on an annual basis.
- Turn over plastic wading pools when not in use.
- Turn over wheelbarrows, empty planters, or children's toys when not in use.
- Don't allow water to stagnate in birdbaths.
- Aerate ornamental pools or stock them with fish.
- Clean and chlorinate swimming pools that are not being used. Don't forget that mosquitoes breed in the water that collects on swimming pool covers.
- Use landscaping features or drainage tools to eliminate standing water that collects in low spots on your property.

Helpful Links

More information about mosquitoes in the United States can be found on the following sites, among many others.

- The American Mosquito Control Association: www.mosquito.org
- US Environmental Protection Agency: www.epa.gov/mosquitocontrol
- National Center for Infectious Diseases: www.cdc.gov - search for "Mosquitoes"

None of the agencies listed above is an endorser of this insect trap, and inclusion on the list above does not signify that they endorse this insect trap. Links provided for customer information only.

Operating Instructions

Extension Cord

Note: This insect trap functions best WITHOUT an extension cord.

1. The short cord is provided for safety.
2. An extension cord may be used with care.
3. If an extension cord is necessary:
 - Use a UL-approved that is rated for at least 15 amperes and suitable for outdoor use.
 - Use only extension cords marked SJW-A, SJEW-A or SJTW-A and with a tag stating "Suitable for Use with Outdoor Appliances."
 - Never connect two or more extension cords together.
 - Use the shortest extension cord possible.
 - A 12- or 14-gauge cord of less than 50 feet is preferable.
 - Use only extension cords that can use the insect trap's plug
 - The electrical rating of the extension cord MUST BE equal or greater than the electric rating of the insect zapper.
 - Keep connections dry and off the ground.
 - Don't Abuse Cord - Keep cord from heat, oil, and sharp edges.
 - Avoid draping the insect trap cord over a countertop or tabletop where it can be pulled on or tripped over.
4. Use only 3-wire extension cords which have 3-prong grounding-type plugs and 3-pole receptacles which accept the insect trap's plug. Replace or repair damaged cords

- ⚠ CAUTION: Replace cord if damaged.**

Figure 1




Figure 2




Figure 3




Figure 4






Figure 5a



Lure Output: Fully Open

Figure 5b



Lure Output: Half Open

Figure 5c

Placement

Properly positioning your insect trap is important to maximizing performance. Since the insect zapper attracts mosquitoes it should be placed at least 10 feet from your living areas (Figure 2).

Mosquitoes typically live in areas that are shady, wet and/or moist. Determine the primary mosquito habitat and place your insect trap as close as possible to it.

If you live in an area with consistent wind, place your insect zapper upwind from the primary mosquito habitat (Figure 2).

Maximum performance may require relocating your insect zapper from time to time.

To move:

1. Turn off per "Turning Off" section.
2. Pickup and move to new location.
3. Restart per "Lighting" section.

Here are some suggested options. Your specific area may require more or less output (Figure 3):

- Waterside and Salt Marshes:** Areas that border bodies of fresh water or salt water.
- Grasslands and Woodlands:** Grass, trees or heavily shrubbed areas that collect rainwater.
- Drainage Systems:** Large-scale storm water retention / detention areas often found in suburban / urban settings.
- Swales, Ditches and Catch Basins:** Man-made areas that are designed to collect and carry away water.
- Containers:** Areas that have birdbaths, pools and flowerpots where rainwater collects.

Customizing the OneBait Lure Output


See Insert for First Aid and Precautionary Statements.

The amount of OneBait your insect trap dispenses is important to maximizing performance. Some mosquito species are highly attracted to OneBait while others are less attracted.

This product contains an easy-to-use feature that allows you to customize the amount of OneBait released to match the species in your environment.

Note: For best results replace Lure every 60 days.

1. Remove OneBait cover by turning counterclockwise (Assembly Step 2).
2. Remove the OneBait Lure from the packaging.
3. Place OneBait lure into holder (Assembly Step 3).
4. Replace OneBait cover (Assembly Step 3).
5. Select the lure output by adjusting the OneBait cover (Figures 5a, 5b and 5c).



Lure Output: Closed




Figure 6




Figure 7

First Use

1. Make sure all labels, packaging and protective films have been removed from the insect trap.
2. The insect trap should be thoroughly inspected before each use, and by a qualified service person at least annually.

Turning On

CAUTION: Keep the area clear and free from combustible materials, gasoline and other flammable vapors and liquids.

CAUTION: Do NOT obstruct the flow of or ventilation of air.

1. Insert the OneBait lure per "Customizing the OneBait Lure Output" section.
 2. Make sure the cover is NOT in the position (Figure 4).
 3. Set insect trap in desired location.
 4. Make sure power button is in the (OFF) position (Figure 6).
 5. Plug the power cord in the outlet (Figure 1).
 6. Push the power button to (ON) position (Figure 7).
- Note: The UV lights will be on and the fan will be working when the insect trap is on.

While Insect Trap is On

If the insect trap tips over while in use, immediately:

1. Turn the power button on the insect trap to (OFF) (Figure 6).
2. Unplug the power cord from the wall.
3. Pick up the insect trap and inspect for any damage.
 - a. If no damage, continue to next step.
 - b. If there is damage, call a qualified technician to inspect and make any necessary repairs.
4. Turn on per "Turning On" section.

Turning OFF

1. Push the power button to (OFF) (Figure 6).
2. Unplug the power cord from the wall.

CAUTION: The power cord must be unplugged from the outlet when the insect trap is not in use.

Cleaning and Care

WARNING: NEVER spray and part of insect trap with flammable spray.

CAUTION: All cleaning and maintenance should be done when insect trap is cool and with the power cord disconnected.

CAUTION: Do NOT clean any insect trap part in a self-cleaning oven.

CAUTION: This insect trap should be thoroughly cleaned and inspected on a regular basis.




Figure 8




Figure 9




Figure 10

Cleaning and Care (continued)

Notices

1. Abrasive cleaners will damage this product.
2. Never use oven cleaner to clean any part of insect trap.

Figure 11




Figure 12




Figure 13





Figure 14



Cleaning Instructions / Routine Service

To ensure maximum performance and to lengthen the life of your insect trap, perform these steps every couple of weeks.

Note: While unit is in use, check the following every 2-3 days:

- Check catch cup and clean (if necessary).
- Check air passages for blockage.
- Check ultraviolet lights.

1. Turn off per "Turning Off" section.
2. Remove used TacTrap and dispose of properly.
3. Remove catch cup per "Cleaning Catch Cup" section.
4. Connect catch cup.
5. Attach fresh TacTrap and remove protective paper (Figure 8).
6. If necessary, replace ultraviolet bulbs per "Replacing Ultraviolet Bulbs" section.
7. Remove OneBait cover by turning counterclockwise (Assembly Step 2).
8. Remove used OneBait lure (if necessary) and properly dispose.

Note: For best results replace lure every 55 days.

9. Remove fresh OneBait lure from package. Dispose of packaging properly.
10. Place OneBait lure into holder (Assembly Step 3).
11. Replace OneBait cover (Assembly Step 3).
12. Check for any sign of damage or missing parts. Repair any problems before attempting to start.
13. Select the lure output per "Customizing the OneBait Lure Output" section.
14. Start per "Turning On" section.
15. Wash hands with soap and water.

Cleaning Catch Cup

1. Turn off per "Turning Off" section.
2. Remove used TacTrap and dispose of properly.
3. If necessary, remove used OneBait lure and dispose of properly.
4. Remove the catch cup by rotating it counter-clockwise (Figure 9).
5. Carefully remove catch cup top (Figure 10).
6. Dispose of insects and clean catch cup.
7. Replace catch cup top.
8. Reattach catch cup to the lower body by rotating it clockwise (Figure 11).
9. Attach fresh TacTrap and remove protective paper (Figure 8).
10. Check for any sign of damage or missing parts. Repair any problems before attempting to start.
11. Start per "Turning On" section.
12. Wash hands with soap and water.

Replacing Ultraviolet Bulbs

Note: the ultraviolet bulbs should last up to 3,000 hours.

1. Turn off per "Turning Off" section.
2. Remove used TacTrap and dispose of properly.
3. If necessary, remove used OneBait lure and dispose of properly.
4. If necessary, remove catch cup per "Cleaning Catch Cup" section.
5. Remove the 4 screws holding the upper body to the lower body (Figure 12).
6. Carefully remove the upper body from the lower body (Figure 12).
7. Carefully rotate the ultraviolet bulbs to the left or right until they slide out from the bulb supports (Figure 14) and dispose of properly.

Cleaning and Care (continued)

8. Insert the new bulbs into the bulb supports and rotate the bulbs to the left or right until they lock into place.
9. Carefully attach and secure the upper body to the lower body.
10. Attach fresh TacTrap and remove protective paper (Figure 8).
11. Connect catch cup (Figure 11).
12. Check for any sign of damage or missing parts. Repair any problems before attempting to start.
13. Start per "Turning On" section.
14. Wash hands with soap and water.

End of Season Storage

To lengthen the life of your insect trap, perform these simple steps at the end of the mosquito season.

1. Turn off per "Turning Off" section.
2. Remove used TacTrap and dispose of properly.
3. Remove catch cup and clean per "Cleaning Catch Cup" section.
4. Remove OneBait cover by turning counterclockwise (Assembly Step 2).
5. Remove used OneBait lure and properly dispose.
6. Replace OneBait cover.
7. Cover your insect trap to protect it from dust.
8. Store it in a cool dry place.
9. Wash hands with soap and water.

Product Registration

For faster warranty service, please register your product immediately. To register, go to BlueRhino.com/warranty or call 1.888.753.7137.

Replacement Parts

For replacement parts, call 1.888.753.7137.

Limited Warranty

Blue Rhino Global Sourcing, Inc ("Blue Rhino") warrants to the original retail purchaser of this product, and to no other person, that if this product is assembled, maintained, and operated in accordance with the printed instructions accompanying it, then for a period of one (1) year from the date of purchase, all parts in such product shall be free from defects in material and workmanship. Blue Rhino may require reasonable proof of your date of purchase. Therefore, you should retain your sales slip or invoice. This Limited Warranty shall be limited to the repair or replacement of parts, which prove defective under normal use and service and which Blue Rhino shall determine in its reasonable discretion upon examination to be defective. Before returning any parts, you should contact Blue Rhino's Customer Care Department using the contact information listed below. If Blue Rhino determines, after examination, a defect covered by this Limited Warranty in any returned part, and if Blue Rhino approves the claim, Blue Rhino will replace such defective part without charge. If you return defective parts, transportation charges must be prepaid by you. Blue Rhino will return replacement parts to the original retail purchaser, freight or postage prepaid.

This Limited Warranty does not cover any failures or operating difficulties due to accident, abuse, misuse, alteration, misapplication, improper installation or improper maintenance or service by you or any third party, or failure to perform normal and routine maintenance on the product as set out in this owner's manual. In addition, the Limited Warranty does not cover damage to the finish, such as scratches, dents, discoloration, rust or other weather damage, after purchase.

This Limited Warranty is in lieu of all other express warranties. Blue Rhino disclaims all warranties for products that are purchased from sellers other than authorized retailers or distributors, including the warranty of merchantability or the warranty of fitness for a particular purpose. Blue Rhino ALSO DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Blue Rhino SHALL HAVE NO LIABILITY TO PURCHASER OR ANY THIRD PARTY FOR ANY SPECIAL, INDIRECT, PUNITIVE, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. Blue Rhino further disclaims any implied or express warranty of, and assumes no responsibility for, defects in workmanship caused by third parties.

This Limited Warranty gives the purchaser specific legal rights; a purchaser may have other rights depending upon where he or she lives. Some jurisdictions do not allow the exclusion or limitation of special, incidental or consequential damages, or limitations on how long a warranty lasts, so the above exclusion and limitations may not apply to everyone.

Blue Rhino does not authorize any person or company to assume for it any other obligation or liability in connection with the sale, installation, use, removal, return, or replacement of its equipment, and no such representations are binding on Blue Rhino.

Blue Rhino Global Sourcing, Inc
Winston-Salem, North Carolina 27105 USA
1.888.753.7137

Troubleshooting

Problem	Possible Cause	Solution
Unit will not operate	Not plugged in	1. Check to make sure the power cord is securely plugged into the insect trap 2. Plug cord into grounded outlet
	Power cord connection is loose	1. Check to make sure the power cord is securely plugged into the insect trap 2. Plug cord into grounded outlet
	GFI is tripped	1. Turn off insect trap per "Turning Off" section 2. Check to see if the GFI is tripped on the outlet 3. Reset GFI per manufacturer's instructions 4. Turn on insect trap per "Turning On" section
Bulbs will not turn on	Not plugged in	1. Check to make sure the power cord is securely plugged into the insect trap 2. Plug cord into grounded outlet
	Power cord connection is loose	1. Check to make sure the power cord is securely plugged into the insect trap 2. Plug cord into grounded outlet
	GFI is tripped	1. Turn off insect trap per "Turning Off" section 2. Check to see if the GFI is tripped on the outlet 3. Reset GFI per manufacturer's instructions 4. Turn on insect trap per "Turning On" section
	Bulbs may be worn out	Replace bulbs per "Replacing Ultraviolet Bulbs" section
Insect trap turns off suddenly	Not plugged in	1. Check to make sure the power cord is securely plugged into the insect trap 2. Plug cord into grounded outlet
	GFI is tripped	1. Turn off insect trap per "Turning Off" section 2. Check to see if the GFI is tripped on the outlet 3. Reset GFI per manufacturer's instructions 4. Turn on insect trap per "Turning On" section
Fan will not turn on	Not plugged in	1. Check to make sure the power cord is securely plugged into the insect trap 2. Plug cord into grounded outlet
	Power cord connection is loose	1. Check to make sure the power cord is securely plugged into the insect trap 2. Plug cord into grounded outlet
	GFI is tripped	1. Turn off insect trap per "Turning Off" section 2. Check to see if the GFI is tripped on the outlet 3. Reset GFI per manufacturer's instructions 4. Turn on insect trap per "Turning On" section
	Fan blades are blocked	Check and clean the fan blades per "Cleaning Instructions" section
	Fan not working	Contact Customer Care at 1.888.753.7137

For more assistance, please visit BlueRhino.com or call 1.888.753.7137.