

INSTALLATION

LUCE-W15MRL3230YX

LED BATHROOM MIRROR

Lighting and Defogger

IMPORTANT SAFETY INSTRUCTIONS

When using an electrical furnishing, basic precautions should always be followed, Requires two(2) person in installation.



DANGER

READ AND FOLLOW ALL INSTRUCTIONS BEFORE USING THIS MIRROR.



WARNING

To reduce the risk of burns, fire, electric shock or injury to persons. Use this furnishing only for its intended use as described in these instructions. Do not use attachments not recommended by the manufacturer. Never drop or insert any object into any opening. Do not use outdoors.



WARNING

Risk of electric shock. Connect this furnishing to a properly grounded circuit only. See Grounding instructions.

GROUNDING INSTRUCTIONS:



WARNING

This product must be connected to a grounded metal, permanent wiring system, or an equipment-grounding conductor must be run with the circuit conductors and connected to the equipment-grounding terminal or lead on the product.

An Electrical option cabinet must be wired to a 20 Amp GFI (Ground Fault Interrupter) protected circuit when used in bathrooms and all other locations required by the National Electric Code.

NOTE: To ensure the normal use of product, it is required to set out wires as per the regulations of IEE. The product is only applicable to the indoor installation. The installation must be executed by a professional electrician, wrong installation may lead to product damage and personal injury.

PLEASE SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE


INSTALLATION

LUCE-W15MRL3230YX


LED BATHROOM MIRROR

Lighting and Defogger


TOOLS REQUIRED FOR ASSEMBLY



Electrical Drill




1/8" Drill Bit




Pencil



Phillips
Screwdriver





Tape Measure




Level

PARTS INCLUDED




Mirror


HARDWARE INCLUDED (not shown actual size)



SCREW



WALL PLUG



WIRE CONNECTOR



NOTE: Determine overall mirror dimensions before proceeding to installation.

*All dimensions & specifications are approximate and subject to change without notice.

*Accessories and parts may vary from the picture above. Depends on the product model and size.

INSTALLATION

LUCE-W15MRL3230YX

LED BATHROOM MIRROR

Lighting and Defogger

ELECTRIC CONNECTIONS

ALL WIRING SHOULD BE DONE BY A QUALIFIED LICENCED ELECTRICIAN



WARNING: Shut off power before wiring the mirror.



WARNING: An Electrical option mirror must be wired to a 20 Amp GFI (Ground Fault Interrupter) protected circuit when used in bathrooms and all other locations required by the National Electric Code.




WARNING: This mirror must be connected to a grounded, metal permanent wiring system or an equipment-grounding conductor must be run with the circuit conductors and connected to the equipment grounding terminal or lead on the mirror.



CAUTION: Requires 120 VAC 20 Amp GFI protected circuit.


vertical hanging



Consist:

- ① Defogger Pad
- ② Electric Box
- ③ Hanging hooks

***Note:** Attach the mirror to the wall with Velcro on its back to prevent it from sliding when pulled.



MIRROR FEATURES


- 5mm copper free silver mirror
- High quality LED Lighting
- CRI 90+, 3000-6000K CCT, IP44
- Color temperature and dimming
- Separate controlled defogger
- Vertical and horizontal mount options

INSTALLATION INSTRUCTIONS

1

PLACEMENT


Measure the distance between the center of the keyholes in the mounting bracket.



2

SUPPORT LOCATION


After measuring the distance between the keyholes on the mirror, mark the mounting points on the wall in the appropriate spots. These marks should be the same distance apart as measured in step 1. Use a level to ensure the mounting points are straight.



3

INSTALL SCREWS

Using a drill, make holes on solid wall, and tighten mounting screws into the drywall anchors, leaving $3/8$ in. space between the screw head and the wall.




4

POWER OFF

Please turn off all the power before the mirror wires connection.

Power Off




INSTALLATION INSTRUCTIONS

5

CONNECTION


Plug into the socket ,or cut off the plug then use the wire connector to connect the external power supply. (plug or hardwire connection options)



6

Turn on the power

Insert the screw heads into the keyholes on the mirror's mounting bracket, then carefully let the mirror drop down so the screw heads slide into the narrow ends of the keyholes, securing the mirror in place. Then turn on the power at the circuit breaker or reinsert the fuse.




Warning: Strip wires to a suitable length. DO NOT connect the hardwire to a plug & socket outlet

Note: DO NOT use plug outlet behind the mirror, The back of mirror is FLAT, there is no space gap between wall and mirror frame. For some big sizes of mirror, we do not provide the plug.

TOUCH SWITCH SETTING UP


How to use Defogger Switch and Dimmer Switch:

Left Touch Sensor



ON/OFF Anti-fog(The defogger power will automatically turn off after an hour)

Right Touch Sensor



ON/OFF Lighting
Quick Tap-tap(two times) light color change, brightness control by holding

OPERATION

- 1.Touch the sensor button to turn ON the light. Quick tap-tap twice to change the light temperature from 3000K, 4000K to 6000K.
- 2.Touch and hold the Light ON sensor button to dim the light. Release the button when the light reaches the desired brightness setting.
- 3.Touch the sensor button to turn OFF the light.

The mirrors are equipped with a memory feature to preserve the previous brightness setting.



“Switch”sign

***Suggestion:** Turn off the mirror power supply if you don't use it for a long time.

*The design of touch switch may vary, and subject to change without prior notice.

WARNINGS:


1. Please do not use if you found the mirror have been broken.
2. Never put any sharp or heavy material on the mirror surface, other wise the glass mirror will be broken and body injury accidents may occur .
3. Turn off the power switch in storm lightning weather to avoid electric parts damage.

Use and Maintenance:

CAUTION:

● USE


1



1. To avoid damage, do NOT knock the mirror with any hard objects;

● CLEANING


2



2. Do NOT clean the mirror with caustic cleaner. Do NOT wipe the mirror with Bristle brush;

● MAINTENANCE

3



3. For daily maintenance, please use soft cloth and mild cleaner to clean the mirror.