
ASSEMBLY INSTRUCTIONS

DAYBED WITH CANOPY




NOTE: 50% TIGHTEN BEFORE FIXING ALL BOLTS

WF316578

WF316579


WF316580


Note, if you find any problems with the product, including rattan slack, breakage, assembly difficulties, etc, you can consult us for solutions.



Notice:

- 1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
- 2. Place the item on a flat ground to adjust and make sure it remains stable
- 3. Tighten up all screws with tools gradually.
- 4. If the screws are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
- 5. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
- 6. Note: If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.






Hardware List			
1	2	3	
Bolt M6 x 55 mm 13 pcs + extra 2 pcs	Bolt M6 x 35 mm 28 pcs + extra 2 pcs	Bolt M6 x 25 mm 4 pcs + extra 1 pc	
4	5	6	
Bolt M6 x 15 mm 33 pcs + extra 3 pcs	M6 x 1 mm Washers 91 pcs + extra 3 pcs	Eru M6 13 pcs + extra 2 pcs	
7	8	9	
M6 x 16 x5 mm Washers 8 pcs + extra 1 pc	M10 x 25 x5 mm Washers (1 pc)	Spanner (1 pc)	
10	11	12	
Allen key M4 (2 pcs)	Allen key M4 (1 pc)	Feet cap M6 x 15 mm 18 pcs + extra 2 pcs	
5/20			

Hardware List		
13	14	15
(3) Marine		
Screw 4 pcs + extra 1 pc	Gas Bar (2 pcs)	Keeper Plate (1 pc)
16	17	
Keeper Plate (8 pcs)	Keeper Plate (5 pcs)	
	6/20 —	

CARTON CONTENT:


WF316578



R x 1



V x 2



S x 1




G x 3



T x 1



H x 1



 $U \times 1$



I x 1

WF316579



D x 1





F_x 1



L x 1



M x 1



N x 1



O x 1



P x 2



Q x 2



HARDWARE

WF316580



A x 1



B x 1



C x 2



V x 2



J x 1



K x 1




W x 1



X x 2




with Bolt (1), Eru (6) & Washers (5)




STEP 2


Connect Right Frame (A) & Back Frame (C) Connect Left Frame (B) & Back Frame (C) with Bolt (1), Eru (6) & Washers (5)



STEP 3


Connect part from Step 1 & part from Step 2 with Bolt (1), Eru (6) & Washers (5)





4*10 5*10 7*5


Connect part from Step 5 & Seat Bench Frame (D) with Bolt (4), Washers (5)







D*1 4*5 5*5

STEP 7Connect part from Step 6 with Feet cap (12)












Connect part from Step 9 & part from Step 10 & part from Step 11 with Waterproof Canopy (W)




W*1

STEP 13








STEP 16 Connect Seat Stool Frame (E) & Side Stool (G) with Bolt (2), Washers (5)

STEP 17


Connect part from Step 16 & Side Stool (G) with Bolt (1),(2) & Washers (5) & Eru (6)





 $G*1 \bigcirc 2 \bigcirc 2 \bigcirc 6 \bigcirc 2$

Connect part from Step 17 & Side Stool (G) with Bolt (1),(2) & Washers (5) & Eru (6)






G*1 0*2 2*2 5*6 6*2

STEP 19


Connect part from Step 15 & part from Step 18 with Bolt (2), Washers (5)






2*8 5*8

Connect Stool Sheft Frame (F) & Keeper Plate (16) with Bolt (4), Washers (5)




STEP 21


Connect part from Step 19 & part from Step 20 with Bolt (2),(4) & Washers (5)






2*4 4*6 5*10





®*1

Put on Right Bench Cushion (R) & Left Bench Cushion (S) & Right Stool Cushion (T) & Left Stool Cushion (U) & Pillow (V) to complete Daybed




R*1 S*1 T*1 U*1 V*4

STEP 25

Cover the cushion with Cover Cushion (X) when not use

x2



X*1

Combination and Arrangement *FINISH*