

Call Us First! DO NOT RETURN TO STORE.

For questions on assembly or for general inquiries, you may contact us in the following ways:

Call customer service: 1-877-743-3400

AVOID THE WAIT!

visit us online at help.backyardproducts.com

- → Submit a help request
- → Answers to frequently asked questions
- → Live chat with an agent



Did you enjoy building your shed?

JOIN OUR TEAM

AND MAKE UP TO \$1,500/WEEK*

Call a Recruiter Today! 734-365-7000



Flexible schedule




No selling, just building



Bonus incentives available





How to Enter:



Open camera. Aim. Tap.





Scan QR code above.



Click 'write a review'



Find your product. Tell us what you think.



Submit your review.You'll be notified by e-mail if you've won the \$500 gift card.

Write a Backyard Products, LLC. product review at backyardreviews.net for a chance to win a \$500 Visa gift card. No purchase necessary to enter. Must be legal U.S. resident (including DC & Puerto Rico), 18 or older to participate. Taxes on prize are responsibility of winner. Odds of winning depend on the number of eligible reviews received. Void where prohibited. For complete details and official rules, visit https://backyardreviews.net/sweepstakes-rules.




ASSEMBLY MANUALCLASSIC 12' x 12' (365,8 x 365,8 cm)

16502 06/09/2022

BUILDING SIZE	ACTUAL FLOOR SIZE
401 (005 0 005 0)	101 x 101 /265 0 x 265 0 a

BASE MODEL	12' x 12' (365,8 x 365,8 cm)	12' x 12' (365,8 x 365,8 cm)
+1: 12' x 4' Extender	12' x 16' (365,8 x 487,7 cm)	12' x 16' (365,8 x 487,7 cm)
+1: 12' x 8' Extender	12' x 20' (365,8 x 609,6 cm)	12' x 20' (365,8 x 609,6 cm)
+1: 12' x 8' and +1: 12' x 4' Extender	12' x 24' (365,8 x 731,5 cm)	12' x 24' (365,8 x 731,5 cm)

KEEP THIS MANUAL FOR FUTURE REFERENCE



⚠ IMPORTANT! ⚠

READ INSTRUCTIONS THOROUGHLY PRIOR TO BEGINNING ASSEMBLY.

BEFORE YOU BEGIN

BUILDING RESTRICTIONS AND APPROVALS

Be sure to check local building department and homeowners association for specific restrictions and/ or requirements before building.

ENGINEERED DRAWINGS

Contact our Customer Service Team if engineered drawings are needed to pull local permits.

SURFACE PREPARATION

To ensure proper assembly you must build your shed on a level surface.

Recommended methods and materials to level your shed are listed on page 10.

• CHECK ALL PARTS


Inventory all parts listed on pages 5-8.

ADDITIONAL MATERIALS

You will need additional materials to complete your shed. See pages 3-4 for required and optional materials and quantities.




CONTACT OUR CUSTOMER SERVICE TEAM IF ANY PARTS ARE MISSING OR DAMAGED





Call: 1-877-743-3400 email: customerservice@backyardproductsllc.com


TOOLS



Safety! Always use approved safety glasses during assembly.

HELPFUL REMINDER SYMBOLS


Look for these symbols for helpful reminders throughout this manual.



ORIENT LUMBER AND TRIM FOR BEST APPEARANCE

Framing lumber is graded for structural strength and not appearance. Exterior trim is graded for one good side.

Always install the material leaving the best edge and best surface visible. Please remember that these blemishes in no way negatively affect the strength or integrity of our product. (See Fig. A, B, C.)



ADDITIONAL MATERIALS

FOUNDATION OR FLOOR MATERIALS

- If you purchased a separate floor kit, use instructions and materials in that kit to construct your floor.
- See the FLOOR LEVELING section on page 10 for recommended methods and suggested materials to properly level your floor, as this will vary depending on your specific site.

REINFORCED WOOD FLOOR FRAME (OPTIONAL)

IMPORTANT! Depending on your specific use you may want to construct a heavy duty floor frame by adding additional floor joists (shown below as shaded). Below is a list of additional materials (not included):

12x12' x3 2 x 4 x 12' (5,1 x 10,2 x 304,8 cm) Treated Lumber cut to 2 x 4 x 117" (5,1 x 10,2 x 297,2 cm) x12 3" (7,6 cm) hot-dipped galvanized nails	→ Standard 16" (40,5 cm) spacing → Optional 12" (30,5 cm) spacing
12x16' x4 2 x 4 x 12' (5,1 x 10,2 x 304,8 cm) Treated Lumber cut to 2 x 4 x 117" (5,1 x 10,2 x 297,2 cm) x16 3" (7,6 cm) hot-dipped galvanized nails	→ Standard 16" (40,5 cm) spacing → Optional 12" (30,5 cm) spacing
12x20' x5 2 x 4 x 12' (5,1 x 10,2 x 304,8 cm) Treated Lumber cut to 2 x 4 x 117" (5,1 x 10,2 x 297,2 cm) x20 3" (7,6 cm) hot-dipped galvanized nails	→ Standard 16" (40,5 cm) spacing → Optional 12" (30,5 cm) spacing
12x24' x6 2 x 4 x 12' (5,1 x 10,2 x 304,8 cm) Treated Lumber cut to 2 x 4 x 117" (5,1 x 10,2 x 297,2 cm) x24 3" (7,6 cm) hot-dipped galvanized nails	

Standard 16" (40,5 cm) spacing

← Optional 12" (30,5 cm) spacing

ADDITIONAL MATERIALS

COMPLETING YOUR SHED

You will need these additional materials:

	12x12'12x16'12x20'12x24'	12x12' 12x16' 12x20' 12x24'		
	444	444		
3-TAB SHINGLES (Bundles) PAINT FOR SIDING (Gallons) Use 100% acrylic latex exterior paint. (2) coats recommended. 1" galvanized roofing nails (lbs). For shingles.	3 3 4 4 Caulk Tub Use acrylic policities acrylic po	bes		
OPTIONAL MATERIALS				
12x12'12x16'12x20'12x24' Drip Edge (Feet)				

REFER TO THE BACK OF THIS MANUAL AND THE MANUFACTURER'S INSTRUCTIONS FOR INSTALLATION OF SHINGLES, DRIP EDGE AND FELT.

375

3

227

1

302

1.5

#15 Roofing Felt (Sq ft. to cover).....

1" Galvanized Roofing Nails (lbs)....

For roofing felt.

PARTS IDENTIFICATION AND SIZES

Double letter part identification is stamped on some parts.



• Check these locations for part stamp.

WOOD SIZE CONVERSION CHART

Nominal Board Size Actual Size

2 x 41-1/2" x 3-1/2" (3,8 x 8,9 cm)


1 x 43/4" x 3-1/2" (1,9 x 8,9 cm)

2 x 31-1/2" x 2-1/2" (3,8 x 6,3 cm)

1 x 33/4" x 2-1/2" (3,8 x 6,3 cm)


•	12x12'	GAMBREL 12' x 12' PARTS INVENTORY YOUR PARTS before you was suggest sorting parts by the category the	u begin.
	x5	AL 2 x 4 x 7" (5,1 x 10,2 x 17,8 cm)	X1 GAA 1 x 3 x 5" (2,5 x 7,6 x 12,7 cm) Used as a gauge block for
	x4	QL 2 x 4 x 39" (5,1 x 10,2 x 99,1 cm)	3/4" (1,9 cm) measurement.
	x4	HVC 2 x 4 x 44-3/8" (5,1 x 10,2 x 112,7 cm)	3/4" (1,9 cm)
	x6	SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm)	
7	x1	7/16" x 3-1/4" x 66-3/4" (1,	1 x 8,3 x 170,2 cm) <i>OSB</i>
WALL	x2	AM 2 x 4 x 67" (5,1 x 10,2 x 1	70,2 cm)
7	x2	UM 2 x 4 x 68" (5,1 x 10,2 x	172,7 cm)
	x4	YFA 2 x 4 x 68-1/2" (5,1 x 10,	2 x 174 cm)
	x23	3 Al 2 x 4 x 78-1/2"	(5,1 x 10,2 x 199,4 cm)
	x4	TJ 2	x 4 x 92-5/8" (5,1 x 10,2 x 235,3 cm)
	x6	TP	2 x 4 x 96" (5,1 x 10,2 x 243,9 cm)
	x2	7/16 x 3-1/2 x 24" (1,1 x 8,9 x 61 cm) OSB	
ERS	x12	6 x 24" (15,2 x 61 cm)	
RAFTERS	x14	Pre-assembled Pre-assembled	
	x2	SX 2 x 4 x 60" (5,	1 x 10,2 x 152,4 cm)
	x4	19/32" x 2-1/2" X 21-3/4"(1,6 x 7,6 x 55,2 cm)	
	x2	ZJL 5/8 x 4 x 36" (1,6 x 10 x 91 cm)	
N	x2	ZJR 5/8 x 4 x 36" (1,6 x 10 x 91 cm)	
TRIM	x2	ZOL 5/8 x 4 x 60-7/8" (1,6 x 10 x 154,6	cm)
	x2	ZOR 5/8 x 4 x 60-7/8" (1,6 x 10 x 154,6	cm)
	x8	3/8" x 1-	3/4" x 83-1/4" (1 x 4,5 x 211,5 cm)
	x2	AH 19/32" x 2-1/2" x 26-5/8" (1,5 x 6,3 x 67,7 cm)	
RS	x1	AHR 19/32" x 2-1/2" x 62" (1,5 x 6	5,3 x 157,5 cm)
DOORS	x1	AHL 19/32" x 2-1/2" x 62" (1,5 x 6	5,3 x 157,5 cm)
D	x2	OO 69" (175,3 cm) Door Stiffe	ener
	x1	ZJ 19/32" x 2-1/2" x 72"	(1,5 x 6,3 x 182,9 cm)

PANEL & DOORS PARTS LIST



NAIL BOXES (Shown Actual Size) **x6** BOXES 3" (7,6 cm) x6 BOXES > 2" (5,1 cm) FASTENER/HARDWARE BAG (Shown Actual Size) x110 > 2" (5,1 cm) x200 I **x85 x25 x2** NOTE: If you are using a nail gun, nails **x85** 3/4" (1,9 cm) may be used where screws are shown for quicker assembly. (1/11/11/11) 1/2" (1,3 cm) x12 Length of nail must match screw length.

Other HARDWARE (Not Actual Size)




GAMBREL EXTENDER KIT PARTS LIST

Inventory your parts before you begin.
We suggest sorting parts by the category they are listed in.

	rt identification stamped on some parts.	WOOD SIZE CONVERSION CHART Nominal Board Size Actual Size
	RS RS	2 x 4
• 0	Check these locations for part stamp.	2 x 3
	12' x 4' EXTENDER	
WALL	x6 SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm) x2 SX 2 x 4 x 60" (5,1 x 10,2 x 121,9 cm) x4 Al 2 x 4 x 78-1/2" (5,1 x 10,2 x 121,9 cm)	
RAFTERS	x2	
ROOF PANELS	(1,1 × 00,0 × 121,0 011)	/16" x 12-1/2" x 48" I,1 x 31,8 x 121,9 cm) /16" x 11-7/8" x 48" I,1 x 30,2 x 121,9 cm)
	12' x 8' EXTENDER	
WALL	2/0 × 40 × 94"	
RAFTERS	x4	
ROOF PANELS	Roof panels are 7/16" (1,1 cm) thick. 7/16" x 23-7/8" x 96" (1,1 x 121,6 x 243,9 cm) x2 7/16" x 47-7/8" x 96" (1,1 x 121,6 x 243,9 cm)	7/16" x 11-7/8" x 96" (1,1 x 30,2 x 243,9 cm) 7/16" x 12-1/2" x 96" (1,1 x 31,8 x 243,9 cm)

CONCRETE FOUNDATION

If you choose to install your kit on a concrete slab refer to the diagram below. Attach the sill plates on the foundation as shown, and continue on to page 14.




- Allow new concrete slabs to cure for at least seven (7) days.
- A treated 2 x 4" (5,1 x 10,2 cm) sill plate is required when installing your shed on concrete. Purchase full length treated lumber, or butt shorter pieces end-to-end and seal seams with caulk.
- Use a high quality exterior grade caulk beneath all sill plates.
- Fasten 2 x 4" (5,1 x 10,2 cm) sill plates to slab using approved concrete anchors (fasteners not included).
- Check local code for concrete foundation requirements.


OPTIONAL WOOD FRAME FLOOR LEVELING OPTIONS

There are multiple ways to level your floor frame. Our recommended leveling method is shown below.

Leveling materials are not included in this kit.

PREFERRED METHOD - 4x4 TREATED RUNNERS (Typical for 12' x 12' Kit)





LEVELING METHODS

- · Level under 4x4 runners only.
- Locate leveling material 12" from ends of runners and no more than 48" apart.
- Asphalt shingles should be used between 4x4 runners and blocks or treated lumber. Never use shingles in direct contact with ground.
- For best results and aiding in water drainage use gravel under each concrete block.

LEVELING MATERIALS

	Gravel
	Solid Masonry Blocks in 1", 2", 4" or 8" thickness
	2x4 Treated Lumber
	Asphalt Shingles
<u> </u>	Leveling higher than 16" not recommended.

LEVELING & SQUARING THE FLOOR FRAME (Not Included)



LEVEL AND SQUARE FLOOR FRAME



Before attaching floor decking, it is important to level and square the floor frame. A level and square floor frame is required to correctly construct your shed.




See page 10 for the preferred floor leveling method.

Use a level and ensure the frame is level before applying floor panels.

VBEGIN

Check for frame squareness by measuring diagonally across the corners (diagonal measurement D). If the measurements are the same, the frame is square. Use the chart below to determine measurement D.

SHED SIZE	D
12' x 12'	203-5/8 " (612,3 cm)
12' x 16'	240" (609,6 cm)
12' x 20'	279-7/8" (710,9 cm)
12' x 24'	322" (817,9 cm)



4x4 runners are generally installed 12" (30,5 cm) from ends of floor frame and under any seams.



After the frame is level and square, secure one side of frame to 4x4 runners using one fastener at ends of each runner.

At the opposite end of the frame, secure the frame to 4x4 runners with one fastener at the ends of each runner, ensuring that the frame remains square.

Fasten the frame to the 4x4 runners with (2) 3" screws at each connection (Fig. A).




Your floor frame is now level.

IMPORTANT!


NOTE: 12' x 12' Gambrel shown standard throughout manual

Ensure the floor frame is level after installing floor panels. Re-level if needed.





- The floor should used as a stable work surface for wall construction.
- Organize your assembly procedure during the build process to avoid over-handling of the walls.




WALL INDEX



IMPORTANT! Build door header before building any walls (see page 14).

12' x 12'

After assembling the walls for your 12' x 12' shed, go to page 28 for wall installation.




12' x 12'

Wall 01: Page 16 Wall 02: Page 18

Wall 03: Page 20 (Build 2 eave walls)

12' x 16'

After assembling the walls for your 12' x 16' shed, go to page 33 for wall installation.



12' x 16'


Wall 01: Page 16

Wall 02: Page 18

Wall 04: Page 22 (Build 2 eave walls)

12' x 20'

After assembling the walls for your 12' x 20' shed, go to page 39 for wall installation.




12' x 20'

Wall 01: Page 16 Wall 02: Page 19

Wall 05: Page 24 (Build 2 eave walls)

12' x 24'

After assembling the walls for your 12' x 24' shed, go to page 45 for wall installation.



12' x 24'

Wall 01: Page 16 Wall 02: Page 18

Wall 06: Page 26 (Build 2 eave walls)

DOOR HEADER



Assemble this door header before building any walls!



PARTS REQUIRED:


x2 AM

2 x 4 x 67" (5,1 x 10,2 x 170,2 cm)

x1

7/16 x 3-1/4 x 66-3/4" (1,1 x 8,3 x 170,2 cm) *OSB*

x18 3" (7.6 cm)



ASSEMBLED END VIEW

VBEGIN

Place (1) **AM** and *OSB* end-to-end on flat surface, flush in middle. Center *OSB* on top of **AM**.

Fasten together with 3" nails in the pattern shown.

2 Flip header assembly over and nail as shown on the other side.

AM

Flush

OSB

AM




Flush

Your door header is now assembled.

WALL PANEL INSTALLATION HINTS & EXAMPLES

PARTS REQUIRED:



3/4" GAUGE BLOCK

TEMP. SPACER







Ensure your wall is square by installing one panel and squaring frame.

Install all wall panels with the primed side facing up.

VBEGIN


Place a 48" X 84" panel on the wall frame, as shown.


Locate the panel 1-1/2" above the top plate.

Use a 2 x 3 as a gauge block for the 1-1/2" top overhang measurement. Use the gauge block to mark the 3/4" side measurement on the wall stud. Secure panel with (2) 2" nails in the corners (Fig. A).


Move to the opposite end. Using the long edge of the panel as a lever, move the panel side-to-side until you have a 3/4" measurement on the wall stud. Secure corner with (2) 2" nails (Fig. B).

Secure panel with 2" nails spaced 6" apart on edges and 12" apart inside panel. Note the panel lip-edge/square edge orientation.





For squareness maintain 3/4" and 1-1/2" measurement along panel edge. 2x3 3/4" BEGIN HERE 1-1/2" (1,9 cm) (3,8 cm)EXAMPLE WALL 6" (15,2 cm) 12" (30,5 cm) 3/4" Gauge **Block** 3/4' (1,9 cm)LIP EDGE




Comparison of Comparison of

BEGIN


Orient parts on edge on floor as shown. Measure and mark from end of boards. Orient **Pre Assembled Header** as shown **(Fig. A)**. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.


Fasten (3) middle parts AL to Pre Assembled Header with (2) 3" screws (Fig. B).
Fasten (2) end AL to studs AI with (4) 3" nails at each side.
Secure parts AL to top plates with (2) 3" nails at each connection and (4) 3" nails at seam.




GABLE WALL 01 WITH DOOR

PARTS REQUIRED:








- Install the left panel 1-1/2" from the top plate. Use a 2x3 spacer for consistent measurement. Secure panel with 2" nails spaced 6" apart on edges.
- 4 Install the right panel flush to installed panel, as shown. Ensure 64" (162,8 cm) door measurement. Use part 00 as a temporary brace. Secure with (2) 3" screws.

Secure panels with 2" nails spaced 6" apart on edges.




Install (2) 11-7/8" x 84" panels flush to installed panels and 1-1/2" from the top plate.

Secure panels with 2"

nails spaced 6" apart on edges. Note the panel lip-edge/square edge orientation.


Your 12' gable wall with door is now assembled. Carefully flip the wall over.






Orient parts on edge on floor as shown. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.





12' GABLE WALL 02






Install 48" x 84" panel 1-1/2" from the top plate.

Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.

Note the panel lip-edge/square edge orientation.






Install (2) **48" x 84"** panels flush to installed panels.

Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.

Note the panel lip-edge/square edge orientation.






Your 12' gable wall 02 is now assembled. Carefully flip the wall over.


Build two identical walls.

BEGIN

Orient parts on edge on floor. Measure and mark from end of boards.

Secure with (2) 3" nails at each connection and (4) 3" nails at seams.





12' EAVE WALL 03






Install 48" x 84" panel 1-1/2" from the top plate.

Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.

Note the panel lip-edge/square edge orientation.




3

Install next (2) **48" x 84"** panels flush to installed panels.

Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" inside panel.


Note the panel lip-edge/square edge orientation.





Carefully flip the wall over. Repeat all steps to build the 2nd 12' eave wall. Your 12' eave walls are now assembled.


21




Build two identical walls.

BEGIN


Orient parts on edge on floor. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.






16' EAVE WALL 04

PARTS REQUIRED:








Install (1) **48" x 84"** panel 1-1/2" from the top plate.

Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.

Note the panel lip-edge/square edge orientation.




3

Install (3) **48" x 84"** panels flush to installed panels.

Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.

Note the panel lip-edge/square edge orientation.





Carefully flip the wall over. Repeat all steps to build the 2nd 16' eave wall.


Your 16' eave walls are now assembled.


20' EAVE WALL 05 **PARTS REQUIRED:** x88 3" (7,6 cm) x2 YFA 2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm) x1 HVC 2 x 4 x 44-3/8" (5,1 x 10,2 x 112,7 cm) 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) x1 TJ 2 x 4 x 92-5/8" (5,1 x 10,2 x 235 cm) x2 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

Build two identical walls.

VBEGIN

Orient parts on edge on floor. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.






20' EAVE WALL 05

PARTS REQUIRED:






2 Install (1) 48" x 84" panel 1-1/2" from the top plate. Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.


Note the panel lip-edge/square edge orientation.



Install (4) 48" x 84" panels flush to installed panels. Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.

Note the panel lip-edge/square edge orientation.





Carefully flip the wall over. Repeat all steps to build the 2nd 20' eave wall.

Your 20' eave walls are now assembled.


24' EAVE WALL 06 PARTS REQUIRED: x2 YFA 2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm) x11 AI 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) x1 TJ 2 x 4 x 92-5/8" (5,1 x 10,2 x 235 cm) x2 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

Build two identical walls.

BEGIN

Orient parts on edge on floor. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.





24' EAVE WALL 06

PARTS REQUIRED:


x6 48 x 84" (121,9 x 213,4 cm)



Install (1) 48" x 84" panel 1-1/2" from the top plate. Use a 2x3 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.


Note the panel lip-edge/square edge orientation.



Install (5) 48" x 84" panels flush to installed panels. Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.


Note the panel lip-edge/square edge orientation.






Carefully flip the wall over. Repeat all steps to build the 2nd 24' eave wall.


Your 24' eave walls are now assembled.







Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).



1st 12' EAVE WALL INSTALLATION PARTS REQUIRED x1 () 2" (5,1 cm) 3" (7,6 cm) x12 1-1/2" (3,8 cm) 3" (7,6 cm) BEGIN Fig. B Place 12' eave wall centered on floor. 1-1/2" (3,8 cm) overlap is to the top. 2" (5,1 cm) Secure wall with (1) 2" screw into 12' gable wall Screw bottom plate (Fig. A) and top plate (Fig. B). Flush 1-1/2" (3,8 cm)Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH.

2" (5,1 cm) Screw


Fig. A

Nail lower edge of panels to floor with 2" nails spaced 6" apart.

Angle nails into floor frame (Fig. C).

Nail panel to 12' wall stud with 1-1/2" nails spaced 6" apart.

Secure wall top plate with (1) 3" screw angled at the corner at an angle as shown (Fig. D).



3" (7,6 cm)

Fig. D



Your 1st 12' eave wall is now installed.

Nails


Fig. C

Nail 2" nails first.

2" (5,1 cm) Nails

2nd 12' EAVE WALL INSTALLATION PARTS REQUIRED: 3" (7,6 cm) 2" (5,1 cm) 2" (5,1 cm) x13 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN 1-1/2' Fig. B Place 2nd 12' eave wall centered on floor 1-1/2" (3,8 cm) overlap is to the top. 2" (5,1 cm) !\ ENSURE PANEL CORNERS ARE FLUSH. 3" (7,6 cm) Secure wall with (1) 2" screw through Nails eave wall panel into 12' gable wall bottom and top plates (Fig. B, Fig. A). Secure wall to bottom plate first. 6" (15,2 cm) Nail lower edge of wall panels to floor frame with 2" nails Flush spaced 6" apart. Nail 2" nails first. Angle nails into floor frame (Fig. C). 2" (5,1 cm) Nails 3" (7,6 cm) Nails Secure wall bottom plates to floor with 3" nails (Fig. C). Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw


- A Nail 12' eave wall panel to 12' gable wall stud with 1-1/2" nails spaced 6" apart.
- Secure wall top plate with (1) 3" screw at the corner at an angle as shown (Fig. D).





Your 2nd 12' eave wall is now installed.

12' GABLE WALL WITH DOOR INSTALLATION PARTS REQUIRED x2) 3" (7,6 cm) x16 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN Fig. B 2" (5,1 cm) Place 12' gable wall on floor, centered Screw between installed walls. Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. !\ Flush Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw Nail lower edge of panels to floor with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. C).




REMOVE TEMPORARY BRACING.

12' x 12' WALL DOUBLERS INSTALLATION

BEGIN

- Orient parts on top of wall frames. Measure and mark from end of boards. Secure from top with (2) 3" nails spaced every 24" (Fig. A).
- 2 Secure from bottom with (2) 3" screws at each corner (Fig. B).





Your wall doublers are now installed.

CONTINUE TO PAGE 52 TO RESUME CONSTRUCTION OF 12' X 12' SHED.

12' GABLE WALL 02 INSTALLATION


DEGIN


1 Center 12' wall on the 120" (304,8 cm) floor dimension.
1-1/2" (3,8 cm) overlap is to the top.


Use OO as a temporary brace.
Secure with (2) 3" screws.

Flush

Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).









2nd 16' EAVE WALL INSTALLATION

PARTS REQUIRED:






Secure gable wall top plate with (1) 3" screw at the corner at an angle, as shown (Fig. D).



Your 2nd 16' wall is now installed.


12' GABLE WALL WITH DOOR INSTALLATION PARTS REQUIRED x2 3" (7,6 cm) x16 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN Fig. B 2" (5,1 cm) Place 12' gable wall on floor, centered Screw between installed walls. Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. !\ Flush Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw Nail lower edge of panels to floor with 2" nails spaced 6" apart.



REMOVE TEMPORARY BRACING.

VBEGIN

- Orient parts on top of wall frames. Measure and mark from end of boards. Secure from top with (2) 3" nails spaced every 24" (Fig. A).
- 2 Secure from bottom with (2) 3" screws at each corner (Fig. B).




CONTINUE TO PAGE 52 TO RESUME CONSTRUCTION OF 12' X 16' SHED.

12' GABLE WALL 02 INSTALLATION

Center 12' wall on the 120" (304,8 cm) floor dimension.
1-1/2" (3,8 cm) overlap is to the top.


Use **00** as a temporary brace.
Secure with (2) 3" screws.





2" (5,1 cm)

1-1/2" (3,8 cm)

Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).









2nd 20' EAVE WALL INSTALLATION

PARTS REQUIRED:







Secure 20' wall panel to 12' wall stud with 1-1/2" nails spaced 6" apart.



12' GABLE WALL WITH DOOR INSTALLATION PARTS REQUIRED), 1990, 199 x2 3" (7,6 cm) x16 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN Fig. B 2" (5,1 cm) Place 12' gable wall on floor, centered Screw between installed walls. Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. !\ Flush Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw Nail lower edge of panels to floor with 2" nails spaced 6" apart.



REMOVE TEMPORARY BRACING.




CONSTRUCTION OF 12' X 20' SHED.

12' GABLE WALL 02 INSTALLATION

Description (204,8 cm) floor dimension.
1-1/2" (3,8 cm) overlap is to the top.


Use **00** as a temporary brace.


Secure with (2) 3" screws.




1-1/2" (3,8 cm)

Secure lower edge of panel to floor frame with 2" nails spaced 6" apart. Angle nails into floor frame (Fig. A).









2nd 24' EAVE WALL INSTALLATION

PARTS REQUIRED:







Secure 24' wall panel to 12' wall stud with 1-1/2" nails spaced 6" apart.




12' GABLE WALL WITH DOOR INSTALLATION PARTS REQUIRED x2 3" (7,6 cm) x16 3" (7,6 cm) 1-1/2" (3,8 cm) **V**BEGIN Fig. B 2" (5,1 cm) Place 12' gable wall on floor, centered Screw between installed walls. Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. !\ Flush Fig. A 2" (5,1 cm) Screw 3" (7,6 cm) Screw Nail lower edge of panels to floor with 2" nails spaced 6" apart.



REMOVE TEMPORARY BRACING.






Build number of rafter assemblies depending on size of shed.

BEGIN

Measure 144-11/16 (367,5 cm) from the corner and install **RL** with (2) 3" screws. Place two rafter-halves on floor and flush in the corners of wall and **RL**.


Use floor and walls to help assemble rafters!

Flush rafters at peak. Secure gusset to rafters with 2" nails following the pattern shown (Fig. A, Fig. B).



Depending on your shed size, build rafters with (2) gussets (Fig. C).

- Place two rafter-halves on floor and flush in the corners of wall and RL, as shown in STEP 1. Flush rafters at peak. Secure gusset to rafters with 2" nails following the pattern shown (Fig. A).
- 3 Flip over rafter assembly and fasten second gusset to other side with 2" nails (Fig. C).



Remove RL and screws from floor.

2-GUSSET RAFTERS

12x12' 12x16' 12x20' 12x24'


x5 x7 x9 x11

PARTS REQUIRED: x5 x7 2-Gusset Preassembled x2 1-Gusset Preassembled x2 3" (7,6 cm)

VBEGIN



Align rafters over the wall studs.




Secure rafters with (2) 3" screws angled at each end (Fig. A, Fig. B).

Secure rafters on opposite side.




Maintain the measurements between rafters.



1

Maintain the measurements between rafters.



PARTS REQUIRED: x9 x11 2-Gusset Preassembled x2 1-Gusset Preassembled x44 x52 3" (7,6 cm)

VBEGIN



Align rafters over the wall studs.




Secure rafters with (2) 3" screws angled at each end (Fig. A, Fig. B).

Secure rafters on opposite side.

Check that you have the measurements shown.


<u>(1)</u>

Maintain the measurements between rafters.



Maintain the measurements between rafters.

12' x 24'




GABLE UNITS x4 QL 2 x 4 x 39" (5,1 x 10,2 x 99,1 cm) x64 reassembled with 1 gusset x2

Install gable panels with the primed side facing up.



- Place middle panel on (2) **QL**. Arrange parts to measurements shown. Secure panel with 1-1/2" nails spaced 6" apart along edge. Check measurements as you build the gable unit.
- Place left and right panels on **QL**, flush to middle panel. Secure panel with 1-1/2" nails spaced 6" apart along edge.

Mark the center of the middle gable panel.



Repeat steps to assemble the 2nd gable unit.



Your (2) gable units are now assembled.

GABLE INSTALLATION PARTS REQUIRED: x8 |) 3" (7,6 cm) x130 2" (5,1 cm) **Preassembled**

BEGIN


Measure 1-1/2" (3,8 cm) down from top plate doubler and mark at each side as shown. Set gable unit on top plate. Fasten with (1) 2" nail on each side.



A BE SURE GABLE IS CENTERED ON WALL BEFORE NAILING.

Continue nailing lower edge of panels to wall doubler with 2" nails spaced 6" apart.


- Secure gable panels to rafter with with 2" nails spaced 6" apart.
- Working inside, secure gable unit with (2) 3" screws angled into each QL at an angle (Fig. A).




Repeat steps for installation of the opposite side 12' gable.



Your gable units are now installed.






Maintain spacing between the center of the rafters at the lower edge of the panels (Fig. D).

Secure panels with (1) 2" nail into each rafter, as shown.

Move to the top of the panel and keep spacing between the center of the rafters.

Secure panels with (1) 2" nail into each rafter.



12' x 12' ROOF PANELS **PARTS REQUIRED:** x24 2" (5,1 cm) **x1** 12-1/2" x 96" (31,8a cm x 243,8 cm) 23-7/8" x 48" (60,6 x 121,9 cm) 23-7/8" x 96" (60,6 x 243,8 cm) **3/4" GAUGE x1** 11-7/8" x 96" 11-7/8" x 48" 12-1/2" x 48" (30,2 cm x 243,8 cm) (31,8 cm x 121,9cm) (30,2 cm x 121,9 cm)

6 Next, install 12-1/2" x 48" and 12-1/2" x 96" roof panels with a 3/4" measurement on the rafter (Fig A) and flush to the installed panels (Fig. E).

Secure panels with (1) 2" nail in each corner. 3/4" (1,9 cm) Fig. A 2" (5,1 cm) **Gauge Block** Nails **Flush** 12.1/2" * 96" 23.7/8" * 96" Flush 17.7/8"× 48" 12.1/2" * 48" Flush 23.7/8" × 48" Flush **Flush** Flush 17.7/8"× 96" Fig. E


- 7 Install additional roof panels flush to the installed panels in the following order:
 - 1. 23-7-8" x 48" (Fig. E)
 - 2. 23-7-8" x 96" (Fig. E)
 - 3. 11-7-8" x 96"
 - 4. 11-7-8" x 48"

Install roof panels with a 3/4" measurement on the rafter (Fig A).


Secure panels with (1) 2" nail in each corner.

12' x 12' ROOF PANELS


PARTS REQUIRED:



8 Secure all roof panels with 2" nails spaced 6" apart and 12" apart inside panels.



Repeat all steps to install roof panels on the opposite side.



FINISH


Your roof panels are now installed.

12' x 16' ROOF PANELS

PARTS REQUIRED:




3/4 48 x 96" (121,9 x 243,8 cm)



Roof panels may cause serious injury until securely fastened.

Note: Install all roof panels with the rough side up (painted grid li





2

Move to the opposite end.
Using the long edge of the panel as a lever, move the panel side-to-side until the top corner is flush to the peak (Fig. B).

Move gable end rafter edge until it is 1/2" from the panel (Fig. C).

Secure panel with (1) 2" nail in each corner.






5

Maintain spacing between the center of the rafters at the lower edge of the panels (Fig. D).

Secure panels with (1) 2" nail into each rafter, as shown.

Move to the top of the panel and keep spacing between the center of the rafters.


Secure panels with (1) 2" nail into each rafter.



12' x 16' ROOF PANELS **PARTS REQUIRED:** x36 2" (5,1 cm) **x1 x1** 12-1/2" x 96" (31,8a cm x 243,8 cm) 23-7/8" x 96" (60,6 x 243,8 cm) 23-7/8" x 48" (60,6 x 121,9 cm) **3/4" GAUGE BLOCK x2 x2** 11-7/8" x 96" 11-7/8" x 48" 12-1/2" x 48" (31,8 cm x 121,9cm) (30,2 cm x 243,8 cm) (30,2 cm x 121,9 cm)

6 Next, install front 12-1/2" x 48" and 12-1/2" x 96" roof panels with a 3/4" measurement on the rafter (Fig A), and flush to the installed panels (Fig. E).

Secure panels with (1) 2" nail in each corner.




- 7 Install additional roof panels flush to the installed panels in the following order:
 - 1. 2nd upper 12-1/2" x 48"
 - 2. 23-7/8" x 48", 23-7/8" x 96" and 2nd 23-7/8" x 48" (Fig. E)
 - 3. 11-7/8" x 96", 11-7/8" x 48" and 2nd 11-7/8" x 48"


Install roof panels with a 3/4" measurement on the rafter (Fig A). Secure panels with (1) 2" nail in each corner.

12' x 16' ROOF PANELS


PARTS REQUIRED:



8 Secure all roof panels with 2" nails spaced 6" apart and 12" apart inside panels.



Repeat all steps to install roof panels on the opposite side.





FINISH

Your roof panels are now installed.

12' x 20' ROOF PANELS

PARTS REQUIRED:





Flush at peak

> Flush at peak

x1

48 x 96" (121,9 x 243,8 cm)

Roof panels may cause serious injury until securely fastened. Note: Install all roof panels with the rough side up (painted grid lines).



Fig. B

48" × 96"


Two Nails

VBEGIN



Place the 48" x 96" panel on rafters with a 3/4" measurement on the rafter (Fig A) and the panel flush at the peak (Fig. B).

Secure panel with (1) 2" nail in each corner.




Move to the opposite end. Using the long edge of the panel as a lever, move the panel sideto-side until the top corner is


Move gable end rafter edge until it is 1/2" from the panel (Fig. C).

flush to the peak (Fig. B).

Secure panel with (1) 2" nail in each corner.



Gable **End Rafter**




5

Maintain spacing between the center of the rafters at the lower edge of the panels (**Fig. D**). Secure panels with (1) 2" nail into each rafter, as shown.

Move to the top of the panel and keep spacing between the center of the rafters.


Secure panels with (1) 2" nail into each rafter.



12' x 20' ROOF PANELS **PARTS REQUIRED:** x36 2" (5,1 cm) **x2 x2** 12-1/2" x 96" (31,8a cm x 243,8 cm) 23-7/8" x 96" (60,6 x 243,8 cm) 23-7/8" x 48" (60,6 x 121,9 cm) **3/4" GAUGE BLOCK x2 x1** 11-7/8" x 96" 11-7/8" x 48" 12-1/2" x 48" (31,8 cm x 121,9cm) (30,2 cm x 243,8 cm) (30,2 cm x 121,9 cm)

6 Next, install front 12-1/2" x 48" and 12-1/2" x 96" roof panels with a 3/4" measurement on the rafter (Fig A), and flush to the installed panels (Fig. E).

Secure panels with (1) 2" nail in each corner.




- 1. 2nd upper 12-1/2" x 96"
- 2. 23-7/8" x 96", 2nd 23-7/8" x 96" and 23-7/8" x 48" (Fig. E)
- 3. 11-7/8" x 48", 11-7/8" x 96" and 2nd 11-7/8" x 96"


Install roof panels with a 3/4" measurement on the rafter (Fig A). Secure panels with (1) 2" nail in each corner.

12' x 20' ROOF PANELS

PARTS REQUIRED:



8 Secure all roof panels with 2" nails spaced 6" apart and 12" apart inside panels.




12' x 24' ROOF PANELS

PARTS REQUIRED:



GAA 3/4" GAUGE BLOCK



<u>^</u>

Roof panels may cause serious injury until securely fastened.

Note: Install all roof panels with the rough side up (painted grid lines).

BEGIN



Secure panel with (1) 2" nail in each corner.





Fig. A







Move to the opposite end.
Using the long edge of the panel as a lever, move the panel side-to-side until the top corner is flush to the peak (Fig. B).

Move gable end rafter edge until it is 1/2" from the panel (Fig. C).

Secure panel with (1) 2" nail in each corner.





Move gable end rafter edge until it is 1/2" from the 2nd 48" x 48" roof panel (Fig. C). Finish securing panel with (1) 2" nail in each corner.



Maintain spacing between the center of the rafters at the lower edge of the panels (Fig. D). Secure panels with (1) 2" nail into each rafter, as shown.

Move to the top of the panel and keep spacing between the center of the rafters.


Secure panels with (1) 2" nail into each rafter.

Fig. D NOTE: Measurements from inside of gable panels 24-3/8" 24" 24" 24" 24" 24" 24" 24" 24" 24" 24" 24-3/8' (60,9 cm) (60,9 cm) (62,9 cm) (60,9 cm) (62,9 cm) 2" (5,1 cm) Nails

12' x 24' ROOF PANELS **PARTS REQUIRED:** x48 2" (5,1 cm) **x1 x1** 12-1/2" x 96" 23-7/8" x 96" (60,6 x 243,8 cm) 23-7/8" x 48" (31,8a cm x 243,8 cm) **3/4" GAUGE** (60,6 x 121,9 cm) **BLOCK x1 x2 x2** 12-1/2" x 48" 11-7/8" x 96" 11-7/8" x 48" (30,2 cm x 243,8 cm) (30,2 cm x 121,9 cm) (31,8 cm x 121,9cm)

Install front 12-1/2" x 48" and 12-1/2" x 96" roof panels with a 3/4" measurement on the rafter (Fig A), and flush to the installed panels (Fig. E).

Secure panels with (1) 2" nail in each corner.




12' x 24' ROOF PANELS

PARTS REQUIRED:



9 Secure all roof panels with 2" nails spaced 6" apart and 12" apart inside panels.




GABLE TRIM x88 🗅 **PARTS REQUIRED:** 2" (5,1 cm) 5/8 x 4 x 60-7/8" 5/8 x 4 x 36" ZOL ZJL (1,6 x 10 x 154,6 cm) (1,6 x 10 x 91 cm) 5/8 x 4 x 60-7/8" 5/8 x 4 x 36" ZOR ZJR (1,6 x 10 x 154,6 cm) (1,6 x 10 x 91 cm)

BEGIN

- Install upper gable trim **ZOR** and **ZOL** flush to top of roof panels and flush at peak. Secure trim with 2" finish nails evenly spaced, as shown.
- Install lower gable trim **ZJR** and **ZJL** flush to top of roof panels and flush to installed trim. Secure trim with 2" finish nails evenly spaced, as shown.

Repeat steps to install trim to the opposite gable.



FINISH


Your gable trim is now installed.

CORNER TRIM

PARTS REQUIRED:


x8 [

3/8" x 1-3/4" x 83-1/4" (1 x 4,5 x 211,5 cm)



VBEGIN

- Install gable end 83-1/4" corner trim under gable panel, (Fig. A) and flush to eave wall panel (Fig. B). Secure with 2" finishing nails spaced evenly.
- Install eave side 83-1/4" corner trim flush to eave soffit and flush along seam of installed corner trim (Fig. C). Secure with 2" finishing nails spaced evenly.



Repeat STEPS 1 - 2 for each corner of shed.



Your corner trim is now installed.

COLLAR TIE PARTS REQUIRED: x2 SX 2 x 4 x 60" (5,1 x 10,2 x 152,4 cm) x2 OSB 7/16 x 3-1/2 x 24" (1,1 x 8,9 x 61 cm)


VBEGIN

Arrange (2) **SX** end-to-end on flat surface, flush in middle.

Center collar tie gusset OSB on top of SX boards.

Fasten together with 2" nails in the pattern shown.

2 Flip collar tie assembly over and nail as shown on the other side.



3 Build more collar ties for the building sizes listed:

$$12' \times 16' = x1$$


$$12' \times 16' = x2$$


$$12' \times 20' = x3$$

$$12' \times 24' = x4$$



Your collar tie is now assembled.





BEGIN

Orient parts **TP** and **SP** on a flat surface. Hold parts **TP** and **SP** flush and aligned.

Assemble joist with 3" nails in a staggered pattern.

TP

Flush

TP

Flush


TP

Flush


TP

Flush

Turn assembled joist over and repeat staggered nail pattern.




Repeat steps to build a second loft joist.




✓BEGIN

Install **LW** and **PT** flush to bottom of top plate and flush at seam. Secure with (2) 3" nails at wall studs and (4) 3" nails at seam.



- Clamp or hold joist assembly in place flush to top plate and flush against wall stud. Drill through wall stud with 7/16" drill bit using hole in joist assembly as a guide.
- Line up holes of joist assembly with holes in studs.

 Secure joist with (2) hex bolts, flat washers and lock nuts at both sides (Fig. A).



Repeat STEPS 2 - 3 to install second loft joist at the 2nd stud from the 12' wall.


Your loft support and joists are now installed.

X1 40-7/8" x 48" (103,8 x 121,9 cm) LOFT PANELS x51 2" (5,1 cm)




Install loft panels over loft joists and ledger board.

Secure with 2" nails spaced 8" apart.





Your loft is now completed.




√BEGIN

1 Place doors on flat surface. 3/8" offset is to top.

Look for red (right) and green (left) on hinge board.

Attach temporary supports OO and GAA as shown.



PARTS REQUIRED: x1 OO TEMPORARY SUPPORT 69" (175,3 cm) Door Stiffener

Install OO flush under panels.
Secure to floor frame with (2) 3" screws (Fig. A).
Mark center of door opening.

Fig. A

Fig. A

Flush
against wall panels


OO

(2) 3" (7,6 cm) Screws

TEMPORARY SUPPORT

Screw hinge boards into wall supports with (10) 3" screws, as shown.

/ Make sure screws go into framing.



Remove temporary supports and check to make sure doors open and close properly.

FINISH
Your doors are now installed.

DOOR STIFFENERS PARTS REQUIRED: x14 2" (5,1 cm) 69" (175,3 cm) Door Stiffener

BEGIN

00

x2 [

- 1 Center **OO** vertically on the left door in the doorway (Fig. A) overlapping 1" (2,5 cm) along the edge of door (Fig. B).
 - Secure with (7) 2" screws through outside trim into OO.
- 2 Center **OO** vertically on the right door in the door opening offset 1" (2,5 cm) from the edge of door (Fig. B). Secure with (7) 2" screws through outside trim into **OO**.


Fig. A Fig. B 00 (2,5 cm) **IMPORTANT** Center OO TO HOLD in door opening. **THESE DIMENSIONS** 2" (5,1 cm) Screws (2,5 cm) OFFSET 12" (30,5 cm) Approx. (5,1 cm) **Screws** x14 Your door stiffeners are now installed.


DOORS PARTS REQUIRED: x62 3/4" (1,9 cm) x7 □ 2" (5,1 cm) **x2** AH 19/32" x 2-1/2" x 26 5/8" (1,5 x 6,3 x 67,6 cm)) **x1** 3/4" (1,9 cm) x1 AHR Bagged separately/ special coating 19/32" x 2-1/2" x 62" (1,5 x 6,3 x 157,5 cm) 64" Metal Threshold 19/32" x 2-1/2" x 72" (1,5 x 7,6 x 182,9 cm) 19/32" x 2-1/2" x 62" (1,5 x 6,3 x 157,5 cm)

BEGIN

Install trim **AH**, **AHL** and **AHR** as shown. Level **AH** before installing. Fasten trim to each door from inside with (11) 3/4" screws (**Fig. A**, **Fig B**).


2 Center trim **ZJ** over doors and secure with (7) 2" finishing nails into framing as shown.





3 Install 64" metal threshold with (11) 3/4" screws.

(11) Special Coating Screws



Your door trim and metal threshold are now installed.


DOOR HARDWARE

PARTS REQUIRED:





Install decorative hinges in locations shown. Secure with 3/4" screws.



FINISH

Your decorative door hinges are now installed.

DOOR HARDWARE

PARTS REQUIRED:






VBEGIN

- Place bolt on **OO** in open position with bolt end 3/8" (9,5 mm) down from frame. Bolt is open when loop is contacting base (**Fig A**).
- 2 Mark and pre-drill holes for screws. Install bolt with screws supplied.


 Drill 5/16" (7,9 mm) hole deep enough for bolt to slide into.
- Place bolt on **OO** in open position with bolt end 1/2" (12,7 mm) up from floor. Bolt is open when loop is connecting base (**Fig. B**).
- Mark and pre-drill holes for screws. Install bolt with screws supplied.

 Drill 5/16" (7,9 mm) hole deep enough for bolt to slide into.



DOOR HARDWARE

PARTS REQUIRED:








Measure and mark location of hole on outside of right door as shown (Fig. A). Pre-drill hole with 1/4" drill.

Re-drill hole with 3/8 " drill.




Keep drilled hole square to trim to avoid breaking edge of door stiffener.



6 Insert handle in hole and secure with 1-1/4" screws.

Attach inside handle and secure with set screw as shown.







Your spring bolt, T-handle and decorative hinges are now installed.

HOOK & EYE


PARTS REQUIRED:








FINISH
You have installed your hook & eyes.



BEGIN

Center window in front gable as shown and secure with 3/4" screws.


Seal back of window with high-quality paintable exterior caulk before installing.



2 Install (4) window trim **KX** centered over window.

Secure with 3/4" screws and 2" finishing nails, as shown.

Do not screw or nail into frame of window.




Your gable window and trim are now installed.

VENT (Not included in kit.)

• Follow directions provided by manufacturer and these instructions.













Locate and mark for two vents in side walls as shown; (1) at top and (1) at bottom.

Cut out marked openings.

Caulk behind vent flanges.

Secure with 1/2" screws.







Your vents are now installed.

PAINT & CAULK - NOT INCLUDED -




- Use acrylic latex caulk that is paintable. Caulk at all horizontal and vertical seams, between the trim and walls, and all
 around the door trim.
- Use a high quality exterior acrylic latex paint. When painting your building, there are a few key areas that can be easily overlooked that must be painted:
 - · Bottom edge of all siding and trim
 - · Inside of doors and all 4 edges

Note:


Prime all un-primed exterior wood before painting. (Follow directions provided by manufacturer.)

ROOF FELT - NOT INCLUDED -

• Install felt flush to all roof edges overlapping 3". Use minimal amount of roofing nails to hold in place.



DRIP EDGE- NOT INCLUDED -



89


NOTE: 12' x 12' Model Shown.

SHINGLES - NOT INCLUDED -

• Follow directions provided by manufacturer and these instructions.



Familiarize yourself with a 3-Tab Shingle.




/!\ NEVER DRIVE FASTENERS INTO OR ABOVE SEALING STRIPS.

BEGIN


Install first starter row upside down and color up with a 1" overhang at back and bottom of roof panel. Use (4) nails per shingle. Starter row must be straight and level all the way across with lower edge of roof deck.

NOTE: If you have installed drip edge install shingles flush to drip edge.





SHINGLES continued...

2 Beginning at front of shed, install first row of shingles with notch at 1" past roof edge or flush with drip edge.




Install second row of shingles flush at top of first row's rain slots. Ensure 1" overhang or flush to drip edge at front, stagger each row.






SHINGLES continued...


Continue installing rows of shingles to the peak. At the peak make sure there is a maximum of 5" or less to the rain slot, as shown below. If shingles overlap at ridge cut to peak with a utility knife.





• If more than 5" to rain slot you must install another row of shingles.

- Repeat steps 1 7 to shingle the opposite side of your roof. Trim shingles at ridge.
- Once both sides are shingled you need to trim ends. Strike a chalk line 1" from edge.
- Using your shingle hooked blade carefully cut shingles along chalk line.



You have finished shingling your roof. Proceed to capping the ridge.


SHINGLES - RIDGE CAP

• You will finish off the top of the roof with a ridge cap made from shingles.




BEGIN


1 Cut shingles in THREE pieces. Hint: Use cut-off pieces first.



2 Install first ridge cap flush to shingles at front, as shown.




3 Install second ridge cap 5" back, as shown.




SHINGLES - RIDGE CAP continued...


Continue installing ridge cap to back of roof.




Make sure there is 4" between the shingle-color and edge of shingles.



When you have 4" minimum of shingle color cut one piece to cap your roof.



Install flush to shingles.



You have finished your ridge cap.

16502 12' x12' Order Form					
CATEGORY	PART DESCRIPTION	PART SIZE	PART ITEM#	BUILDING QTY.	PART
2 X 3	Loft Ledger Board "A"	LUM SPF 2X3X96 #2&BTR	12115	1	PT
	Loft Ledger Board "B"	2 X 3 X 48" PLATE	Q 48000000000	1	NK
2 x 4	Back Wall Top & Btm "A" / Dblr "A" / Loft	LUM SPF 2X4X96 #2&BTR	12306	10	TP
	Side Wall T & B Plate "A" / Dblr "B"	LUM SPF 2X4X92-5/8 #2&BTR	12305	4	TJ
	Side Wall B Plate "B"	2 X 4 X 44 3/8" PLATE	O 44060000000	4	HVC
	Side Wall Top Plate Doubler "C"	2 X 4 X 68-1/2" 2X4X48" DOUBLER/ PLATE/ CRATE	O 68080000000 O 48000000000	4 10	YFA SP
	Collar Tie	2 X 4 X 60" PLATE	O 6000000000	2	SX
	Wall Studs	2 X 4 X 78 1/2"	O 78080000000	23	Al
	Jack Studs	2 X 4 X 68" STUD	O 68000000000	2	UM
	Over Door Crippler Header	2 X 4 X 7" 2 X 4 X 67"	O 0700000000 O 67000000000	5 2	AL AM
	Front / Rear Gable Connector	2 X 4 X 39" 17* O/E CONNECTOR	O 39001700000	4	QL
4 V 4 BINE	To an a		T		1
1 X 3 PINE	Gauge Block	1 X 3 X 5" PINE FILLER	U 05000000000	1	GAA
	Upper Roof Panel "A" / Loft Deck "B"	OSB 7/16" x 4' x 8'	11110	3	
7/16 OSB	Upper Roof Panel "B"	7/16" OSB 47 7/8" X 48" ROOF	C 48004714000	2	
	Lower Roof Panel "A" Lower Roof Panel "B"	7/16" OSB 23 7/8" X 96" ROOF 7/16" OSB 23 7/8" X 48" ROOF &	C 96002314000 C 48002314000	2 2	
	Door Header Filler	7/16" OSB 23 7/8" X 48" ROOF & 7/16" OSB 3 1/4" X 66 3/4" HEADER	C 48002314000 C 66120304000	1	
	Loft Deck "B"	7/16" OSB 40 7/8" X 48" LOFT P	C 48004014000	1	
	Upper Soffit Roof Panel "A"	7/16" OSB 12 1/2" X 96" ROOF	C 96001208000	2	
	Upper Soffit Roof Panel "B"	7/16" OSB 12 1/2" X 48" ROOF	C 48001208000	2	
	Lower Soffit Roof Panel "A" Lower Soffit Roof Panel "B"	7/16" OSB 11 7/8" X 96" 7/16" OSB 11 7/8" X 48"	C 96001114000 C 48001114000	2	
	Lower Sollit Roof Panel B	7/16 USB 11 7/8 X 48	C 48001114000	2	
GUSSETS	Gusset	EZ 8"/ OSB 6" X24" GUSSET 17*	J 24000600170	12	
G033E13	Collar Tie Gusset	EZ 8"/ OSB 3 1/2" X 24" PRECUT	J 24000308000	2	
	Center Gable Panel With HOLE	3/8" NG 48" X 50 7/8" GABLE	K 50144800FXW	1	T
	Center Gable Panel	3/8" NG 48" X 50 7/8" GABLE	K 50144800000	1	
NO GROOVE SIDING	Front / Rear Gable Panel - Right	3/8" X 43-3/8" X 48" RIGHT GABLE	K 48004306344	2	
	Front / Rear Gable Panel - Left	3/8" X 43-3/8" X 48" LEFT GABLE	K 48004306444	2	
	Corner Trim	3/8" NG 1 3/4" X 83-1/4"	K 83040112000	8	
8OC SIDING	Rearwall Panel "A" / Side Panel	SIDING 8" OC 4'X7'	11506	9	
	Rear Panel "B"	EZ 8" 23 7/8" X 84" WALL PANEL	J 84002314000	2	
	Frontwall Panel Right Frontwall Panel Left	EZ 8" 48" x 84" RIGHT FRONTWALL EZ 8" 48" x 84" LEFT FRONTWALL	J 84004800101 J 84004800201	1	
	Frontwali Farior Eot	LEO 40 X 04 EEI I I KOKI WALE	0 04004000201	'	
19/32 X 3 SMART TRIM	Vertical / Over Door Trim	19/32 TST 2 1/2" X 72" TRIM	UT72000208000	1	ZJ
	Long Cross Buck - Right	19/32 TST 2 1/2" X 62" 22.5*	UT62000208221	1	AHI
	Long Cross Buck - Left Horizontal Door Rail	19/32 TST 2 1/2" X 62" 22.5* 19/32 TST 2 1/2" X 26 5/8"	UT62000208222 UT26100208000	1 2	AH AH
	Horizontal & Vertical Window Trim	19/32 TST 2 1/2" X 20 3/6"	UT21120208000	4	KX
	•			•	
19/32 X 4 SMART TRIM	Lower Gable Trim Right	2 X 4 X 36" 24*/24* RIGHT	UT36002424100	2	ZJF
	Lower Gable Trim Left	2 X 4 X 36" 24*/24* LEFT	UT36002424200	2	ZJI
	Upper Gable Trim Right Upper Gable Trim Left	19/32 TST 3 1/2" X 60 7/8" RGT 19/32 TST 3 1/2" X 60 7/8" LFT	UT60141724100 UT60141724200	2 2	ZO ZO
				-	
	Door Stiffener	LSL 1-1/4 X 2-1/4 X 69 PET	12715	2	00
PURCHASED COMPONENTS	Gable Window Black T-Handle w/ Faux Hinges	WINDOW 16-3/4X21-3/4 TRANSOM HANDLE - T & "D" HANDLES, FAUX	15284	1	
	Threshold	THRESHOLD 7/8" X 1-1/2" X 63-7/8	15220 15420	1 1	
PACKAGING	Instructions		16502	1	
	30222-R				
	Door Panel	EZ 8" 31 1/4" X 71 1/2"	J 71083104000		1
Right Door Assembly	Right Hinge Assembly Vertical Door Stiles	HINGE RIGHT (RED) 19/32x3 THIN TRIM 19/32 TST 2 1/2" X 71 5/8"	30121-TT UT71100208000		1 2 G Y
-	Horizontal Door Rails	19/32 TST 2 1/2 X 7 T 5/8 19/32 TST 2 1/2" X 26 5/8"	UT26100208000		2 AH
	30222-L				
Left Door Assembly	Door Panel	EZ 8" 31 1/4" X 71 1/2"	J 71083104000		1
	Left Hinge Assembly	HINGE LEFT (GREEN) 19/32x3 THIN TRIM	30131-TT		1
	Vertical Door Stiles Horizontal Door Rails	19/32 TST 2 1/2" X 71 5/8" 19/32 TST 2 1/2" X 26 5/8"	UT71100208000 UT26100208000		 GY AH
	30070-M	19/32 10/12 1/2 \ \ 20 3/0	0120100200000		- An
Sub Assembled Truss	Upper Truss	2 X 4 X 60 1/2" 17*-24* TRUSS	O 60081724000		1
	Lower Truss	2 X 4 X 35" 24*-24*TRUSS PART	O 3500242400A		1
Sub Assembled Truss	Lower Truss	2 7 4 7 00 24 24 1100017111	0 000027270071		

LIMITED CONDITIONAL WARRANTY*

Backyard Storage Solutions, LLC warrants the following:

- 1. Every product is warranted from defects in workmanship and manufacturing for 1 year.
- 2. All accessories, hardware and metal components are warranted for 2 years.
- 3. All Oriented Strand Board (OSB) is warranted for 2 years
- 4. Siding and Trim is warranted for 15 years.
- 5. LP Prostruct® Flooring is warranted for 10 years
- 6. Cedar lumber is warranted for 15 years.
- 7. Preserved Pine is warranted for 10 years.
- 8. Redwood is warranted for 10 years.
- 9. Metal Roof is warranted for 25 years.

Backyard Storage Solutions, LLC will repair, replace or pay for the affected part. In no event shall Backyard Storage Solutions, LLC pay the cost of labor or installation or any other costs related thereto. All warranties are from date of purchase. If a cash refund is paid on an affected part, it will be prorated from the date of purchase.

CONDITIONS

The warranty is effective only when:

- The unit has been erected in accordance with the assembly instructions.
- 2. The unit has been properly shingled and painted or stained and reasonably and regularly maintained thereafter.
- 3. The failure occurs when the unit is owned by the original purchaser.
- 4. Backyard Storage Solutions, LLC has received the warranty registration card within thirty (30) days of purchase and notification of the failure in writing within the warranty period specified above.
- 5. Backyard Storage Solutions, LLC has had reasonable opportunity during the sixty (60) days following receipt of notification to inspect and verify the failure prior to commencement of any repair work.

REQUIREMENTS

Storage Buildings

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit; shingle the roof and paint or solid-colored stain the siding using quality, 100% acrylic latex exterior product with a minimum of two (2) coats within thirty (30) days of assembly; caulk above all doors and all horizontal and vertical trim boards; paint and seal all exposed edges, sides and faces of siding/trim and OSB siding to include all exterior walls and all sides and all edges of doors.

Gazebos & Pergolas

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit. This includes treating all of the exposed cedar and pine surfaces on your gazebo or pergola structure with an exterior grade wood preservative, an exterior oil-based semi-transparent stain, an acrylic latex exterior paint or an acrylic latex solid color exterior stain within 30 days of assembly and as needed thereafter to maintain your warranty.

Keep vegetation trimmed away from building and make sure siding panels and trim do not come in contact with masonry or cement. The minimum ground clearance for siding must be one half inch (½ inch) from concrete slab or two and one half inches (2 ½") from the ground when building is erected or constructed on a treated wood floor kit. Water from sprinklers must be kept off unit. In no event will Backyard Storage Solutions, LLC be responsible for any indirect, incidental, consequential or special damages nor for failure(s) that are caused by events, acts or omissions beyond our control including, but not limited to, misuse or improper assembly, improper maintenance (which eventually leads to rot or decay) and acts of God. Backyard Storage Solutions, LLC will not be held responsible for any labor costs incurred to construct your unit.

This warranty gives you certain specific rights that vary from state to state.

CLAIM PROCEDURE

To make a claim under this warranty, you can either call 1-888-827-9056 or email: customerservice@backyardproducts.com. Please have ready the information below when you call or include the information in your email:

- 1. The model and size of the product.
- 2. A list of the part(s) for which the claim is made.
- 3. Proof of purchase of the Backyard Storage Solutions, LLC item, as shown on the original invoice or receipt.
- 4. Run code: found on exterior product label or assembly instructions enclosed in the product package.

All other inquiries can be mailed to:

Backyard Storage Solutions, LLC Attn: Customer Service 1000 Ternes Monroe, MI 48162