

INSTRUCTION MANUAL



PF-100	1524X1524MM	60"X60"
PF-100	1524X1930MM	60"X76"

Please keep this manual and product code number for future reference and for ordering replacement parts if necessary.

GENERAL INSTRUCTIONS

Read this manual carefully and completely before proceeding.

.It is recommended that you wear safety glasses at all times during the i nstallation.

INSTALLATION OVER CERAMIC TILES

If your shower door is to be installed over ceramic tiles, the tiles should lay completely under the wall jamb. Silicone should be used to seal the gap where the ceramic tiles meet the fixed panel.

NOTICE

.Caulking: no sealant is required inside the shower, unless otherwise stated.

.Some models are equipped with clear sealing gaskets.





CARE FOR YOUR SHOWER DOOR

Never use scouring powder pads or sharp instruments on metal pieces or glass panels.


An occasional wiping down with a mild soap diluted in water is all that is needed to keep the panels and aluminum parts looking new.


.We recommend wiping the glass panels with a squeegee after each use.

CHOOSE A CONFIGURATION




PARTS LISTUNG











◆ Box Contents



1



2





2.1



2.2


2.1



OK




2.2



3/8" (10mm)



> 3/8" (10mm)!



OK






4



H-55=Total height reduced by 2-11/64" (55mm)


5






product Height"	Header Height"
(60")	56-1/4"
(66")	62-1/4"
(72")	68-1/4"
(76")	72-1/4"
(79")	75-1/4"
(84")	80-1/4"



6



7




7.1



$$N = M - 6\text{mm } 15/64''$$


8



8.2

8.1

9




9.1

9.2


9.3

OK


10






10.1



10.2




11




OK
✓


12




12.1




12.2



12.3




12.4




[5]



[6]





[10]




13.1




13.2




13.3




13.4




13.5



13.6




13.7




ST4X30


13.8




13.9



13.10




13.11




Ø 6mm 15/64"

13.12




ST4X30


14




14.2




14.1




14.3




15




15.3




15.4




15.1



15.2



15.5




05E


16




16.2



16.1




16.3









17.1





17.2





[9][10]



[8]



18




18.1





18.2




MAX




MIN




18.3







19.1



19.2





19.3



20


20.1



21



21.1



21.2

