


MI-T-M MATERIAL SAFETY DATA SHEET

MI-T-M PUMP OIL Product Code H42 7357

NFPA HAZARD RATING

- 4 - Extreme
- 3 - High
- 2 - Moderate
- 1 - Slight
- 0 - Insignificant



DIVISION AND LOCATION - SECTION I

Division: MI-T-M CORPORATION
Location: 8650 ENTERPRISE DRIVE
PEOSTA, IOWA 52068
1-800-553-9053
Emergency Telephone Number: (814)368-6111
Transportation Emergency: CHEMTREC 1-800-424-9300 (U.S. and Canada)

CHEMICAL AND PHYSICAL PROPERTIES - SECTION II

Chemical Name: petroleum hydrocarbon plus additives
Formula: not applicable
Hazardous Decomposition Products: carbon monoxide and carbon dioxide from burning
oxides of phosphorous from burning
oxides of sulfur
Incompatibility (Keep away from): strong oxidizers such as hydrogen peroxide, bromine, and chromic acid.
Toxic and Hazardous Ingredients: none
Form: liquid
Odor: motor oil
Appearance: liquid
Color: brown
Specific Gravity (water=1): .88
Boiling Point: greater than 330° C (625° F)
Melting Point: less than -26° C (-15°F)
Solubility in Water (by weight %): 0 at 20° C
Volatile (by weight %): 0
Evaporation Rate: 0
Vapor Pressure (mm Hg at 20° C): 0
Vapor Density (air=1): not volatile
pH (as is): not applicable
Stability: Product is stable under normal conditions
Viscosity SUS at 100°F: Greater than or = to 100

FIRE AND EXPLOSION DATA - SECTION III

Special Fire Fighting Procedures: Do not use water as fog.
Unusual Fire and Explosion Hazards: none
Flashpoint: (Method Used) Cleveland open cup greater than 193° C (380°F)
Flammable limits %: not applicable
Extinguishing agents: Drychemical or Waterfog or CO₂ or Foam
Closed containers exposed to fire may be cooled with water.

HEALTH HAZARD DATA - SECTION IV

Permissible concentrations (air): see COMMENTS section

Chronic effects of overexposure: no data available

Acute toxicological properties: no data available

Emergency First Aid Procedures:

Eyes: Immediately flush with large quantities of water for at least 15 minutes and call a physician.

Skin Contact: Remove excess with cloth or paper. Wash thoroughly with soap and water.

Inhalation: Remove victim to fresh air. Call a physician.

If Swallowed: Contact a physician immediately.

SPECIAL PROTECTION INFORMATION - SECTION V

Ventilation Type Required (Local, mechanical, special): see COMMENTS section

Respiratory Protection (Specify type): Use NIOSH/MSHA certified respirator with organic vapor cartridge if vapor concentration exceeds permissible exposure limit.

Protective Gloves: neoprene type

Eye Protection: Chemical safety goggles

Other Protective Equipment: none

HANDLING OF SPILLS OR LEAKS - SECTION VI

Procedures for Clean-up: Transfer bulk of mixture into another container. Absorb residue with an inert material such as earth, sand, or vermiculite. Sweep up and dispose as solid waste in accordance with local, state, and federal regulations.

Waste Disposal: Dispose of in accordance with all applicable federal, state and local regulations.

SPECIAL PRECAUTIONS - SECTION VII

Precautions to be taken in handling and storage: Do not handle or store at temperatures over maximum storage temperature.

Maximum Storage Temperature: 38° C (100°F)

TRANSPORTATION DATA - SECTION VIII

D.O.T.: Not Regulated

Reportable Quantity: not applicable

Freight Classification: Petroleum Lubricating Oil

Special Transportation Notes: none

ENVIRONMENTAL/SAFETY REGULATIONS - SECTION IX

Section 313 (Title III Superfund Amendment and Reauthorization Act): This product contains the following toxic chemical category(ies) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

(percent by weight is also provided): 1.6% zinc compound or .13% zinc in compound form

COMMENTS

If used in applications where a mist may be generated, observe a TWA/PEL of 5 mg/m3 for mineral oil mist (OSHA and ACGIH)

STATE REGULATORY INFORMATION: Pennsylvania Worker and Community Right To Know Act: This product contains the following ingredient(s): **Hydrocarbon oils CAS NO. 8020-83-5**

The additive mixtures in this product have been declared a trade secret by the additive manufacturers.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.