# **KOHLER** Faucets

# Wall-mount bathroom sink faucet trim, 1.2 gpm K-T27120-4

#### **Features**

- Two Lever handles offer separate control of hot and cold water
- 8-5/8" (219 mm) spout reach
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar)
- Fluid design lines for ease of cleaning
- Coordinates with other products in the Parallel collection

#### Material

- Solid-brass construction for durability and reliability
- KOHLER finishes resist corrosion and tarnishing

### Installation

Wall-mount

### Required Products/Accessories

For wall-mount installation K-410-K Wall-mount Valve

## **Recommended Products/Accessories**

K-23726 Drain treatment

K-21897 Double toilet paper holder

K-23524 18" towel bar

K-23525 24" towel bar

K-23526 Towel arm

K-23527 Vertical toilet paper holder

K-23528 Pivoting toilet paper holder

K-23529 Robe hook

#### Optional Products/Accessories

K-7107 Decorative Drain

K-7108 Decorative Drain

K-7129 Drain

K-7129-A Bathroom sink grid drain with overflow

K-33151 Clicker drain without overflow

K-25322 Clicker drain with overflow







#### Codes/Standards

ASME A112.18.1/CSA B125.1

NSF/ANSI/CAN 61

NSF/ANSI/CAN 372

DOE - Energy Policy Act 1992

EPA WaterSense®

California Energy Commission (CEC)

ADA

ICC/ANSI A117.1

CSA B651

OBC

# KOHLER® Faucet Lifetime Limited Warranty


See website for detailed warranty information.

### **Available Colors/Finishes**

Color tiles intended for reference only.

Color	Code	Description
	CP	Polished Chrome
	SN	Vibrant® Polished Nickel
	AF	Vibrant® French Gold
	BN	Vibrant® Brushed Nickel
	BV	Vibrant® Brushed Bronze
	BL	Matte Black
	2MB	Vibrant® Brushed Moderne Brass





# **Technical Information**

All product dimensions are nominal.

Faucet flow rate: 1.2 gal/min (4.5 l/min)

Drain with overflow: Yes
Drain tailpiece No

included:

Spout:

Spout reach: 8-5/8" (219 mm)

#### **Notes**

Install this product according to the installation instructions

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

