



# Underscore® | K-1121-L

60" x 30" alcove bath, left drain

## Features

- Integral lumbar support
- Slotted overflow allows for deep soaking
- Integral flange helps prevent water from seeping behind wall and simplifies alcove installation



## Available Colors/Finishes

*Color tiles intended for reference only.*

- |    |             |
|----|-------------|
| 0  | White       |
| 96 | Biscuit     |
| 95 | Ice Grey    |
| 7  | Black Black |



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
3-27-2026 17:17 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

ADA compliant when installed to the specific requirements of these regulations.



CSA B45.5/IAPMO Z124

ASTM E162

ASTM E662

ADA

ICC/ANSI A117.1

## Warranty

See website for detailed warranty information.

KOHLER® Plastic Baths and Shower Bases Lifetime Limited Warranty

## Technical Information

All product dimensions are nominal.

|                        |                                       |
|------------------------|---------------------------------------|
| Drain Location:        | Left                                  |
| Drain Hole Diameter:   | 2-1/4" (57 mm)                        |
| Minimum Flat for Door: | 1-15/16" (49 mm)                      |
| Basin Area, Bottom:    | 42-7/16" x 20" (1078 mm x 508 mm)     |
| Basin Area, Top:       | 54-5/16" x 24-1/4" (1380 mm x 616 mm) |
| Water Depth:           | 15-1/8" (384 mm)                      |
| Water Capacity:        | 59.8 gal (226.4 L)                    |
| Minimum Floor Load:    | 42 lbs/ft <sup>2</sup>                |
| Weight:                | 75 lbs (34 kg)                        |

## Material

- Acrylic

## Recommended Products/Accessories

K-1491 Bath/whirlpool pillow, removable

K-1601 Bath/whirlpool footstop, removable

K-23726 Drain treatment

K-23732 Tub & shower cleaner

K-31795 Slotted overflow bath drain kit for above-the-floor installations

K-31797 Slotted overflow bath drain kit




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

3-27-2026 17:17 - US-CA

No change in measurement if connected with drain illustrated. (K-7272)



## Installation

- Requires Clearflo slotted overflow bath drain (sold separately)
- Left drain
- Alcove

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.

ADA compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

3-27-2026 17:17 - US-CA