

Assembly Instructions

Caution : You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.



- Children should not climb or jump on the furniture.




- Dust and pick-up spills using a clean, non-colored, lint-free cloth.





Please look in Leg for hardware pack.

Sets often ship in multiple boxes and may arrive a day or two apart.

CHAIR



Parts List


Label	Picture	Description	QTY
A		Back	1
B		Seat	1
C		Left leg	1
D		Right leg	1
E		Front rail	1
F		Connection rod	1
G		Connection rod	1

Hardware


Label	Picture	Description	QTY
①		Bolt (M6*45MM)	12
②		Screw (M6*40MM)	3
③		Spring Washer (M6)	12
④		Washer (M6)	12
⑤		Wood plug	7
⑥		Allen Wrench (M6)	1
⑦		Plastic Cap	10

Assembly Preparation


Before
Beginning
Assembly:




A



B



C



D



E



F



G

 ① x12

 ② x3

 ③x12

 ④x12

 ⑤x7

 ⑥x1

 ⑦x10



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

Overview




This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.


Step 1




A



B




C




D



E



G




①



②



③




④



⑤




⑥



⑦

Unpack and place all the Parts and Hardware on a clean, non-marring surface.


Step 2



2.1) Insert the wood plugs (⑤) into the holes at below of the Connection rods(F+G). Put the Connection rods (F+G) between the Legs(C+D) as shown in the picture.

2.2) Attach the Legs (C+D) into the mounting positions at upper of the Connection rods (F+G) using Bolts(①), Spring Washer(③) and Washer(④) with Allen Wrench(⑥). Do not fully tighten the Bolts.


Step 3



3.1) Insert the wood plugs (⑤) into the holes at below of the Front rail (E). Put the Front rail between the Legs(C+D) as shown in the picture.

3.2) Attach the Legs (C+D) into the mounting positions at upper of the Front rail(E) using Bolts(①), Spring Washer(③) and Washer(④) with Allen Wrench(⑥). Do not fully tighten the Bolts.

Step 4




4.1) Place the assembled frame on the Seat (B) with the bottom facing you, as shown in the picture above.

Attach the Front rail(E) into the mounting positions of the Seat(B) using Screw(2) with Allen Wrench(6).

4.2) Attach the side rails on the Legs(C+D) into the mounting positions of the Seat(B) using Bolts(1), Spring Washer(3) and Washer(4) with Allen Wrench(6).

Do not fully tighten the Bolts.


Step 5



Attach the Back (A) into the mounting positions of the Legs (C+D) and Connection rod (F) using Bolts(①), Spring Washer(③) and Washer(④) with Allen Wrench(⑥).

Noted: Do not fully tighten the bolts until the 3 bolts are all inserted into the hole position. If you tighten the first bolt at the beginning, it will cause the remaining 2 bolts to be unable to align with the hole position, making assembly difficult.

Step 6



6.1) Turn the Chair right side up. Check for stability and then tighten all the remaining bolts. DO NOT fully tighten a bolt in one go and then move on to the next. Rather, in a sequential manner, gradually tighten each bolt until all bolts are evenly secured. This methodology will ensure maximum evenness once all bolts are fully tightened.

6.2) Cover the bolt holes with the Plastic caps(⑦) .

Your Chair is ready for use.

Caution: This chair can only be used on a flat, level surface.