


## SERA30KDCM INSTALLATION INSTRUCTIONS


If any questions ,please feel free to call or text us at +16267081381,  
or Email us at [cabinetservice25@outlook.com](mailto:cabinetservice25@outlook.com).

## DIMENSIONS
















Unit: mm















## ASSEMBLY DIAGRAM




# PARTS LIST

PARTS LIST		
No	Description	Qty
1		1
2		1
3		1
4		1
5		1
6		1
7		1
8		1
9		1
10		1
11		1
12		1
13		1
14		1
15		1




PARTS LIST		
No	Description	Qty
A	 Three-in-one Connector	32
B	 Handle	4
C	 Handle Screws M4x22	2
D	 Hinges	4
E	 Screws M3.5x15	24
F	 The Slide	2
G	 Screws M3x12	16
H	 Wood Plug	22
I	 Screws For Fix On The Wall	2
J	 Handle Screws M4x15	2
K	 Screwdriver	1
L	 Double-sided tape	1

## THE SLIDE



- Use the connector to separate the slide rail into two parts.
- The front part of the slide rail is attached to both side panels of the drawer using screws in the pre-drilled positioning holes (Step 3)
- While the rear part of the slide rail is attached to both side panels of the cabinet using screws in the pre-drilled positioning holes (Step 15)


## YOU MAY NEED (NOT SUPPLIED)





## INSTALLATIONS

### STEP 1

#### HARDWARE LIST


A  8 PCS





- Insert the Cam Screw into the shelves above

## STEP 2

### HARDWARE LIST

A  24 PCS





○ Insert the Cam Screw into the shelves above

## STEP 3



### HARDWARE LIST

F  2 PCS

G  10 PCS




The rear part  
of the slide rail



The rear part  
of the slide rail

The rear part  
of the slide rail




- While the rear part of the slide rail is attached to both side panels of the cabinet using screws in the pre-drilled positioning holes

## STEP 4

### HARDWARE LIST

H  22 PCS






○ Insert the wooden dowel pins into the shelves



## STEP 5

### HARDWARE LIST


A  2 PCS





° Refer to the illustration, already assembled #7 on the shelf #5. Then tighten the cam lock

## STEP 6

### HARDWARE LIST


A  3 PCS





- Refer to the illustration, already assembled #3, #6 on the side panel. #1. Then tighten the cam lock

## STEP 7

### HARDWARE LIST


A  4 PCS





- Refer to the illustration, already assembled #5, #7 on the side panel. #1. Then tighten the cam lock

## STEP 8

### HARDWARE LIST


A  1 PCS





- Refer to the illustration, already assembled #4 on the side panel. #1.  
Then tighten the cam lock

## STEP 9

### HARDWARE LIST


A  10 PCS






- Refer to the illustration, already assembled side panel #2 on the side sheft #5, #7, #4 . Then tighten the cam lock

## STEP 10

### HARDWARE LIST

A  4 PCS




○ Insert panel #15 and #1,#2 to their corresponding positions. Then tighten the cam lock.


## STEP 11




### HARDWARE LIST

D  4 PCS

E  8 PCS

B  2 PCS

C  2 PCS











◦ Use Screws to install the handle and apply Screws to fix the hinge on the door #8 and #9

## STEP 12

### HARDWARE LIST

E  16 PCS



A. Height adjustment  
C. Depth adjustment

B. Side to side adjustment  
D. After adjustment A/B/C, tighten screws



◦ To ensure proper cabinet alignment, refer to the above illustrations for instructions about adjusting the cabinet height, depth and lateral movement



## STEP 13

### HARDWARE LIST

A  8 PCS






- The side panels of drawer #12 and #13 are connected to the back panel of drawer #14 using Camlock, then the bottom panel of drawer #11 is inserted into the groove.

## STEP 14

### HARDWARE LIST

B  2 PCS

J  2 PCS





- The front panel of drawer #10 is connected to the side panels of drawers #12 using Camlock , Use Screws to install the handle.

## STEP 15


### HARDWARE LIST

F  2 PCS

E  6 PCS




The front part  
of the slide rail



- The front part of the slide rail is attached to both side panels of the drawer using screws in the pre-drilled positioning holes




## STEP 16








- Install the drawer so that it aligns with the slides already attached to the cabinet, then slowly push it in

## STEP 17

### HARDWARE LIST

I		2 PCS
I		2 PCS
I		2 PCS




◦ Refer to the illustration, Draw the spacing between the walls on the cabinet, punch holes in the wall and fix the cabinet to the wall with screws.

## STEP 18


### HARDWARE LIST

L  1 PCS



- Use double-sided adhesive tape along the top edges that contact the sink to reduce wobbling when placing the sink on the cabinet.

## STEP 19



- Alternatively, silicone adhesive can be used to secure the sink in place after positioning it on the cabinet.

FINISH

