Rectangle LED Bathroom Mirror Manual

Customer Service: (800)209-3199 (MON -FRI 9:00am-5:00pm

Eastern Time) or help@homluxproducts.com

Address: 100 Pottery Road, Commerce, GA 30529




Instructions & Installation

Statement

Please read this instruction carefully before installation, and refer to it again during the installation to ensure a safe and correct installation of the mirror.

Compliance

All the electrical components used in this product are ETL LISTED. This product passed ETL certification.













Wiring

HOMLUX supplies an about 5ft long power cable and U.S 3-pin plug for easy connection with a wall socket. Optional to cut the plug directly and connect to electrical wiring if using the wall switch.

Cleaning

When the mirror has to be cleaned, please switch off the power first.

DO NOT use abrasives or solvents when cleaning.

DO NOT let water get in the mirror and submerge mirror in water.

Wipe off all water spillages as soon as possible via a soft, damp cloth.

Specification

Product Name:	LED LIGHTED MIRROR	Certificates:	ETL, CE, ROHS
Brand:	HOMLUX	Input Voltage:	110V
Design Style:	Modern	Power:	As specified on product label
Feature:	Illuminated	Lumen:	2000-4500 LM
Mirror Shape:	Rectangle	Input Frequency:	60Hz
Function:	Anti-fog, memory function	Color Temperature:	3000K-6000K optional or 6000K-6500K
Installation:	Wall mounted	IP Rating:	IP44
Glass Thickness:	5mm	Dimming Function:	Yes
Light Color:	Warm/White/Warm white changeable or White	Hanging Way:	Horizontal and/or Vertical
	Of Willie		
Touch Sensor:	Yes	Connection Way:	Plug-in or Hardwired












Operation Instructions --- 3000K-6000K

Memory Function---the mirror will remember the light color and brightness when it was last turned off.



Light on/off


Power on, then press [to turn the light on, the light is warm light.

Then second time press [*], the light change to white light.

The third time press [*]. the light change to warm white light .

Then press [] again to turn the light off.

Press and hold of for 3 seconds, and the blue indicator light of the mirror will turn off.



Dimming instruction


Power on, press $\begin{bmatrix} \dot{\psi} \\ \dot{\psi} \end{bmatrix}$ to turn the light on, then press and hold $\begin{bmatrix} \dot{\psi} \\ \dot{\psi} \end{bmatrix}$ the brightness will change accordingly.


Fog-free instruction

(Safe Defogging---Automatically shut off after one hour.)

Power on, press \(\int \subset \), the mirror can be defogging.


Installation












Hammer

Spirit Level

Electrical Drill

Screwdriver

Parts List














Operation Instructions --- 6000K-6500K

Memory Function---the mirror will remember the light color and brightness when it was last turned off.



Light on/off


5mm

Side View

Power on, then press to turn the light on, the light is white light. Then press again to turn the light off.

Press and hold of for 3 seconds, and the blue indicator light of the mirror will turn off.

Front Side



Dimming instruction

Power on, press to turn the light on, then press and hold , the brightness will change accordingly.


Fog-free instruction

(Safe Defogging---Automatically shut off after one hour.)


Power on, press (), the mirror can be defogging.

Installation

Backside















Spirit Level

Electrical Drill

Screwdriver

Hammer

Parts List















Step 1

Measure the distance between two holes on the aluminum strip.




Step 2

According to the distance from A, choose a suitable height and punch holes in the wall.



Step 3

Drive the expansion plug into the hole on the wall and then put the screw into the expansion plug to fix the aluminum strip on the wall.




Step 4

Hang the mirror on the wall.

NOTE:

Mirrors with a width of 48 inches or more can only be hung horizontally, not vertically.















★★★ About the wire connection ★★★

There are two ways to connect the circuit for the mirror.

Connection way ①: Plug the 3-pin plug in the socket on the wall.



Connection way ②: Cut of the plug, and connect the mirror's wire to the wall switch's wire. (Recommend installation by professional electrician)





Thanks for choosing HOMLUX.

Web: www.homluxproducts.com

Any query, please feel free to email our service team : help@homluxproducts.com.


Scan the QR code to watch the video of installation.

AFTER-SALES SERVICE CARD

We sincerely thank you for trusting our service and our products, and may this product add enrichment to your home. We guarantee that the product has undergone strict quality inspection and meticulous packaging. If you encounter any issue regarding either shipping or the product, please feel free to contact us at any time. We'd be more than happy to serve you wholeheartedly. Yours Sincerely

- Please clean with a damp cloth and wipe dry.
- Please avoid harsh, corrosive and abrasive cleaners.
- Keep dry and avoid damp environments.

Love us? Rate us. We sincerely invite you to leave a product review. Please scan the QR code to proceed. Thank you very much!



Customer Service: (800)209-3199 (MON-FRI 9:00am-5:00pm

Eastern Time) or help@homluxproducts.com

Address: 100 Pottery Road, Commerce, GA 30529

If you have any questions or concerns, please feel free to contact us. We're committed to providing our customers with the quality service.