


BOANN

Specialized Stainless Steel Kitchen and Bath Hardware
Quincaillerie Spécialisée de Cuisine et de salle de bain en acier inoxydable

Model: BNSSR2F Stainless Steel Shower System



For easy installation of your Boann Faucet, please follow:

- Read thoroughly all instructions before installing.
- Read and understand all warnings care and maintenance information.

Product Features:

- Full 304 Stainless Steel Constructed (from the panel to its Knobs)
- Slick Design With Chrome plated hand shower
- Individual knobs to control the top shower head and hand shower

Faucet Parts & Accessories

Robinet Pièces & Accessoires

Important : Before installing your new faucet, make certain you have all working parts, as indicated below in the diagram.

IMPORTANT: Avant d'installer votre nouveau robinet, assurez-vous que vous avez toutes les pièces de rechange, comme indiqué ci-dessous dans le schéma.

Features:

- Full 304 Stainless Steel Constructed (from the panel to its Knobs)
- Slick Design With Chrome plated hand shower
- Individual knobs to control the top shower head and hand shower
- In wall Design w/a in wall box, Flush to wall look
- 3-Year Manufacturer Warranty

Package Contents:

- Plastic Plugs x 2
- Screw (Dia. 5mm) x 2
- Shower Plate x 1
- Control Panel Plate x 1
- Allen Key x 1

You may need the following tools/materials
Vous pouvez avoir besoin des outils/matériaux suivants




Silicone
Silicone



Plumbers Tape
Ruban de Plomberie



Lever



Driller



Screw Driver
Tournevis



Pliers
Pinces



Wrench
Clé hexagonale

Pour faciliter l'installation de votre Robinet Boann, s'il vous plaît faites ce qui suit:

- Lire attentivement toutes les instructions avant d'installer le robinet inclus
- Lire et comprendre tous les avertissements, les soins et renseignements d'entretien.


Caractéristiques du Produit

- Construit entièrement en acier inoxydable 304 (du panneau à ses boutons)
- Slick Design avec douchette chromée
- Boutons individuels pour contrôler la pomme de douche et la douchette à main


Product Dimension

Dimensions Du Produit Instructions

Model : BNSSR2F




Head Shower



- 1. Head shower
- 2. Control Panel
- 3. Hand shower
- 4. Head shower option
- 5. Hand shower option
- 6. Temperature control

Control Panel




Installation Instructions

Instructions d'installation

Parts List:

1. Plastic Plugs x 2
2. Screw (Dia. 5mm) x 2
3. SS Plate x 1
4. Allen Key x 1



Step 1: Drill wall to prepare to insert plastic plugs,. Please keep level.

Step 2: Unscrew the nipple from the rain head. Then screw nipple and plate to the water outlet in the wall.

Step 3: Use Allen key to fix rain head to the nipple by two pins

Step 4: Fix the rain head to the wall by screwing screws to the plastic plugs

1. Designate desire height for the shower panel/ column on the wall.

2. Make a cut out inside the wall to fit our stainless steel box

3. Please make sure the stainless steel box is flushed (same level) & align with the wall tile.

4. Stainless steel box CANNOT be deeper than last layer of wall tile or raised more than the wall tile. Failing to follow this step will result in the shower bring installed NOT level with the wall.

5. Please avoid using any type of tile or tile insert that has raised profile behind the shower column to ensure the shower colmun fit flat against the wall.

6. Bring HOT & COLD pipes to the stainless steel box from the sides or the back of the wall depending on your wall.

7. Every shower panel/ column have two supply hoses with 1/2" male thread to allow to connect the shower panel/column flex hoses to the hot/cold water sources.

Installation Instructions

Instructions d'installation

8. Water pipes must be flushed and cleaned before connecting the flexible hoses to the hot/cold water lines to ensure no dirt go inside the shower faucet.
9. After the final tile is installed, you can fix shower panel/column to the stainless steel box without any screws.

Note:
Stainless steel box must be on the same level (flush) with final layer of wall tile to ensure the shower column fits on the same level as wall tile.

TROUBLESHOOTING - GROUND WATER PUMP SYSTEM	
PROBLEM	DIAGNOSTIC
Water temperature is not hot enough. side is identical.	CHECK water heater is set at 60°C(140°F). CHECK the water pressure on the hot and cold LOOK for air pockets in your plumbing. LOOK for upside down "U" in all the pipes going to the shower if so correct it.
Water gets colder during the shower.	CHECK your water heater. The tank may be empty, wait 30 min and try again.
Cold water comes out when the faucet is set on hot	Check the two stainless steel hoses at the back of the shower column, the hot and cold are probably reversed.
TROUBLESHOOTING - CITY DISTRIBUTION SYSTEM	
Water temperature is not hot enough.	CHECK The main water line pressure is over 5 bars or 72.5 PSI. CHECK water heater temperature is set at 60°C/ 140°F
Noise is coming from the water line when the shower panel is on.	
Water temperature decrease to cold when it is set on hot.	he problem is probably coming from your water heater. The tank may be empty, wait 30 min and try again.

NOTE: Any warranty will be void and ineffective in the case of a modification of the internal mechanism or any other component of the product. If this troubleshooting guide does not help you to find or fix the problem please contact your dealer.

Manufacturer Warranty

Boann Garantie Du Fabricant

All Boann products are manufactured and tested with the highest quality standards and rigorous quality control process. This warranty is limited to the non-commercial use of Boann products purchased and installed in the United States and Canada.

Boann Brand Limited Five Year Warranty on Faucets and Kitchen/Bath Accessories
Boann warrants its products to be free from manufacturing defects in material and workmanship during the normal non-commercial use for a period of five (5) years from the initial purchase date by the original owner/end-user for personal household use. This warranty is non-transferable between homes or owners and only applicable for residential use. Any commercial or industrial use of Boann products automatically voids the warranty. Any warranty claim must include the original sales receipt as proof of purchase from an Authorized Dealer or Distributor of Boann products. (Authorized Dealers can be found on the BoannStyle website).

Boann recommends installation of all Boann products by a licensed professional plumber. Boann will not be responsible for any damage or product failure due to improper installation, misuse or the failure to adequately utilize a licensed professional. Proper care and maintenance for all products is standard, like any other household appliance and fixtures to ensure proper function and a lasting product. Instructions are provided in your manual on proper care and maintenance of Boann products.

This warranty will not cover any damages that might be caused by the product. (In some instances States do not allow for such limitations, so this may not apply to all owners). Any product reported to Boann as defective will be repaired or replaced (with a product of equal value) at the option of Boann. If Boann is not able to replace or repair the product, Boann may elect to refund the original purchase price to the original purchaser in exchange for the return of product. Boann has the full rights to inspect any Boann product reported as defective prior to repair or replacement. Any repair and replacement costs EXCLUDE shipping, labor for removal or re-installation and any consequential or special damages associated with return, replacement and installation of your product. Replacement parts may be obtained by calling 1-855-239-2666 (in the U.S. and Canada), by emailing us at info@boannstyle.com or writing to:

Boann : 382 N. Lemon Avenue #122 Walnut, CA 91789

Boann reserves the rights to modify the warranty at any time, it being understood that any such modifications will not supersede warranty conditions that are applicable at the time of the original sale of products in question.

Though Boann products are certified by various agencies, Boann makes no implication that products comply with any or all local building or plumbing codes. It is the consumer's responsibility to determine any code compliances when installing and using Boann products.

Limitations of Warranty:

The warranty shall be not apply and be void for incorrect operating procedures, breakages and/or damages caused by fault through improper installation, carelessness, abuse, misuse, misapplication, improper maintenance and alteration of product; damages caused by chemicals, natural corrosion, accident, fire, flood, an act of God, or any casualty. Avoid abrasive cleaners, materials, steel wools and harsh chemicals as these will scratch, damage, and/or dull the products and/or finish of the products and void the warranty. The proper installation of product covered is the responsibility of the original owner/purchaser of the product. Boann neither installs nor supervises the installation nor hires contractors for this purpose; consequently Boann cannot be held responsible for any default breakage, or damages caused thereby or resulting thereof, either directly or indirectly.

This warranty does not apply to Products that have not been installed or operated in accordance with instructions supplied by Boann and all applicable rules, regulations, and legislation pertaining to such installations.

This warranty does not apply to Commercial or Industrial applications of Boann products. Boann is not responsible or liable for personal injuries or deaths to any person for any direct, special, incidental, or consequential damage, loss of time, loss of profits, inconvenience, incidental expenses, labor or material charges, or any other cost resulting from the use of the product or equipment or pertaining to the application of the present warranty, or resulting from the removal or replacement of any product or element or part covered by this warranty. In any case, Boann is not liable for any amount over and above the purchase price paid for the Product by the original owner/end-user.

Cleaning and Care

Care should be exercised when cleaning this product. Although its finish is extremely durable, it can be damaged by harsh abrasives and cleaning pads. To clean, use a light, non-abrasive cleaning solution or suitable stainless steel polish.

Tous les produits Boann sont fabriqués et testés avec les plus hauts standards de qualité et de processus de contrôle de qualité rigoureux. Cette garantie est limitée à l'utilisation non-commerciale des produits Boann achetés et installés aux États-Unis et au Canada. Boann Garantie Limitée de Cinq Ans sur Robinetterie et Accessoires de Cuisine / Salle de Bain

Boann garantit que ses produits sont exempts de tout défaut de matériel et de fabrication lors de l'utilisation non-commerciale normale pour une période de cinq (5) ans à compter de la date d'achat initial par le propriétaire/utilisateur final original pour un usage personnel domestique. Cette garantie est non transférable entre les maisons ou les propriétaires et applicables uniquement à des fins résidentielles. Toute utilisation commerciale ou industrielle de produits Boann annule automatiquement la garantie. Toute demande de garantie doit inclure la facture originale comme preuve d'achat auprès d'un Concessionnaire Autorisé ou Distributeur de produits Boann. (Les Concessionnaires Autorisés peuvent être trouvés sur le site BoannStyle).

Boann recommande l'installation de tous les produits Boann par un plombier professionnel agréé. Boann ne sera pas responsable de tout dommage ou défaillance de produit due à une mauvaise installation, une mauvaise utilisation ou l'incapacité d'utiliser adéquatement un professionnel autorisé. Un bon entretien pour tous les produits est standard, comme tout autre appareil électroménager et accessoires pour assurer le bon fonctionnement et un produit durable. Les instructions sont fournies dans votre manuel sur les soins et l'entretien des produits Boann.

Cette garantie ne couvre pas les dommages qui pourraient être causés par le produit. (Dans certains cas, les États ne permettent pas de telles limitations, donc cela peut ne pas s'appliquer à tous les propriétaires).

Tout produit rapporté à Boann comme défectueux sera réparé ou remplacé (avec un produit de valeur égale) au gré de Boann. Si Boann n'est pas en mesure de remplacer ou de réparer le produit, Boann peut choisir de rembourser le prix d'achat initial à l'acheteur initial en échange du retour du produit. Boann a le plein droit d'inspecter tout produit Boann rapporté comme défectueux avant la réparation ou le remplacement. Tous les coûts de réparation et de remplacement EXCLUENT l'expédition, la main-d'œuvre pour l'enlèvement ou la réinstallation et des dommages indirects ou spéciaux associés avec le retour, le remplacement et l'installation de votre produit. Les pièces de rechange peuvent être obtenues en appelant 1-855-239-2666 (aux États-Unis et au Canada), par courriel à info@boannstyle.com ou en écrivant à :

Boann 382 N. Lemon Avenue # 122 Walnut, CA 91789

Boann se réserve le droit de modifier la garantie à tout moment, étant entendu que de telles modifications ne remplaceront pas les conditions de garantie qui sont applicables au moment de la vente initiale des produits en question.

Bien que les produits Boann sont certifiés par divers organismes, Boann ne fait aucune implication que les produits sont conformes à tout ou quelconque des codes de construction ou de plomberie locaux. C'est la responsabilité du consommateur de déterminer toute conformité avec le code lors de l'installation et l'utilisation de produits Boann.

Limites de la Garantie:

La garantie ne s'appliquera pas et sera nul pour les procédures d'opération incorrectes, les brisures et/ou les dommages causés par la faute d'une mauvaise installation, la négligence, l'abus, une mauvaise utilisation, un mauvais entretien et la modification du produit; les dommages causés par les produits chimiques, la corrosion naturelle, accident, incendie, inondation, acte de Dieu, ou tout accident. Éviter les nettoyeurs et matériaux abrasifs, les laines d'acier et les produits chimiques agressifs car ils risquent de rayer, d'endommager, et/ou de ternir les produits et/ou la finition des produits et annuler la garantie. L'installation correcte du produit visé est la responsabilité du propriétaire/acheteur original du produit. Boann ni installe ni ne supervise l'installation ni embauche des entrepreneurs à cette fin; par conséquent Boann ne peut être tenue responsable de tout bris par défaut, ou des dommages causés ainsi ou résultant de celui-ci, soit directement ou indirectement.

Cette garantie ne s'applique pas aux Produits qui ne sont pas installés ou utilisés conformément aux instructions fournies par Boann et toutes les règles, les règlements et les lois relatives à ces installations.

Cette garantie ne s'applique pas aux applications commerciales ou industrielles de produits Boann.

Boann n'est pas responsable des dommages corporels ou de décès de toute personne pour tout dommage direct, spécial, accessoire ou consécutif, perte de temps, perte de profits, les inconvénients, les frais accessoires, les frais de main-d'œuvre ou de matériel, ou tout autre coût résultant de l'utilisation du produit ou de l'équipement ou se rapportant à l'application de la présente garantie, ou résultant de l'enlèvement ou le remplacement d'un produit ou d'un élément ou d'une pièce couverte par cette garantie.

Dans tous les cas, Boann n'est pas responsable de tout montant en sus du prix d'achat payé pour le Produit par le propriétaire/utilisateur final d'origine.

Nettoyage et Entretien

Des précautions doivent être prises lors du nettoyage de ce produit. Même si son fini est extrêmement durable, il peut être endommagé par des abrasifs durs et tampons de nettoyage. Pour nettoyer, utiliser une solution de nettoyage légère non abrasive ou un poli en acier inoxydable approprié.