







Assembly Instruction




1




Part Number	Images and Sizes	Qty.
A		2
B		2
C		8
D	 M8* $\varnothing$ 18	20
E	 M8* $\varnothing$ 12	20
F	 M8	20
G	 M8	20

					
			Part Number	Images and Sizes	Qty.
			A		1
			B		3
			C		1
			D	 M8*Ø18	3
			E	 M8*Ø12	3
			I	 M6*Ø15	6
L		3	J	 M6*Ø9.5	6
M		6	K	 M6	6
			F	 M8	3
			G	 M8*35	3
			H	 M6*30	6



2



CHAIR ASSEMBLY INSTRUCTIONS:

- Step1: Attach the backrest(A) to the seat board(B) using 2 washers(D) 2spring washers(E) and 2nuts(F).
- Step2: Attach the locked chair frame to the 4 legs (C) using 2 washers(D) 2 spring washers(E) and 2 nuts(F).
- Step3:If you have the cushions,attach the cushion to the seat board(B).

TABLE ASSEMBLY INSTRUCTIONS:

- Step1: Attach the table top(A) to the 3 legs(B) using 1 bolt(G),1 washer (D)1 spring washer(E),and 1 nut(F).Do not tighten.
- Step2: Attach the under bracing(C) to the 3 legs(B) using 2 bolts(H), 2 washers(I),2 spring washers(J)and 2 nuts(K).Do not tighten.
- Step3:Upon completion of full assembly,all screws can be tighten down.