

# LEVOLOR®



## Custom Cellular Shades

### Reference Guide

September 2024

For more info visit [LEVOLOR.com](https://LEVOLOR.com)

---

## TABLE OF CONTENTS

---

### Product Overview

|                                      |     |
|--------------------------------------|-----|
| • Pattern Information .....          | 2   |
| • Fabric and Rail Color Charts ..... | 3-7 |
| • Stack Chart .....                  | 8   |
| • Side Channels .....                | 8   |

### Product Configuration Specifications

|                                                                      |       |
|----------------------------------------------------------------------|-------|
| • Cordless Lift .....                                                | 9-11  |
| • Continuous Cord Loop .....                                         | 12-13 |
| • InMotion™ Motorization .....                                       | 14-19 |
| • InMotion™ Wand Motorization .....                                  | 20-21 |
| • Vertical Application .....                                         | 22-23 |
| • Classic Skylight & Skylight with InMotion™ .....                   | 24-25 |
| • Arches .....                                                       | 26    |
| • Product Components - Continuous Cord Loop .....                    | 27-28 |
| • Product Components - Cordless .....                                | 29-30 |
| • Product Components - 1-1/4" Cordless Bottom Up .....               | 31-32 |
| • Product Components - 1-1/4" Cordless Top Down/Bottom Up .....      | 33-34 |
| • Product Components - InMotion™ Motorization Bottom Up .....        | 35-36 |
| • Product Components - 1-1/4" InMotion™ Motorization Bottom Up ..... | 37-38 |
| • Product Components - InMotion™ Wand Motorization .....             | 39-40 |
| • Product Components - Vertical Application .....                    | 41-42 |
| • Product Components - Skylight .....                                | 43-44 |
| • Product Components - Skylight InMotion™ Motorization .....         | 45-46 |

The following information, listed below, is available online at [LEVOLOR.com](http://LEVOLOR.com)

- |                                  |                      |
|----------------------------------|----------------------|
| • Terms and Conditions           | • Order Processing   |
| • Freight                        | • Claims and Returns |
| • Warning and Safety Information | • Warranty           |

## PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

| Pattern Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |      | # of Cells | Care Code | GREENGUARD Certification | Light Control | Hardware Restrictions                                                             | Hardware Options                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|-----------|--------------------------|---------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Classic - 3/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | CLC1 | Single     | 1, 2 & 3  |                          | B             | Arches, Skylight                                                                  | <ul style="list-style-type: none"><li>• Continuous Cord Loop System</li><li>• Continuous Cord Loop Top-Down/Bottom-Up</li><li>• Cordless Lift System</li><li>• Day/Night</li><li>• Top-Down/Bottom-Up</li><li>• Two-On-One Headrail</li><li>• Cordless Three-On-One</li><li>• Vertical Application</li><li>• Skylight</li><li>• Arches</li><li>• InMotion™ Wand</li><li>• InMotion™ Motorization<ul style="list-style-type: none"><li>- Bottom Up</li><li>- Top-Down/Bottom-Up</li><li>- Day/Night</li><li>- Skylight</li></ul></li></ul> |  |
| Classic - 3/4" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | CLC3 | Single     | 1, 2 & 3  |                          | C             | Arches, Skylight                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Dappled - 3/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | DPL1 | Single     | 1, 2 & 3  |                          | B             | Arches, Skylight                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Designer Colors - 3/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | LDC1 | Single     | 1, 2 & 3  |                          | B             | Arches, Skylight                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Designer Colors - 3/4" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LDC3 | Single     | 1, 2 & 3  |                          | C             | Arches, Skylight                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Designer Colors - 1/2" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | LDC2 | Double     | 1, 2 & 3  |                          | B             | Day/Night, Arches, Skylight                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Designer Colors - 1/2" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LDC4 | Double     | 1, 2 & 3  |                          | C             | Day/Night, Arches, Skylight                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Abaca Linen - 3/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ABL1 | Single     | 1, 2 & 3  |                          | B             | Arches                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Cambrica - 3/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | CBC1 | Single     | 1, 2 & 3  | Yes                      | B             | -                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Cambrica - 3/4" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | CBC3 | Single     | 1, 2 & 3  | Yes                      | C             | -                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Crosshatch - 3/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | CHC1 | Single     | 1, 2 & 3  | Yes                      | B             | -                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Crosshatch - 3/4" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | CHC3 | Single     | 1, 2 & 3  | Yes                      | C             | -                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| SheerCell™ - 3/4" Sheer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SHC1 | Single     | 1, 2 & 3  | Yes                      | A             | -                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Silkweave - 3/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | SLK1 | Single     | 1, 2 & 3  | Yes                      | B             | -                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Silkweave - 3/4" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | SLK3 | Single     | 1, 2 & 3  | Yes                      | C             | -                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Crosshatch - 1/2" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | CHC2 | Double     | 1, 2 & 3  | Yes                      | B             | Day/Night, Vertical App                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Silkweave - 1/2" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | SLK2 | Double     | 1, 2 & 3  | Yes                      | B             | Day/Night, Vertical App                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Abaca Linen - 1-1/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ABL7 | Single     | 1, 2 & 3  |                          | B             | Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Cambrica - 1-1/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | CBC7 | Single     | 1, 2 & 3  | Yes                      | B             | Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Cambrica - 1-1/4" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | CBC9 | Single     | 1, 2 & 3  | Yes                      | C             | Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Crosshatch - 1-1/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | CHC7 | Single     | 1, 2 & 3  | Yes                      | B             | Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Crosshatch - 1-1/4" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | CHC9 | Single     | 1, 2 & 3  | Yes                      | C             | Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Silkweave - 1-1/4" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | SLK7 | Single     | 1, 2 & 3  | Yes                      | B             | Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Silkweave - 1-1/4" Blackout                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | SLK9 | Single     | 1, 2 & 3  | Yes                      | C             | Continuous Cord Loop, Day/Night, Cordless Three-On-One Headrail, Arches, Skylight |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Abaca Linen - 2" Light Filtering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | ABL8 | Single     | 1, 2 & 3  |                          | B             | Day/Night, Arches, InMotion™ Wand, Skylight                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| <div><div><b>Care Method 1</b><br/>Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Cellular Shade surfaces which are lightly soiled.</div><div><b>Care Method 2</b><br/>Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Cellular Shade surfaces which need spot cleaning.</div><div><b>Care Method 3</b><br/>Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Cellular Shade surfaces which are heavily soiled.</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |      |            |           |                          |               |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| <div><div><b>A. Diffuses Light</b><br/>Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.</div><div><b>B. Light Filtering</b><br/>Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.</div><div><b>C. Blackout</b><br/>Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.</div></div> |      |            |           |                          |               |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |

# HARDWARE COLORS

## Cellular Hardware Color Coordination Guide

Coordinating hardware colors are pre-selected based on fabric color. The color samples below represent headrail, bottom rail, end cap, and tassel colors.

The Fabric Index chart on the following page identifies which hardware color number matches each fabric color.

|     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 018 | 048 | 083 | 180 | 187 | 135 | 206 | 276 | 401 | 405 |
| 450 | 661 | 685 | 689 | 748 | 785 | 810 | 841 | 849 | 862 |
| 878 | 882 | 954 |     |     |     |     |     |     |     |

**NOTE:** The actual color of the hardware may vary from the samples in the color coordination guide.

Color lot variations may occur with fabric and/or hardware due to the process of color application. For the best color match, order all shades for a room at the same time. Pattern availability and color lot match between orders cannot be assured.

## FABRIC AND RAIL COLOR CHART

### 3/4" Single Cell Fabrics (Light Filtering and Blackout)

| FABRIC                                            |         |            | HARDWARE |     |
|---------------------------------------------------|---------|------------|----------|-----|
| Code                                              | Color # | Color Name | STD      | VA  |
| <b>Classic - 3/4" Single Cell Light Filtering</b> |         |            |          |     |
| CLC1                                              | 6053    | Flaxseed   | 206      | 862 |
| CLC1                                              | 6054    | Powder     | 661      | 661 |
| CLC1                                              | 6052    | Stone      | 401      | 276 |

| FABRIC                                            |         |              | HARDWARE |     |
|---------------------------------------------------|---------|--------------|----------|-----|
| Code                                              | Color # | Color Name   | STD      | VA  |
| <b>Dappled - 3/4" Single Cell Light Filtering</b> |         |              |          |     |
| DPL1                                              | 6011    | Pebble Sand  | 206      | 862 |
| DPL1                                              | 6010    | Pebble Stone | 401      | 276 |

| FABRIC                                     |         |            | HARDWARE |     |
|--------------------------------------------|---------|------------|----------|-----|
| Code                                       | Color # | Color Name | STD      | VA  |
| <b>Classic - 3/4" Single Cell Blackout</b> |         |            |          |     |
| CLC3                                       | 6053    | Flaxseed   | 206      | 862 |
| CLC3                                       | 6054    | Powder     | 661      | 661 |
| CLC3                                       | 6051    | Russet     | 083      | 083 |
| CLC3                                       | 6052    | Stone      | 401      | 276 |
| CLC3                                       | 6050    | Willow     | 862      | 862 |

| CODE KEY: HEADRAIL |                                                                                   |
|--------------------|-----------------------------------------------------------------------------------|
| STD                | = Cordless Lift, Continuous Cord Loop and Motorized shades with coordinated rail. |
| VA                 | = Vertical Application shades                                                     |

## FABRIC AND RAIL COLOR CHART

### 3/4" Single Cell Fabrics (Light Filtering and Blackout), 1/2" Double Cell (Light Filtering and Blackout)

| FABRIC                                                    |         |            | HARDWARE |     |
|-----------------------------------------------------------|---------|------------|----------|-----|
| Code                                                      | Color # | Color Name | STD      | VA  |
| <b>Designer Colors - 3/4" Single Cell Light Filtering</b> |         |            |          |     |
| LDC1                                                      | 4806    | Cappuccino | 841      | 841 |
| LDC1                                                      | 4810    | Cinnamon   | 187      | 661 |
| LDC1                                                      | 4814    | Cool White | 661      | 661 |
| LDC1                                                      | 4818    | Coriander  | 841      | 841 |
| LDC1                                                      | 4821    | Daylight   | 878      | 661 |
| LDC1                                                      | 4807    | Deep Sea   | 450      | 276 |
| LDC1                                                      | 4804    | Dovetail   | 401      | 276 |
| LDC1                                                      | 4800    | Flintrock  | 405      | 276 |
| LDC1                                                      | 4811    | Fossil     | 689      | 810 |
| LDC1                                                      | 4819    | Fresh Air  | 018      | 785 |
| LDC1                                                      | 4803    | Graystone  | 276      | 276 |
| LDC1                                                      | 4822    | Green Tea  | 135      | 862 |
| LDC1                                                      | 4816    | Honeywheat | 882      | 882 |
| LDC1                                                      | 4809    | Magnolia   | 135      | 862 |
| LDC1                                                      | 4815    | Minty      | 785      | 661 |
| LDC1                                                      | 4808    | Moonlight  | 450      | 276 |
| LDC1                                                      | 4817    | Nutmeg     | 849      | 810 |
| LDC1                                                      | 4805    | Oyster     | 206      | 862 |
| LDC1                                                      | 4812    | Pure White | 661      | 661 |
| LDC1                                                      | 4801    | Raven      | 048      | 048 |
| LDC1                                                      | 4802    | Silvermist | 862      | 862 |
| LDC1                                                      | 4820    | Soft Taupe | 810      | 810 |
| LDC1                                                      | 4813    | Terracotta | 187      | 661 |
| LDC1                                                      | 4823    | Warm White | 785      | 785 |

| FABRIC                                               |         |            | HARDWARE |     |
|------------------------------------------------------|---------|------------|----------|-----|
| Code                                                 | Color # | Color Name | STD      | VA  |
| <b>Designer Colors - Double Cell Light Filtering</b> |         |            |          |     |
| LDC2                                                 | 4806    | Cappuccino | 841      | 841 |
| LDC2                                                 | 4810    | Cinnamon   | 187      | 661 |
| LDC2                                                 | 4814    | Cool White | 661      | 661 |
| LDC2                                                 | 4818    | Coriander  | 841      | 841 |
| LDC2                                                 | 4821    | Daylight   | 878      | 661 |
| LDC2                                                 | 4807    | Deep Sea   | 450      | 276 |
| LDC2                                                 | 4804    | Dovetail   | 401      | 276 |
| LDC2                                                 | 4800    | Flintrock  | 405      | 276 |
| LDC2                                                 | 4811    | Fossil     | 689      | 810 |
| LDC2                                                 | 4819    | Fresh Air  | 018      | 785 |
| LDC2                                                 | 4803    | Graystone  | 276      | 276 |
| LDC2                                                 | 4822    | Green Tea  | 135      | 862 |
| LDC2                                                 | 4816    | Honeywheat | 882      | 882 |
| LDC2                                                 | 4809    | Magnolia   | 135      | 862 |
| LDC2                                                 | 4815    | Minty      | 785      | 661 |
| LDC2                                                 | 4808    | Moonlight  | 450      | 276 |
| LDC2                                                 | 4817    | Nutmeg     | 849      | 810 |
| LDC2                                                 | 4805    | Oyster     | 206      | 862 |
| LDC2                                                 | 4812    | Pure White | 661      | 661 |
| LDC2                                                 | 4801    | Raven      | 048      | 048 |
| LDC2                                                 | 4802    | Silvermist | 862      | 862 |
| LDC2                                                 | 4820    | Soft Taupe | 810      | 810 |
| LDC2                                                 | 4813    | Terracotta | 187      | 661 |
| LDC2                                                 | 4823    | Warm White | 785      | 785 |

| FABRIC                                             |         |            | HARDWARE |     |
|----------------------------------------------------|---------|------------|----------|-----|
| Code                                               | Color # | Color Name | STD      | VA  |
| <b>Designer Colors - 3/4" Single Cell Blackout</b> |         |            |          |     |
| LDC3                                               | 4806    | Cappuccino | 841      | N/A |
| LDC3                                               | 4810    | Cinnamon   | 187      |     |
| LDC3                                               | 4814    | Cool White | 661      |     |
| LDC3                                               | 4818    | Coriander  | 841      |     |
| LDC3                                               | 4821    | Daylight   | 878      |     |
| LDC3                                               | 4807    | Deep Sea   | 450      |     |
| LDC3                                               | 4804    | Dovetail   | 401      |     |
| LDC3                                               | 4800    | Flintrock  | 405      |     |
| LDC3                                               | 4811    | Fossil     | 689      |     |
| LDC3                                               | 4819    | Fresh Air  | 018      |     |
| LDC3                                               | 4803    | Graystone  | 276      |     |
| LDC3                                               | 4822    | Green Tea  | 135      |     |
| LDC3                                               | 4816    | Honeywheat | 882      |     |
| LDC3                                               | 4809    | Magnolia   | 135      |     |
| LDC3                                               | 4815    | Minty      | 785      |     |
| LDC3                                               | 4808    | Moonlight  | 450      |     |
| LDC3                                               | 4817    | Nutmeg     | 849      |     |
| LDC3                                               | 4805    | Oyster     | 206      |     |
| LDC3                                               | 4812    | Pure White | 661      |     |
| LDC3                                               | 4801    | Raven      | 048      |     |
| LDC3                                               | 4802    | Silvermist | 862      |     |
| LDC3                                               | 4820    | Soft Taupe | 810      |     |
| LDC3                                               | 4813    | Terracotta | 187      |     |
| LDC3                                               | 4823    | Warm White | 785      |     |

| FABRIC                                        |         |            | HARDWARE |     |
|-----------------------------------------------|---------|------------|----------|-----|
| Code                                          | Color # | Color Name | STD      | VA  |
| <b>Designer Colors - Double Cell Blackout</b> |         |            |          |     |
| LDC4                                          | 4806    | Cappuccino | 841      | N/A |
| LDC4                                          | 4810    | Cinnamon   | 187      |     |
| LDC4                                          | 4814    | Cool White | 661      |     |
| LDC4                                          | 4818    | Coriander  | 841      |     |
| LDC4                                          | 4821    | Daylight   | 878      |     |
| LDC4                                          | 4807    | Deep Sea   | 450      |     |
| LDC4                                          | 4804    | Dovetail   | 401      |     |
| LDC4                                          | 4800    | Flintrock  | 405      |     |
| LDC4                                          | 4811    | Fossil     | 689      |     |
| LDC4                                          | 4819    | Fresh Air  | 018      |     |
| LDC4                                          | 4803    | Graystone  | 276      |     |
| LDC4                                          | 4822    | Green Tea  | 135      |     |
| LDC4                                          | 4816    | Honeywheat | 882      |     |
| LDC4                                          | 4809    | Magnolia   | 135      |     |
| LDC4                                          | 4815    | Minty      | 785      |     |
| LDC4                                          | 4808    | Moonlight  | 450      |     |
| LDC4                                          | 4817    | Nutmeg     | 849      |     |
| LDC4                                          | 4805    | Oyster     | 206      |     |
| LDC4                                          | 4812    | Pure White | 661      |     |
| LDC4                                          | 4801    | Raven      | 048      |     |
| LDC4                                          | 4802    | Silvermist | 862      |     |
| LDC4                                          | 4820    | Soft Taupe | 810      |     |
| LDC4                                          | 4813    | Terracotta | 187      |     |
| LDC4                                          | 4823    | Warm White | 785      |     |

#### CODE KEY: HEADRAIL

STD = Cordless Lift, Continuous Cord Loop and Motorized shades  
with coordinated rail.

VA = Vertical Application shades

## FABRIC AND RAIL COLOR CHART

### 3/4" Single Cell Fabrics (Light Filtering, Sheer, and Blackout)

| FABRIC                                                |         |              | HARDWARE |     |
|-------------------------------------------------------|---------|--------------|----------|-----|
| Code                                                  | Color # | Color Name   | STD      | VA  |
| <b>Abaca Linen - 3/4" Single Cell Light Filtering</b> |         |              |          |     |
| ABL1                                                  | 4753    | Alabaster    | 785      | 785 |
| ABL1                                                  | 4754    | Bone         | 862      | 862 |
| ABL1                                                  | 4752    | Crisp White  | 661      | 661 |
| ABL1                                                  | 4756    | Ginger Root  | 180      | 180 |
| ABL1                                                  | 4759    | Irony        | 276      | 276 |
| ABL1                                                  | 4755    | Mushroom     | 401      | 401 |
| ABL1                                                  | 4761    | Nightsky     | 450      | 661 |
| ABL1                                                  | 4760    | Obsidion     | 048      | 048 |
| ABL1                                                  | 4750    | Sepia        | 810      | 810 |
| ABL1                                                  | 4757    | Silverdrop   | 018      | 785 |
| ABL1                                                  | 4758    | Stonewall    | 276      | 276 |
| ABL1                                                  | !"#\$   | Tapioca      | 862      | 862 |
| <b>Cambrica - 3/4" Single Cell Light Filtering</b>    |         |              |          |     |
| CBC1                                                  | 4551    | Candlelight  | 862      | 862 |
| CBC1                                                  | 4550    | Ivory        | 785      | 785 |
| CBC1                                                  | 4557    | Light Fog    | 018      | 785 |
| CBC1                                                  | 4554    | Slate        | 405      | 276 |
| CBC1                                                  | 4556    | Taupe        | 401      | 401 |
| CBC1                                                  | 4553    | Titanium     | 276      | 276 |
| CBC1                                                  | 4552    | Tumbleweed   | 862      | 862 |
| CBC1                                                  | 4555    | Whisper      | 785      | 785 |
| <b>Crosshatch - 3/4" Single Cell Light Filtering</b>  |         |              |          |     |
| CHC1                                                  | 4852    | Biscotti     | 785      | 785 |
| CHC1                                                  | 4854    | High Cotton  | 661      | 661 |
| CHC1                                                  | 4856    | Rhodium      | 018      | 661 |
| CHC1                                                  | 4855    | Shadow       | 405      | 276 |
| CHC1                                                  | 4850    | Silver Fox   | 401      | 401 |
| CHC1                                                  | 4853    | Steel Wool   | 276      | 276 |
| CHC1                                                  | 4851    | Vanilla Bean | 862      | 862 |
| CHC1                                                  | 4857    | Work Chino   | 862      | 862 |
| <b>SheerCell™ - 3/4" Single Cell Sheer</b>            |         |              |          |     |
| SHC1                                                  | 5962    | Chiffon      | 862      | 862 |
| SHC1                                                  | 5960    | Frost        | 661      | 661 |
| SHC1                                                  | 5961    | Pearl        | 862      | 862 |
| <b>Silkweave - 3/4" Single Cell Light Filtering</b>   |         |              |          |     |
| SLK1                                                  | 4657    | Beechwood    | 206      | 862 |
| SLK1                                                  | 4653    | Blue Steel   | 450      | 661 |
| SLK1                                                  | 4655    | Galactic     | 276      | 276 |
| SLK1                                                  | 4651    | Lucky Penny  | 810      | 810 |
| SLK1                                                  | 4652    | Silver Coin  | 018      | 661 |
| SLK1                                                  | 4656    | Sweet Cream  | 862      | 862 |
| SLK1                                                  | 4654    | White Satin  | 785      | 785 |
| SLK1                                                  | 4650    | Woodwind     | 180      | 180 |

| FABRIC                                        |         |              | HARDWARE |     |
|-----------------------------------------------|---------|--------------|----------|-----|
| Code                                          | Color # | Color Name   | STD      | VA  |
| <b>Cambrica - 3/4" Single Cell Blackout</b>   |         |              |          |     |
| CBC3                                          | 4551    | Candlelight  | 862      | 862 |
| CBC3                                          | 4550    | Ivory        | 785      | 785 |
| CBC3                                          | 4557    | Light Fog    | 018      | 785 |
| CBC3                                          | 4554    | Slate        | 405      | 276 |
| CBC3                                          | 4556    | Taupe        | 401      | 401 |
| CBC3                                          | 4553    | Titanium     | 276      | 276 |
| CBC3                                          | 4552    | Tumbleweed   | 862      | 862 |
| CBC3                                          | 4555    | Whisper      | 785      | 785 |
| <b>Crosshatch - 3/4" Single Cell Blackout</b> |         |              |          |     |
| CHC3                                          | 4852    | !"#\$%&'&    | 785      | 785 |
| CHC3                                          | 4854    | ' '()*+,%&,% | 661      | 661 |
| CHC3                                          | 4856    | Rhodium      | 018      | 661 |
| CHC3                                          | 4855    | Shadow       | 405      | 276 |
| CHC3                                          | 4850    | Silver Fox   | 401      | 401 |
| CHC3                                          | 4853    | Steel Wool   | 276      | 276 |
| CHC3                                          | 4851    | Vanilla Bean | 862      | 862 |
| CHC3                                          | 4857    | Work Chino   | 862      | 862 |
| <b>Silkweave - 3/4" Single Cell Blackout</b>  |         |              |          |     |
| SLK3                                          | 4657    | Beechwood    | 206      | 862 |
| SLK3                                          | 4653    | Blue Steel   | 450      | 661 |
| SLK3                                          | 4655    | Galactic     | 276      | 276 |
| SLK3                                          | 4651    | Lucky Penny  | 810      | 810 |
| SLK3                                          | 4652    | Silver Coin  | 018      | 661 |
| SLK3                                          | 4656    | Sweet Cream  | 862      | 862 |
| SLK3                                          | 4654    | White Satin  | 785      | 785 |
| SLK3                                          | 4650    | Woodwind     | 180      | 180 |

#### CODE KEY: HEADRAIL

**STD** = Cordless Lift, Continuous Cord Loop and Motorized shades with coordinated rail.

**VA** = Vertical Application shades

# FABRIC AND RAIL COLOR CHART

## 1/2" Double Cell, Abaca Linen - 2" Single Cell Light Filtering

| FABRIC                                        |         |              | HARDWARE |     |
|-----------------------------------------------|---------|--------------|----------|-----|
| Code                                          | Color # | Color Name   | STD      | VA  |
| Crosshatch - 1/2" Double Cell Light Filtering |         |              |          |     |
| CHC2                                          | 4852    | Biscotti     | 785      | N/A |
| CHC2                                          | 4854    | High Cotton  | 661      |     |
| CHC2                                          | 4856    | Rhodium      | 018      |     |
| CHC2                                          | 4855    | Shadow       | 405      |     |
| CHC2                                          | 4850    | Silver Fox   | 401      |     |
| CHC2                                          | 4853    | Steel Wool   | 276      |     |
| CHC2                                          | 4851    | Vanilla Bean | 862      |     |
| CHC2                                          | 4857    | Work Chino   | 862      |     |
| Silkweave - 1/2" Double Cell Light Filtering  |         |              |          |     |
| SLK2                                          | 4657    | Beechwood    | 206      | N/A |
| SLK2                                          | 4653    | Blue Steel   | 450      |     |
| SLK2                                          | 4655    | Galactic     | 276      |     |
| SLK2                                          | 4651    | Lucky Penny  | 810      |     |
| SLK2                                          | 4652    | Silver Coin  | 018      |     |
| SLK2                                          | 4656    | Sweet Cream  | 862      |     |
| SLK2                                          | 4654    | White Satin  | 785      |     |
| SLK2                                          | 4650    | Woodwind     | 180      |     |

| FABRIC                                              |         |             | HARDWARE |     |
|-----------------------------------------------------|---------|-------------|----------|-----|
| Code                                                | Color # | Color Name  | OPTION   | VA  |
| <b>Abaca Linen - 2" Single Cell Light Filtering</b> |         |             |          |     |
| ABL8                                                | 4753    | Alabaster   | 785      | 785 |
| ABL8                                                | 4754    | Bone        | 785      | 785 |
| ABL8                                                | 4752    | Crisp White | 661      | 661 |
| ABL8                                                | 4756    | Ginger Root | 180      | 180 |
| ABL8                                                | 4759    | Irony       | 276      | 276 |
| ABL8                                                | 4755    | Mushroom    | 401      | 401 |
| ABL8                                                | 4761    | Nightsky    | 450      | 661 |
| ABL8                                                | 4760    | Obsidian    | 048      | 048 |
| ABL8                                                | 4750    | Sepia       | 810      | 810 |
| ABL8                                                | 4757    | Silverdrop  | 018      | 785 |
| ABL8                                                | 4758    | Stonewall   | 276      | 276 |
| ABL8                                                | 4751    | Tapioca     | 862      | 862 |

### CODE KEY: HEADRAIL

**STD** = Cordless Lift, Continuous Cord Loop and Motorized shades with coordinated rail.

**VA** = Vertical Application shades

# FABRIC AND RAIL COLOR CHART

## 1-1/4" Single Cell (Light Filtering and Blackout)

| Code                                                    | Color # | Color Name   | OPTION | VA  |
|---------------------------------------------------------|---------|--------------|--------|-----|
| <b>Abaca Linen - 1-1/4" Single Cell Light Filtering</b> |         |              |        |     |
| ABL7                                                    | 4753    | Alabaster    | 785    | 785 |
| ABL7                                                    | 4754    | Bone         | 862    | 862 |
| ABL7                                                    | 4752    | Crisp White  | 661    | 661 |
| ABL7                                                    | 4756    | Ginger Root  | 180    | 180 |
| ABL7                                                    | 4759    | Irony        | 276    | 276 |
| ABL7                                                    | 4755    | Mushroom     | 401    | 401 |
| ABL7                                                    | 4761    | Nightsky     | 450    | 661 |
| ABL7                                                    | 4760    | Obsidion     | 048    | 048 |
| ABL7                                                    | 4750    | Sepia        | 810    | 810 |
| ABL7                                                    | 4757    | Silverdrop   | 018    | 785 |
| ABL7                                                    | 4758    | Stonewall    | 276    | 276 |
| ABL7                                                    | 4751    | Tapioca      | 862    | 862 |
| <b>Cambrica - 1-1/4" Single Cell Light Filtering</b>    |         |              |        |     |
| CBC7                                                    | 4551    | Candlelight  | 862    | 862 |
| CBC7                                                    | 4550    | Ivory        | 785    | 785 |
| CBC7                                                    | 4557    | Light Fog    | 018    | 785 |
| CBC7                                                    | 4554    | Slate        | 405    | 276 |
| CBC7                                                    | 4556    | Taupe        | 401    | 401 |
| CBC7                                                    | 4553    | Titanium     | 276    | 276 |
| CBC7                                                    | 4552    | Tumbleweed   | 862    | 862 |
| CBC7                                                    | 4555    | Whisper      | 785    | 785 |
| <b>Crosshatch - 1-1/4" Single Cell Light Filtering</b>  |         |              |        |     |
| CHC7                                                    | 4852    | Biscotti     | 862    | 862 |
| CHC7                                                    | 4854    | High Cotton  | 661    | 661 |
| CHC7                                                    | 4856    | Rhodium      | 018    | 661 |
| CHC7                                                    | 4855    | Shadow       | 405    | 276 |
| CHC7                                                    | 4850    | Silver Fox   | 765    | 276 |
| CHC7                                                    | 4853    | Steel Wool   | 276    | 276 |
| CHC7                                                    | 4851    | Vanilla Bean | 862    | 862 |
| CHC7                                                    | 4857    | Work Chino   | 862    | 862 |
| <b>Silkweave - 1-1/4" Single Cell Light Filtering</b>   |         |              |        |     |
| SLK7                                                    | 4657    | Beechwood    | 206    | 862 |
| SLK7                                                    | 4653    | Blue Steel   | 450    | 661 |
| SLK7                                                    | 4655    | Galactic     | 276    | 276 |
| SLK7                                                    | 4651    | Lucky Penny  | 083    | 083 |
| SLK7                                                    | 4652    | Silver Coin  | 765    | 661 |
| SLK7                                                    | 4656    | Sweet Cream  | 862    | 862 |
| SLK7                                                    | 4654    | White Satin  | 785    | 785 |
| SLK7                                                    | 4650    | Woodwind     | 180    | 180 |

| Code                                            | Color # | Color Name   | OPTION | VA  |
|-------------------------------------------------|---------|--------------|--------|-----|
| <b>Cambrica - 1-1/4" Single Cell Blackout</b>   |         |              |        |     |
| CBC9                                            | 4551    | Candlelight  | 862    | 862 |
| CBC9                                            | 4550    | Ivory        | 785    | 785 |
| CBC9                                            | 4557    | Light Fog    | 018    | 785 |
| CBC9                                            | 4554    | Slate        | 405    | 276 |
| CBC9                                            | 4556    | Taupe        | 401    | 401 |
| CBC9                                            | 4553    | Titanium     | 276    | 276 |
| CBC9                                            | 4552    | Tumbleweed   | 862    | 862 |
| CBC9                                            | 4555    | Whisper      | 785    | 785 |
| <b>Crosshatch - 1-1/4" Single Cell Blackout</b> |         |              |        |     |
| CHC9                                            | 4852    | Biscotti     | 862    | 862 |
| CHC9                                            | 4854    | High Cotton  | 661    | 661 |
| CHC9                                            | 4856    | Rhodium      | 018    | 661 |
| CHC9                                            | 4855    | Shadow       | 405    | 276 |
| CHC9                                            | 4850    | Silver Fox   | 765    | 276 |
| CHC9                                            | 4853    | Steel Wool   | 276    | 276 |
| CHC9                                            | 4851    | Vanilla Bean | 862    | 862 |
| CHC9                                            | 4857    | Work Chino   | 862    | 862 |
| <b>Silkweave - 1-1/4" Single Cell Blackout</b>  |         |              |        |     |
| SLK9                                            | 4657    | Beechwood    | 206    | 862 |
| SLK9                                            | 4653    | Blue Steel   | 450    | 661 |
| SLK9                                            | 4655    | Galactic     | 276    | 276 |
| SLK9                                            | 4651    | Lucky Penny  | 083    | 083 |
| SLK9                                            | 4652    | Silver Coin  | 765    | 661 |
| SLK9                                            | 4656    | Sweet Cream  | 862    | 862 |
| SLK9                                            | 4654    | White Satin  | 785    | 785 |
| SLK9                                            | 4650    | Woodwind     | 180    | 180 |

### CODE KEY: HEADRAIL

**STD** = Cordless Lift, Continuous Cord Loop and Motorized shades  
with coordinated rail.

**VA** = Vertical Application shades

## STACKING CHART

| Pattern Name                                       |      | 48" Shade Drop | 72" Shade Drop | 84" Shade Drop | 120" Shade Drop | 144" Shade Drop |
|----------------------------------------------------|------|----------------|----------------|----------------|-----------------|-----------------|
| Classic - 3/4" Light Filtering                     | CLC1 | 1"             | 1"             | 1-1/4"         | 1-3/4"          | N/A             |
| Classic - 3/4" Blackout                            | CLC3 | 7/8"           | 7/8"           | 1-1/8"         | 1-5/8"          | N/A             |
| Dappled - 3/4" Light Filtering                     | DPL1 | 1"             | 1"             | 1-1/4"         | 1-3/4"          | N/A             |
| Designer Colors - 3/4" Light Filtering             | LDC1 | 1"             | 1-1/2"         | 1-3/4"         | 2-1/2"          | N/A             |
| Designer Colors - 3/4" Blackout                    | LDC3 | 7/8"           | 1-1/4"         | 1-1/2"         | 1-3/4"          | N/A             |
| Designer Colors - 1/2" Double Cell Light Filtering | LDC2 | 1-5/8"         | 2-1/2"         | 2-5/8"         | 3-5/8"          | N/A             |
| Designer Colors - 1/2" Double Cell Blackout        | LDC4 | 3/4"           | 1-1/4"         | 1-1/2"         | 3"              | N/A             |
| Abaca Linen - 3/4" Light Filtering                 | ABL1 | 1/2"           | 7/8"           | 1"             | 1-1/2"          | 1-3/4"          |
| Cambrica - 3/4" Light Filtering                    | CBC1 | 1/2"           | 1"             | 1-1/8"         | 1-1/2"          | 1-3/4"          |
| Cambrica - 3/4" Blackout                           | CBC3 | 7/8"           | 7/8"           | 1"             | 1-1/4"          | 1-1/2"          |
| Crosshatch - 3/4" Light Filtering                  | CHC1 | 1/2"           | 7/8"           | 1"             | 1-1/2"          | 1-3/4"          |
| Crosshatch - 3/4" Blackout                         | CHC3 | 7/8"           | 1"             | 1-1/4"         | 1-5/8"          | 1-7/8"          |
| SheerCell™ - 3/4" Sheer                            | SHC1 | 1-1/4"         | 1-1/4"         | 1-1/2"         | 1-3/4"          | 2-7/8"          |
| Silkweave - 3/4" Light Filtering                   | SLK1 | 1/2"           | 7/8"           | 1"             | 1-1/2"          | 1-3/4"          |
| Silkweave - 3/4" Blackout                          | SLK3 | 7/8"           | 1"             | 1-1/4"         | 1-5/8"          | 1-7/8"          |
| Crosshatch - 1/2" Double Cell Light Filtering      | CHC2 | 1-1/4"         | 1-1/2"         | 1-3/4"         | 2-1/4"          | 2-3/4"          |
| Silkweave - 1/2" Double Cell Light Filtering       | SLK2 | 1-1/4"         | 1-1/2"         | 1-3/4"         | 2-1/4"          | 2-3/4"          |
| Abaca Linen - 1-1/4" Light Filtering               | ABL7 | 5/8"           | 1"             | 1-1/8"         | 1-1/4"          | N/A             |
| Cambrica - 1-1/4" Light Filtering                  | CBC7 | 5/8"           | 1"             | 1-1/8"         | 1-1/4"          | N/A             |
| Cambrica - 1-1/4" Blackout                         | CBC9 | 3/4"           | 1-1/8"         | 1-1/4"         | 1-1/2"          | N/A             |
| Crosshatch - 1-1/4" Light Filtering                | CHC7 | 5/8"           | 1"             | 1-1/8"         | 1-1/4"          | N/A             |
| Crosshatch - 1-1/4" Blackout                       | CHC9 | 3/4"           | 1-1/8"         | 1-1/4"         | 1-1/2"          | N/A             |
| Silkweave - 1-1/4" Light Filtering                 | SLK7 | 5/8"           | 1"             | 1-1/8"         | 1-1/4"          | N/A             |
| Silkweave - 1-1/4" Blackout                        | SLK9 | 3/4"           | 1-1/8"         | 1-1/4"         | 1-1/2"          | N/A             |
| Abaca Linen - 2" Light Filtering                   | ABL8 | 3/4"           | 1"             | 1-1/4"         | 1-1/2"          | N/A             |


**NOTE:** Measurements listed are provided for reference, actual stack height may vary.

| Hardware System                           | Rail heights to be added to the above |
|-------------------------------------------|---------------------------------------|
| Cordless, Continuous Cord Loop, InMotion™ | 2"                                    |

## PRIVACY SIDE CHANNELS

### Side Channels


- Available in 5 colors: white, gray, vanilla, bronze or black
- High quality PVC light block installs in minutes
- Option offers additional privacy and room darkening
- Inside Mount Only
- Available with Cordless, InMotion™ Wand and InMotion™ operating systems
- If Privacy Side Channels are selected, a 1/2" will be deducted in addition to the 1/4" for inside mount



# RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.

- Cordless cellular shades come with a clear snap-on handle. 2" Single Cell shades come with a clear textured inserted handle. Shades over 42" in width will have 2 handles.
- Cut-outs are not available on Cordless Lift shades.
- Top Down/Bottom Up shades – Zinc striker plates and magnets comes standard on shades.  
Striker plate & magnet placement:  
Shades under 42" Wide – one magnet on each end of the shade  
Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord  
Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.  
Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

### CORDLESS LIFT – SIZE STANDARDS

|                         | Classic/Dappled Single Cell |          | Designer Colors Single Cell |          | Designer Colors Double Cell |          |
|-------------------------|-----------------------------|----------|-----------------------------|----------|-----------------------------|----------|
|                         | Light Filtering             | Blackout | Light Filtering             | Blackout | Light Filtering             | Blackout |
| Min. Width (net)        | 16"                         | 16"      | 16"                         | 16"      | 16"                         | 16"      |
| Max. Width              | 120                         | 120      | 120                         | 96       | 96                          | 96       |
| Max. Width – End Mount  | 48"                         | 48"      | 48"                         | 48"      | 48"                         | 48"      |
| Max. Width – EasyMount™ | 84"                         | 84"      | 84"                         | 84"      | 84"                         | 84"      |
| Min. Height             | 12"                         | 12"      | 12"                         | 12"      | 12"                         | 12"      |
| Max. Height             | 84"                         | 84"      | 84"                         | 84"      | 84"                         | 84"      |
| Max Area (sq. ft.)      | 70                          | 70       | 70                          | 70       | 70                          | 70       |

### CORDLESS LIFT – SIZE STANDARDS

|                         | All Remaining 3/4" Single and Double Cell Fabrics | All 1-1/4" Fabrics | 2" Fabric |
|-------------------------|---------------------------------------------------|--------------------|-----------|
| Min. Width (net)        | 16"                                               | 16"                | 16"       |
| Max. Width              | 120"                                              | 120                | 120"      |
| Max. Width – End Mount  | 48"                                               | N/A                | 42"       |
| Max. Width – EasyMount™ | 84"                                               | N/A                | 84"       |
| Min. Height             | 12"                                               | 12"                | 12"       |
| Max. Height             | 84"                                               | 84"                | 84"       |
| Max Area (sq. ft.)      | 70                                                | 60                 | 60        |

### CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

|                         | Classic/Dappled Single Cell |          | Designer Colors Single Cell |          | Designer Colors Double Cell |          |
|-------------------------|-----------------------------|----------|-----------------------------|----------|-----------------------------|----------|
|                         | Light Filtering             | Blackout | Light Filtering             | Blackout | Light Filtering             | Blackout |
| Min. Width (net)        | 16"                         | 16"      | 16"                         | 16"      | 16"                         | 16"      |
| Max. Width              | 120                         | 120      | 96"                         | 96       | 96                          | 96       |
| Max. Width – End Mount  | 48"                         | 48"      | 48"                         | 48"      | 48"                         | 48"      |
| Max. Width – EasyMount™ | 84"                         | 84"      | 84"                         | 84"      | 84"                         | 84"      |
| Min. Height             | 12"                         | 12"      | 12"                         | 12"      | 12"                         | 12"      |
| Max. Height             | 84"                         | 84"      | 84"                         | 84"      | 84"                         | 84"      |
| Max Area (sq. ft.)      | 70                          | 70       | 70                          | 70       | 70                          | 70       |

### CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

|                         | All Remaining 3/4" Single and Double Cell Fabrics | All 1-1/4" Fabrics | 2" Fabric |
|-------------------------|---------------------------------------------------|--------------------|-----------|
| Min. Width (net)        | 16"                                               | 16"                | 16"       |
| Max. Width              | 120"                                              | 96"                | 120"      |
| Max. Width – End Mount  | 48"                                               | N/A                | 42"       |
| Max. Width – EasyMount™ | 84"                                               | N/A                | 84"       |
| Min. Height             | 12"                                               | 12"                | 12"       |
| Max. Height             | 84"                                               | 84"                | 84"       |
| Max Area (sq. ft.)      | 70                                                | 56                 | 60        |

### CORDLESS LIFT DAY/NIGHT – SIZE STANDARDS

|                         | Classic/Dappled Single Cell |          | Designer Colors Single Cell |          |
|-------------------------|-----------------------------|----------|-----------------------------|----------|
|                         | Light Filtering             | Blackout | Light Filtering             | Blackout |
| Min. Width (net)        | 16"                         | 16"      | 16"                         | 16"      |
| Max. Width              | 84"                         | 84"      | 84"                         | 72"      |
| Max. Width – End Mount  | 36"                         | 36"      | 36"                         | 36"      |
| Max. Width – EasyMount™ | 84"                         | 84"      | 84"                         | 84"      |
| Min. Height             | 12"                         | 12"      | 12"                         | 12"      |
| Max. Height             | 84"                         | 84"      | 84"                         | 84"      |
| Max Area (sq. ft.)      | 42                          | 42       | 42                          | 42       |

### CORDLESS LIFT DAY/NIGHT – SIZE STANDARDS

|                         | All Remaining 3/4" Single Cell |
|-------------------------|--------------------------------|
| Min. Width (net)        | 16"                            |
| Max. Width              | 84"                            |
| Max. Width – End Mount  | 36"                            |
| Max. Width – EasyMount™ | 84"                            |
| Min. Height             | 12"                            |
| Max. Height             | 84"                            |
| Max Area (sq. ft.)      | 42                             |

\* Cordless Lift Day/Night is not available with any 1/2" double cell, 1-1/4", or 2" fabrics

Note: Top fabric must be SheerCell™

Note: Cut-outs are not available on Cordless Lift shades.

Note: EasyMount™ not available at all Retailers

# RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CORDLESS LIFT SYSTEM

### CORDLESS TWO-ON-ONE – SIZE STANDARDS

|                             | Classic/Dappled<br>Single Cell |          | Designer Colors<br>Single Cell |          | Designer Colors<br>Double Cell |          |
|-----------------------------|--------------------------------|----------|--------------------------------|----------|--------------------------------|----------|
|                             | Light Filtering                | Blackout | Light Filtering                | Blackout | Light Filtering                | Blackout |
| Min Width (per panel) (net) | 16"                            | 16"      | 16"                            | 16"      | 16"                            | 16"      |
| Min Width (overall)         | 32"                            | 32"      | 32"                            | 32"      | 32"                            | 32"      |
| Max Width (per panel)       | 120"                           | 120"     | 96"                            | 96"      | 96"                            | 96"      |
| Max Width (overall)         | 174"                           | 174"     | 174"                           | 174"     | 174"                           | 174"     |
| Min Height                  | 12"                            | 12"      | 12"                            | 12"      | 12"                            | 12"      |
| Max Height                  | 84"                            | 84"      | 84"                            | 84"      | 84"                            | 84"      |
| Max Area (Sq/Ft)            | 70                             | 70       | 70                             | 70       | 70                             | 70       |

\* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Day/Night  
Note: End mount not available.

### CORDLESS TWO-ON-ONE – SIZE STANDARDS

|                             | All Remaining 3/4"<br>Single and Double Cell<br>Fabrics | All 1-1/4" Fabrics | 2" Fabric |
|-----------------------------|---------------------------------------------------------|--------------------|-----------|
| Min Width (per panel) (net) | 16"                                                     | 18"                | 16"       |
| Min Width (overall)         | 32"                                                     | 36"                | 32"       |
| Max Width (per panel)       | 120"                                                    | 96"                | 100"      |
| Max Width (overall)         | 174"                                                    | 120"               | 120"      |
| Min Height                  | 12"                                                     | 12"                | 12"       |
| Max Height                  | 84"                                                     | 84"                | 84"       |
| Max Area (Sq/Ft)            | 70                                                      | 60                 | 60        |

\* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Day/Night  
Note: End mount not available.

### CORDLESS THREE-ON-ONE – SIZE STANDARDS

|                             | Classic/Dappled<br>Single Cell |          | Designer Colors<br>Single Cell |          | Designer Colors<br>Double Cell |          |
|-----------------------------|--------------------------------|----------|--------------------------------|----------|--------------------------------|----------|
|                             | Light Filtering                | Blackout | Light Filtering                | Blackout | Light Filtering                | Blackout |
| Min Width (per panel) (net) | 16"                            | 16"      | 16"                            | 16"      | 16"                            | 16"      |
| Min Width (overall)         | 48"                            | 48"      | 48"                            | 48"      | 48"                            | 48"      |
| Max Width (per panel)       | 120"                           | 120"     | 96"                            | 96"      | 96"                            | 96"      |
| Max Width (overall)         | 174"                           | 174"     | 174"                           | 174"     | 174"                           | 174"     |
| Min Height                  | 12"                            | 12"      | 12"                            | 12"      | 12"                            | 12"      |
| Max Height                  | 84"                            | 84"      | 84"                            | 84"      | 84"                            | 84"      |
| Max Area (Sq/Ft)            | 70                             | 70       | 70                             | 70       | 70                             | 70       |

\* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Day/Night  
Note: End mount not available.

### CORDLESS THREE-ON-ONE – SIZE STANDARDS

|                              | All Remaining 3/4"<br>Single and Double Cell<br>Fabrics | 2" Fabric |
|------------------------------|---------------------------------------------------------|-----------|
| Min Width (per panel)        | 16"                                                     | 16"       |
| Min Width (overall)          | 48"                                                     | 48"       |
| Max Width (per panel)        | 120"                                                    | 120"      |
| Max Width (overall)          | 174"                                                    | 174"      |
| Min Height                   | 12"                                                     | 12"       |
| Max Height                   | 84"                                                     | 84"       |
| Max Area (per panel) (Sq/Ft) | 70                                                      | 60        |

\* Three-On-One Headrail is not available in Top-Down/Bottom-Up, Day/Night, or 1-1/4" fabrics  
Note: End mount not available.

# RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CORDLESS LIFT SYSTEM

### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

|                                     | Most Fabrics   | 2" Fabric      |
|-------------------------------------|----------------|----------------|
| <b>Inside (IB) Mounts</b>           |                |                |
| Headrail unit                       | - 1/4"         | - 1/4"         |
| Shade height                        | ordered height | ordered height |
| Fabric width                        | - 3/8"         | - 3/8"         |
| <b>End (EB) Mounts</b>              |                |                |
| Headrail unit                       | - 1/2"         | - 1/2"         |
| Shade height                        | ordered height | ordered height |
| Fabric width                        | - 5/8"         | - 5/8"         |
| <b>Outside (OB) Mount</b>           |                |                |
| Headrail unit                       | ordered width  | ordered width  |
| Shade height                        | ordered height | ordered height |
| Fabric width                        | - 1/8"         | - 1/8"         |
| <b>2-on-1 &amp; 3-on-1 Headrail</b> |                |                |
| Gap between panels                  | -1/4"          | -1/4"          |

NOTE: Measurements may vary  $\pm 1/8$ "

Adjustments are taken from ordered dimensions.

#### Cordless Lift (1-1/4" N/A as Day/Night)

1-1/4" Fabrics

|                           |                |
|---------------------------|----------------|
| <b>Inside (IB) Mounts</b> |                |
| Headrail unit             | - 1/4"         |
| Shade height              | ordered height |
| Fabric width              | - 3/8"         |
| <b>End (EB) Mounts</b>    |                |
| Headrail unit             | - 1/2"         |
| Shade height              | ordered height |
| Fabric width              | - 5/8"         |
| <b>Outside (OB) Mount</b> |                |
| Headrail unit             | ordered width  |
| Shade height              | ordered height |
| Fabric width              | - 1/8"         |
| <b>2 on 1 Headrail</b>    |                |
| Gap between panels        | -1/4"          |

### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

|                                          | Most Fabrics | 2" Fabric |
|------------------------------------------|--------------|-----------|
| <b>Inside (IB) &amp; End (EB) Mounts</b> |              |           |
| Minimum mounting depth                   | 3/4"         | 3/4"      |
| Minimum mounting depth, flush mount:     | 2-1/8"       | 2-1/8"    |
| Minimum mounting depth – EasyMount™      | 2-1/4"       | 2-1/4"    |
| <b>Outside (OB) Mount</b>                |              |           |
| Minimum flat vertical surface            | 1-1/2"       | 1-1/2"    |

NOTE: 2" Fabric is N/A as Day/Night

NOTE: EasyMount™ available in 5 colors (white, vanilla, gray, bronze and black) to complement your trim color. Not available at all Retailers.

Use a metal tape measure for all measurements.

#### Cordless Lift (1-1/4" N/A as Day/Night)

1-1/4" Fabrics


|                                          |        |
|------------------------------------------|--------|
| <b>Inside (IB) &amp; End (EB) Mounts</b> |        |
| Minimum mounting depth                   | 1-5/8" |
| Minimum mounting depth, flush mount:     | 3"     |
| Minimum mounting depth – EasyMount™      | N/A    |
| <b>Outside (OB) Mount</b>                |        |
| Minimum flat vertical surface            | 1-1/2" |

NOTE: To accommodate the larger pleat of 1-1/4" fabrics, they use a larger rail system that requires more mounting depth.

# RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

### CONTINUOUS CORD LOOP – SIZE STANDARDS

|                        | Classic/Dappled Single Cell |          | Designer Colors Single Cell |          | Designer Colors Double Cell |          |
|------------------------|-----------------------------|----------|-----------------------------|----------|-----------------------------|----------|
|                        | Light Filtering             | Blackout | Light Filtering             | Blackout | Light Filtering             | Blackout |
| Min. Width (net)*      | 18"                         | 18"      | 18"                         | 18"      | 18"                         | 18"      |
| Max. Width             | 120"                        | 120"     | 144"                        | 144"     | 120"                        | 120"     |
| Max. Width – End Mount | 48"                         | 48"      | 48"                         | 48"      | 48"                         | 48"      |
| Min. Height            | 6"                          | 6"       | 6"                          | 6"       | 6"                          | 6"       |
| Max. Height*           | 120"                        | 120"     | 120"                        | 120"     | 120"                        | 120"     |
| Max. Area (sq. ft.)    | 100                         | 100      | 100                         | 100      | 100                         | 100      |

### CONTINUOUS CORD LOOP – SIZE STANDARDS

|                        | 3/4" Abaca Linen | 3/4" Sheer & Remaining Light Filtering | Remaining 3/4" Blackout | Remaining Double Cell | 2" Light Filtering |
|------------------------|------------------|----------------------------------------|-------------------------|-----------------------|--------------------|
| Min. Width (net)*      | 18"              | 18"                                    | 18"                     | 18"                   | 18"                |
| Max. Width             | 120"             | 174"                                   | 144"                    | 144"                  | 120"               |
| Max. Width – End Mount | 48"              | 48"                                    | 48"                     | 48"                   | 42"                |
| Min. Height            | 6"               | 6"                                     | 6"                      | 6"                    | 12"                |
| Max. Height*           | 120"             | 144"                                   | 144"                    | 144"                  | 120"               |
| Max. Area (sq. ft.)    | 100"             | 150                                    | 100                     | 80                    | 60                 |

\* Continuous Cord Loop is not available with 1-1/4" fabrics

### CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

|                        | Classic/Dappled Single Cell |          | Designer Colors Single Cell |          | Designer Colors Double Cell |          |
|------------------------|-----------------------------|----------|-----------------------------|----------|-----------------------------|----------|
|                        | Light Filtering             | Blackout | Light Filtering             | Blackout | Light Filtering             | Blackout |
| Min. Width (per panel) | 18"                         | 18"      | 18"                         | 18"      | 18"                         | 18"      |
| Min. Width (overall)   | 36"                         | 36"      | 36"                         | 36"      | 36"                         | 36"      |
| Max. Width (per panel) | 120"                        | 120"     | 144"                        | 144"     | 144"                        | 144"     |
| Max. Width (overall)   | 144"                        | 144"     | 174"                        | 174"     | 174"                        | 174"     |
| Min. Height            | 6"                          | 6"       | 6"                          | 6"       | 6"                          | 6"       |
| Max. Height            | 120"                        | 120"     | 120"                        | 120"     | 120"                        | 120"     |
| Max. Area (sq. ft.)    | 100                         | 100      | 100                         | 100      | 100                         | 100      |

Note: End mount not available.

\* Continuous Cord Loop is not available with 1-1/4" fabrics

### CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

|                        | 3/4" Abaca Linen | 3/4" Sheer & Remaining Light Filtering | Remaining 3/4" Blackout | Remaining Double Cell | 2" Light Filtering |
|------------------------|------------------|----------------------------------------|-------------------------|-----------------------|--------------------|
| Min. Width (per panel) | 18"              | 18"                                    | 18"                     | 18"                   | 18"                |
| Min. Width (overall)   | 36"              | 36"                                    | 36"                     | 36"                   | 36"                |
| Max. Width (per panel) | 120"             | 120"                                   | 120"                    | 144"                  | 144"               |
| Max. Width (overall)   | 174"             | 144"                                   | 144"                    | 174"                  | 174"               |
| Min. Height            | 6"               | 6"                                     | 6"                      | 6"                    | 6"                 |
| Max. Height            | 120"             | 120"                                   | 120"                    | 120"                  | 120"               |
| Max. Area (sq. ft.)    | 100"             | 100"                                   | 100"                    | 100"                  | 100"               |

Note: End mount not available.

\* Continuous Cord Loop is not available with 1-1/4" fabrics

### CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

|                        | Classic/Dappled Single Cell |          | Designer Colors Single Cell |          | Designer Colors Double Cell |          |
|------------------------|-----------------------------|----------|-----------------------------|----------|-----------------------------|----------|
|                        | Light Filtering             | Blackout | Light Filtering             | Blackout | Light Filtering             | Blackout |
| Min. Width (net)*      | 24"                         | 24"      | 24"                         | 24"      | 24"                         | 24"      |
| Max. Width             | 120"                        | 120"     | 144"                        | 144"     | 144"                        | 144"     |
| Max. Width – End Mount | 48"                         | 48"      | 48"                         | 48"      | 48"                         | 48"      |
| Min. Height            | 8"                          | 8"       | 8"                          | 8"       | 8"                          | 8"       |
| Max. Height*           | 120"                        | 120"     | 120"                        | 120"     | 120"                        | 120"     |
| Max. Area (sq. ft.)    | 100"                        | 100"     | 100"                        | 100"     | 100"                        | 100"     |

\* Continuous Cord Loop is not available with 1-1/4"

### CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

|                        | 3/4" Abaca Linen | 3/4" Sheer & Remaining Light Filtering | Remaining 3/4" Blackout | Remaining Double Cell | 2" Light Filtering |
|------------------------|------------------|----------------------------------------|-------------------------|-----------------------|--------------------|
| Min. Width (net)*      | 24"              | 24"                                    | 24"                     | 24"                   | 24"                |
| Max. Width             | 120"             | 144"                                   | 144"                    | 144"                  | 120"               |
| Max. Width – End Mount | 48"              | 48"                                    | 48"                     | 48"                   | 42"                |
| Min. Height            | 8"               | 8"                                     | 8"                      | 8"                    | 12"                |
| Max. Height*           | 120"             | 144"                                   | 144"                    | 144"                  | 120"               |
| Max. Area (sq. ft.)    | 100"             | 150"                                   | 100"                    | 80"                   | 60"                |

# RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CONTINUOUS CORD LOOP SYSTEM

### FINISHED DIMENSIONS

Cellular 2" Fabric

| Inside (IB) Mounts |                |                |
|--------------------|----------------|----------------|
| Headrail unit      | - 1/4"         | - 1/4"         |
| Shade height       | ordered height | ordered height |
| Fabric width       | - 3/8"         | - 5/8"         |
| End (EB) Mounts    |                |                |
| Headrail unit      | - 1/2"         | - 1/2"         |
| Shade height       | ordered height | ordered height |
| Fabric width       | - 5/8"         | - 7/8"         |
| Outside (OB) Mount |                |                |
| Headrail unit      | ordered width  | ordered width  |
| Shade height       | ordered height | ordered height |
| Fabric width       | - 1/8"         | - 3/8"         |

\*An extra 1/4" deduction will be taken from the fabric with the Top-Down/  
Bottom-Up option for 2" Fabric

NOTE: Measurements may vary  $\pm 1/8"$

### CORD LOOP DROP

| SHADE HEIGHT    | CORD LOOP DROP |
|-----------------|----------------|
| up to 18"       | 18" loop       |
| 18" to 42"      | 24" loop       |
| 42-1/8" - 54"   | 36" loop       |
| 54-1/8" - 72"   | 48" loop       |
| 72-1/8" - 90"   | 60" loop       |
| 90-1/8" - 110"  | 72" loop       |
| 110-1/8" - 130" | 96" loop       |
| 130-1/8" - 144" | 120" loop      |

### FINISHED DIMENSIONS - 2 ON 1

Cellular 2" Fabric

| Inside (IB) Mounts                    |                |                |
|---------------------------------------|----------------|----------------|
| Headrail unit                         | - 1/4"         | - 1/4"         |
| Shade height                          | ordered height | ordered height |
| Fabric width (includes gap deduction) | - 5/8"         | - 7/8"         |
| Outside (OB) Mount                    |                |                |
| Headrail unit                         | ordered width  | ordered width  |
| Shade height                          | ordered height | ordered height |
| Fabric width                          | - 1/8"         | - 3/8"         |
| 2-on-1 Headrail                       |                |                |
| Gap between panels                    | - 1/4"         | - 1/4"         |

### MOUNTING REQUIREMENTS

Cellular 2" Fabric

| Inside (IB) Mounts                   |        |        |
|--------------------------------------|--------|--------|
| Minimum mounting depth               | 3/4"   | 3/4"   |
| Minimum mounting depth, flush mount: | 2-1/8" | 2-1/8" |
| Outside (OB) Mount                   |        |        |
| Minimum flat vertical surface        | 1-1/2" | 1-1/2" |


NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

## CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on continuous cord loop bottom-up shades only.

Not available on 1-1/4" or 2" fabrics.

### CUT-OUTS - SIZE STANDARDS

|                    |      |
|--------------------|------|
| Min. Cut-out Width | 1/8" |
| Max. Cut-out Width | 3"   |
| Min. Shade Width   | 12"  |
| Max. Shade Width   | 120" |
| Min. Shade Height  | 12"  |
| Max. Shade Height  | 120" |

# INMOTION™ MOTORIZATION CONFIGURATION SPECIFICATIONS

## INMOTION™ MOTORIZATION BOTTOM UP, TOP-DOWN/BOTTOM-UP, DAY/NIGHT (INTERNAL BATTERY)



- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop.

| InMotion™ SIZE STANDARDS   |                  |           |                |                      |
|----------------------------|------------------|-----------|----------------|----------------------|
|                            | Bottom-Up        |           |                | Top-Down / Bottom-Up |
|                            | Cellular Fabrics | 2" Fabric | 1-1/4" Fabrics |                      |
| Minimum NET Width*         | 18-1/8"          | 18-1/8"   | 24"            | 30"                  |
| Maximum Width              | 120"             | 120"      | 120"           | 120"                 |
| Maximum Width – EasyMount™ | 84"              | 84"       | N/A            | 84"                  |
| Minimum Height             | 12"              | 12"       | 12"            | 12"                  |
| Maximum Height             | 108"             | 108"      | 108"           | 108"                 |

**NOTE:** Max height varies by width and fabric type. Refer to chart.

**End Mount** not available

**EasyMount™** available in 5 colors (white, vanilla, gray, bronze and black) to complement your trim color. Not available at all Retailers.

The minimum inside mount width is 19" when ordered with hold-down brackets

**Control Side RIGHT ONLY** - indicates where the Charging Port and Reset/Programing button are located

| InMotion™ 2-on-1 HEADRAIL - SIZE STANDARDS |                  |           |                |
|--------------------------------------------|------------------|-----------|----------------|
|                                            | Bottom-Up        |           |                |
|                                            | Cellular Fabrics | 2" Fabric | 1-1/4" Fabrics |
| Minimum NET Width (per panel)              | 20"              | 20"       | 24"            |
| Minimum NET Width (overall)                | 40"              | 40"       | 48"            |
| Maximum Width (per panel)                  | 120"             | 120"      | 120"           |
| Maximum Width (overall)                    | 144"             | 144"      | 144"           |
| Minimum Height                             | 12"              | 12"       | 12"            |
| Maximum Height                             | 108"             | 108"      | 108"           |

**NOTE:** Max height varies by width and fabric type.

| InMotion™ Day/Night - SIZE STANDARDS |                        |
|--------------------------------------|------------------------|
|                                      | Cellular               |
|                                      | All Available Fabrics* |
|                                      | Right Side Control     |
| Min. Width (net)                     | 30-1/8"                |
| Max. Width*                          | 120"                   |
| Min. Height                          | 18"                    |
| Max. Height                          | 108"                   |
| Max. Area (sq. ft.)                  | n/a *                  |

**End Mount** not available

\*Not available with Double Cell, 1-1/4", and 2" fabrics

**Control Side RIGHT ONLY** - indicates where the Charging Port and Reset/Programing button are located

### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular                      2" Fabric

| Inside (IB) Mounts |                |                |
|--------------------|----------------|----------------|
| Headrail unit      | – 1/4"         | – 1/4"         |
| Shade height       | ordered height | ordered height |
| Fabric width       | – 3/8"         | – 3/8"         |
| Outside (OB) Mount |                |                |
| Headrail unit      | ordered width  | ordered width  |
| Shade height       | ordered height | ordered height |
| Fabric width       | – 1/8"         | – 1/8"         |

**NOTE:** Measurements may vary  $\pm 1/8"$

Adjustments are taken from ordered dimensions.

1-1/4" Fabrics

| Inside (IB) Mounts |                |
|--------------------|----------------|
| Headrail unit      | – 1/4"         |
| Shade height       | ordered height |
| Fabric width       | – 3/8"         |
| Outside (OB) Mount |                |
| Headrail unit      | ordered width  |
| Shade height       | ordered height |
| Fabric width       | – 1/8"         |

### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular & 2" Fabric

| Inside (IB) Mount                    |        |
|--------------------------------------|--------|
| Minimum mounting depth               | 3/4"   |
| Minimum mounting depth, flush mount: | 36"    |
| Minimum mounting depth – EasyMount™  | 2-1/4" |
| Outside (OB) Mount                   |        |
| Minimum flat vertical surface        | 1-1/2" |

**NOTE:** EasyMount™ not available at all Retailers

Use a metal tape measure for all measurements.

1-1/4" Fabrics

| Inside (IB) Mount                    |        |
|--------------------------------------|--------|
| Minimum mounting depth               | 1-5/8" |
| Minimum mounting depth, flush mount: | 3"     |
| Minimum mounting depth – EasyMount™  | N/A    |
| Outside (OB) Mount                   |        |
| Minimum flat vertical surface        | 1-1/2" |

**NOTE:** To accommodate the larger pleat of 1-1/4" fabrics, they use a larger rail system that requires more mounting depth.

## SIZE STANDARDS – INMOTION™ MOTORIZATION

| InMotion™ MOTORIZATION<br>MAXIMUM HEIGHTS<br>Bottom-Up |                                        |             |      |      |                          |      |
|--------------------------------------------------------|----------------------------------------|-------------|------|------|--------------------------|------|
| CODE                                                   | SHADE NET WIDTH TO:                    | 18" – 72" * | 84"  | 96"  | 108"                     | 120" |
| <b>3/4" Light Filtering</b>                            |                                        |             |      |      |                          |      |
|                                                        |                                        |             |      |      | 60 Sq Ft Max - Over 96"  |      |
| ABL1                                                   | Abaca Linen - 3/4" Light Filtering     | 108"        | 108" | 108" | 80"                      | 72"  |
|                                                        |                                        |             |      |      | 85 Sq Ft Max - Over 96"  |      |
| CBC1                                                   | Cambrica - 3/4" Light Filtering        | 108"        | 108" | 108" | 108"                     | 102" |
|                                                        |                                        |             |      |      | 85 Sq Ft Max             |      |
| CLC1                                                   | Classic - 3/4" Light Filtering         | 108"        | 108" | 108" | 108"                     | 102" |
|                                                        |                                        |             |      |      |                          |      |
| CHC1                                                   | Crosshatch - 3/4" Light Filtering      | 108"        | 108" | 108" | 108"                     | 108" |
|                                                        |                                        |             |      |      | 85 Sq Ft Max             |      |
| DPL1                                                   | Dappled - 3/4" Light Filtering         | 108"        | 108" | 108" | 108"                     | 102" |
|                                                        |                                        |             |      |      |                          |      |
| LDC1                                                   | Designer Colors - 3/4" Light Filtering | 108"        | 108" | 108" | 108"                     | 108" |
|                                                        |                                        |             |      |      |                          |      |
| SLK1                                                   | Silkweave - 3/4" Light Filtering       | 108"        | 108" | 108" | 108"                     | 108" |
| <b>3/4" Sheer</b>                                      |                                        |             |      |      |                          |      |
| SHC1                                                   | SheerCell(TM) - 3/4" Sheer             | 108"        | 108" | 108" | 108"                     | 108" |
| <b>3/4" Blackout</b>                                   |                                        |             |      |      |                          |      |
|                                                        |                                        |             |      |      | 65 Sq Ft Max - Over 96"  |      |
| CBC3                                                   | Cambrica - 3/4" Blackout               | 108"        | 108" | 108" | 87"                      | 78"  |
|                                                        |                                        |             |      |      | 85 Sq Ft Max             |      |
| CLC3                                                   | Classic - 3/4" Blackout                | 108"        | 108" | 108" | 108"                     | 102" |
|                                                        |                                        |             |      |      | 60 Sq Ft Max - Over 96"  |      |
| CHC3                                                   | Crosshatch - 3/4" Blackout             | 108"        | 108" | 108" | 80"                      | 72"  |
|                                                        |                                        |             |      |      |                          |      |
| LDC3                                                   | Designer Colors - 3/4" Blackout        | 108"        | 108" | 108" | 108"                     | 108" |
|                                                        |                                        |             |      |      |                          |      |
| SLK3                                                   | Silkweave - 3/4" Blackout              | 108"        | 108" | 108" | 108"                     | 108" |
| <b>Double Cell Light Filtering</b>                     |                                        |             |      |      |                          |      |
|                                                        |                                        |             |      |      | 70 Sq Ft Max - Over 96"  |      |
| CHC2                                                   | Crosshatch - 1/2" Light Filtering      | 108"        | 108" | 108" | 93"                      | 84"  |
|                                                        |                                        |             |      |      | 45 Sq Ft Max             |      |
| LDC2                                                   | Designer Colors - 1/2" Light Filtering | 90"         | 77"  | 67"  | 60"                      | 54"  |
|                                                        |                                        |             |      |      | 65 Sq Ft Max - Over 96"  |      |
| SLK2                                                   | Silkweave - 1/2" Light Filtering       | 108"        | 108" | 108" | 87"                      | 78"  |
| <b>Double Cell Blackout</b>                            |                                        |             |      |      |                          |      |
|                                                        |                                        |             |      |      | 45 Sq Ft Max             |      |
| LDC4                                                   | Designer Colors - 1/2" Blackout        | 90"         | 77"  | 67"  | 60"                      | 54"  |
| <b>1-1/4" Light Filtering</b>                          |                                        |             |      |      |                          |      |
|                                                        |                                        |             |      |      | 60 Sq Ft Max - Over 96"  |      |
| ABL7                                                   | Abaca Linen - 1-1/4" Light Filtering   | 108"        | 108" | 108" | 80"                      | 72"  |
|                                                        |                                        |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| CBC7                                                   | Cambrica - 1-1/4" Light Filtering      | 108"        | 108" | 108" | 73"                      | 66"  |
|                                                        |                                        |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| CHC7                                                   | Crosshatch - 1-1/4" Light Filtering    | 108"        | 108" | 108" | 73"                      | 66"  |
|                                                        |                                        |             |      |      | 55 Sq Ft Max - Over 96"  |      |
| SLK7                                                   | Silkweave - 1-1/4" Light Filtering     | 108"        | 108" | 108" | 73"                      | 66"  |
| <b>1-1/4" Blackout</b>                                 |                                        |             |      |      |                          |      |
|                                                        |                                        |             |      |      | 50 Sq Ft Max - Over 96"  |      |
| CBC9                                                   | Cambrica - 1-1/4" Blackout             | 108"        | 108" | 108" | 67"                      | 60"  |
|                                                        |                                        |             |      |      | 50 Sq Ft Max - Over 96"  |      |
| CHC9                                                   | Crosshatch - 1-1/4" Blackout           | 108"        | 108" | 108" | 67"                      | 60"  |
|                                                        |                                        |             |      |      | 50 Sq Ft Max - Over 96"  |      |
| SLK9                                                   | Silkweave - 1-1/4" Blackout            | 108"        | 108" | 108" | 67"                      | 60"  |
| <b>2" Hybrid Pleat</b>                                 |                                        |             |      |      |                          |      |
|                                                        |                                        |             |      |      | 45 Sq Ft Max - Up to 96" |      |
|                                                        |                                        |             |      |      | 30 Sq Ft Max - Over 96"  |      |
| ABL8                                                   | Abaca Linen - 2" Light Filtering       | 90"         | 77"  | 67"  | 40"                      | 36"  |

### NOTES:

- 1) Minimum Panel Width for 1-1/4" is 24"
- 2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4")
- 3) 2-on-1 Maximum Width (overall) is 144"
- 4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

## SIZE STANDARDS – INMOTION™ MOTORIZATION

| InMotion™ MOTORIZATION<br>MAXIMUM HEIGHTS<br>Top- Down / Bottom-Up |                                        |           |      |      |                          |      |
|--------------------------------------------------------------------|----------------------------------------|-----------|------|------|--------------------------|------|
| CODE                                                               | SHADE NET WIDTH TO:                    | 30" – 72" | 84"  | 96"  | 108"                     | 120" |
| <b>3/4" Light Filtering</b>                                        |                                        |           |      |      |                          |      |
|                                                                    |                                        |           |      |      | 60 Sq Ft Max - Over 96"  |      |
| ABL1                                                               | Abaca Linen - 3/4" Light Filtering     | 108"      | 108" | 108" | 80"                      | 72"  |
|                                                                    |                                        |           |      |      | 85 Sq Ft Max - Over 96"  |      |
| CBC1                                                               | Cambrica - 3/4" Light Filtering        | 108"      | 108" | 108" | 108"                     | 102" |
|                                                                    |                                        |           |      |      | 85 Sq Ft Max - Over 96"  |      |
| CLC1                                                               | Classic - 3/4" Light Filtering         | 108"      | 108" | 108" | 108"                     | 102" |
|                                                                    |                                        |           |      |      |                          |      |
| CHC1                                                               | Crosshatch - 3/4" Light Filtering      | 108"      | 108" | 108" | 108"                     | 108" |
|                                                                    |                                        |           |      |      | 85 Sq Ft Max - Over 96"  |      |
| DPL1                                                               | Dappled - 3/4" Light Filtering         | 108"      | 108" | 108" | 108"                     | 102" |
|                                                                    |                                        |           |      |      |                          |      |
| LDC1                                                               | Designer Colors - 3/4" Light Filtering | 108"      | 108" | 108" | 108"                     | 108" |
|                                                                    |                                        |           |      |      |                          |      |
| SLK1                                                               | Silkweave - 3/4" Light Filtering       | 108"      | 108" | 108" | 108"                     | 108" |
| <b>3/4" Sheer</b>                                                  |                                        |           |      |      |                          |      |
| SHC1                                                               | SheerCell(TM) - 3/4" Sheer             | 108"      | 108" | 108" | 108"                     | 108" |
| <b>3/4" Blackout</b>                                               |                                        |           |      |      |                          |      |
|                                                                    |                                        |           |      |      | 65 Sq Ft Max - Over 96"  |      |
| CBC3                                                               | Cambrica - 3/4" Blackout               | 108"      | 108" | 108" | 87"                      | 78"  |
|                                                                    |                                        |           |      |      | 85 Sq Ft Max - Over 96"  |      |
| CLC3                                                               | Classic - 3/4" Blackout                | 108"      | 108" | 108" | 108"                     | 102" |
|                                                                    |                                        |           |      |      | 60 Sq Ft Max - Over 96"  |      |
| CHC3                                                               | Crosshatch - 3/4" Blackout             | 108"      | 108" | 108" | 80"                      | 72"  |
|                                                                    |                                        |           |      |      |                          |      |
| LDC3                                                               | Designer Colors - 3/4" Blackout        | 108"      | 108" | 108" | 108"                     | 108" |
|                                                                    |                                        |           |      |      |                          |      |
| SLK3                                                               | Silkweave - 3/4" Blackout              | 108"      | 108" | 108" | 108"                     | 108" |
| <b>Double Cell Light Filtering</b>                                 |                                        |           |      |      |                          |      |
|                                                                    |                                        |           |      |      | 70 Sq Ft Max - Over 96"  |      |
| CHC2                                                               | Crosshatch - 1/2" Light Filtering      | 108"      | 108" | 108" | 93"                      | 84"  |
|                                                                    |                                        |           |      |      | 45 Sq Ft Max             |      |
| LDC2                                                               | Designer Colors - 1/2" Light Filtering | 90"       | 77"  | 67"  | 60"                      | 54"  |
|                                                                    |                                        |           |      |      | 65 Sq Ft Max - Over 96"  |      |
| SLK2                                                               | Silkweave - 1/2" Light Filtering       | 108"      | 108" | 108" | 87"                      | 78"  |
| <b>Double Cell Blackout</b>                                        |                                        |           |      |      |                          |      |
|                                                                    |                                        |           |      |      | 45 Sq Ft Max             |      |
| LDC4                                                               | Designer Colors - 1/2" Blackout        | 90"       | 77"  | 67"  | 60"                      | 54"  |
| <b>1-1/4" Light Filtering</b>                                      |                                        |           |      |      |                          |      |
|                                                                    |                                        |           |      |      | 60 Sq Ft Max - Over 96"  |      |
| ABL7                                                               | Abaca Linen - 1-1/4" Light Filtering   | 108"      | 108" | 108" | 80"                      | 72"  |
|                                                                    |                                        |           |      |      | 55 Sq Ft Max - Over 96"  |      |
| CBC7                                                               | Cambrica - 1-1/4" Light Filtering      | 108"      | 108" | 108" | 73"                      | 66"  |
|                                                                    |                                        |           |      |      | 55 Sq Ft Max - Over 96"  |      |
| CHC7                                                               | Crosshatch - 1-1/4" Light Filtering    | 108"      | 108" | 108" | 73"                      | 66"  |
|                                                                    |                                        |           |      |      | 55 Sq Ft Max - Over 96"  |      |
| SLK7                                                               | Silkweave - 1-1/4" Light Filtering     | 108"      | 108" | 108" | 73"                      | 66"  |
| <b>1-1/4" Backout</b>                                              |                                        |           |      |      |                          |      |
|                                                                    |                                        |           |      |      | 50 Sq Ft Max - Over 96"  |      |
| CBC9                                                               | Cambrica - 1-1/4" Blackout             | 108"      | 108" | 108" | 67"                      | 60"  |
|                                                                    |                                        |           |      |      | 50 Sq Ft Max - Over 96"  |      |
| CHC9                                                               | Crosshatch - 1-1/4" Blackout           | 108"      | 108" | 108" | 67"                      | 60"  |
|                                                                    |                                        |           |      |      | 50 Sq Ft Max - Over 96"  |      |
| SLK9                                                               | Silkweave - 1-1/4" Blackout            | 108"      | 108" | 108" | 67"                      | 60"  |
| <b>2" Hybrid Pleat</b>                                             |                                        |           |      |      |                          |      |
|                                                                    |                                        |           |      |      | 45 Sq Ft Max - Up to 96" |      |
|                                                                    |                                        |           |      |      | 30 Sq Ft Max - Over 96"  |      |
| ALB8                                                               | Abaca Linen - 2" Light Filtering       | 90"       | 77"  | 67"  | 40"                      | 36"  |

### NOTES:

1) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

2) Minimum Width for Top-Down/Bottom-Up is 30" Right Side Control

Control Side indicates where the Charging Port and Reset/Programming button are located

## SIZE STANDARDS – INMOTION™ MOTORIZATION

| InMotion™ MOTORIZATION<br>MAXIMUM HEIGHTS<br>DAY/NIGHT Combination |                                                   |             |      |      |                                |      |
|--------------------------------------------------------------------|---------------------------------------------------|-------------|------|------|--------------------------------|------|
| CODE                                                               | SHADE NET WIDTH TO:                               | 30" – 72" * | 84"  | 96"  | 108"                           | 120" |
| <b>3/4" Light Filtering</b>                                        |                                                   |             |      |      | <b>60 Sq Ft Max - Over 96"</b> |      |
| ABL1                                                               | Abaca Linen - 3/4" Light Filtering                | 108"        | 108" | 108" | 80"                            | 72"  |
|                                                                    |                                                   |             |      |      | <b>85 Sq Ft Max - Over 96"</b> |      |
| CBC1                                                               | Cambrica - 3/4" Light Filtering                   | 108"        | 108" | 108" | 108"                           | 102" |
| CLC1                                                               | Classic - 3/4" Light Filtering                    | 108"        | 108" | 108" | 108"                           | 108" |
| CHC1                                                               | Crosshatch - 3/4" Light Filtering                 | 108"        | 108" | 108" | 108"                           | 108" |
| DPL1                                                               | Dappled - 3/4" Light Filtering                    | 108"        | 108" | 108" | 108"                           | 108" |
| LDC1                                                               | Designer Colors - 3/4" Light Filtering            | 108"        | 108" | 108" | 108"                           | 108" |
| SLK1                                                               | Silkweave - 3/4" Light Filtering                  | 108"        | 108" | 108" | 108"                           | 108" |
| <b>3/4" Sheer</b>                                                  |                                                   |             |      |      |                                |      |
| SHC1                                                               | SheerCell™ - 3/4" Sheer                           | 108"        | 108" | 108" | 108"                           | 108" |
| <b>3/4" Blackout</b>                                               |                                                   |             |      |      | <b>65 Sq Ft Max - Over 96"</b> |      |
| CBC3                                                               | Cambrica - 3/4" Blackout                          | 108"        | 108" | 108" | 87"                            | 78"  |
| CLC3                                                               | Classic - 3/4" Blackout                           | 108"        | 108" | 108" | 108"                           | 108" |
|                                                                    |                                                   |             |      |      | <b>60 Sq Ft Max - Over 96"</b> |      |
| CHC3                                                               | Crosshatch - 3/4" Blackout                        | 108"        | 108" | 108" | 80"                            | 72"  |
| LDC3                                                               | Designer Colors - 3/4" Blackout                   | 108"        | 108" | 108" | 108"                           | 108" |
| SLK3                                                               | Silkweave - 3/4" Blackout                         | 108"        | 108" | 108" | 108"                           | 108" |
| <b>Double Cell Light Filtering</b>                                 |                                                   |             |      |      | <b>70 Sq Ft Max - Over 96"</b> |      |
| CHC2                                                               | Crosshatch - 1/2" Light Filtering                 | 108"        | 108" | 108" | 93"                            | 84"  |
|                                                                    |                                                   |             |      |      | <b>65 Sq Ft Max - Over 96"</b> |      |
| SLK2                                                               | Silkweave - 1/2" Light Filtering (max height 96") | 108"        | 108" | 108" | 87"                            | 78"  |

### NOTES:

- 1) 1-1/4", 2", and Designer Colors Double Cell Fabrics not available with Day/Night
- 2) Fabrics may have a square foot restriction or Max Height restriction. Please review chart carefully
- 3) Minimum Width for Day/Night is 30" Right Side Control

Control Side indicates where the Charging Port and Reset/Programming button are located

**NOTE:** For Shades over 50" Wide, the length must be at least one half the length, plus 6"

Example: 100" Wide Shade must be at least 56" long


**NOTE:** Top-Fabric must be SheerCell™ - 3/4" Sheer

## OVERVIEW – INMOTION™ MOTORIZATION


### Motorization Overview - LEVOLOR® InMotion™

Experience motorization like never before with smart home integration and automated scheduling.

Take full control of your shades using voice command, the intuitive app, or remote.




**Standard Remote**  
Requires 2 x AAA  
batteries, included.



**Top-Down/Bottom-Up,  
Day/Night  
Remote**  
Requires 2 x AAA  
batteries, included.



**Hub**  
Requires 5V 2A adapter, included.  
Connect up to 30 shades per hub.



**App**  
Phone sold separately

#### App Requirements:

- LEVOLOR Hub
- 2.4 GHz Wi-Fi Network
- Apple® iOS10.0 or newer
- Android™ 4.1 or newer

#### Works With:

- Amazon Alexa
- Google Home
- IFTT
- Samsung SmartThings
- Siri

- Upgrade to motorization to control shades with remote or app.
- Powered by an integrated, rechargeable lithium-ion battery.
- Recharge with included magnetic micro-USB charger.
- Control shades with the 15-channel remote (sold separately).
- Add the hub (sold separately) to sync with your Wi-Fi to enable app control and smart home integration.
- Organize shades by room.
- See real-time shade position and battery charge status.
- Store preset shade positions as scenes.
- Create routines by scheduling scenes by day of week and time of day, even proximity to sunrise or sunset.
- Adjust shades when you are away from home.
- App available to download for iOS and Android devices.
- Available on Bottom-Up, Top-Down/Bottom-Up, and Day/Night shades. Control all rails independently.

Visit [LEVOLOR.com/InMotion](http://LEVOLOR.com/InMotion) for additional information.

**NOTE:** LEVOLOR® InMotion™ is not compatible with products from the previous LEVOLOR® motorization program. This includes blinds/shades that are controlled with the previous LEVOLOR app, 3-channel remote, and 6-channel remote.

### Accessories Overview - LEVOLOR® InMotion™

#### LEVOLOR® INMOTION™ WALL SWITCH

The InMotion Wall Remote lets you achieve effortless light control with the touch of a button, mounted to a wall to avoid misplacement. A great solution for hard to reach windows or in grand rooms with various automated solutions.

- Integrates with the LEVOLOR InMotion App or simply works by itself
- Operates an unlimited number of LEVOLOR motorized window coverings
- Features a clean, modern design with easy to use controls
- Activate group control and favorite position with a touch of a button
- Control up to 15-channels from one remote
- Hide unused channels for faster channel selection and scrolling
- Locking feature to prevent accidental programming changes
- No need to cut in to wall with the wireless design
- Not available for Top-Down/Bottom-Up shades
- Dimensions: 3.4" L x 3.4" W x 0.7" D



#### LEVOLOR® INMOTION™ SOLAR CHARGER

Harness the power of solar energy to power your motorized blinds and shades, ensuring reliable and efficient performance. A great choice for hard to reach windows.

- One Solar Charger per shade or blind is needed
- Easy to install and the low profile design is easy to conceal
- Provides a continuous charge to internal rechargeable batteries
- Syncs with the LEVOLOR InMotion™ App to show battery level
- Not recommended on north facing windows
- Micro USB charging cable, 59" long (included)
- Can be added to any existing InMotion™ blind or shade
- Dimensions: 18.7" L x 2" W x .30" D



- Used to charge InMotion and InMotion Wand motors
- Fully charges motors in 4-6 hours
- Built in LED indicator
- The charging cable is 120" long

Convenient accessory is available all Bottom Up, Top Down/Bottom Up and Day/Night shades

- 90 degree magnetic attachment
- Useful for hard to reach or high windows where reaching the charging port may be an issue
- Includes magnetic tip and 24" long connector cable
- Additional magnetic tips may be purchased separately

# INMOTION™ WAND CONFIGURATION SPECIFICATIONS

## INMOTION™ WAND

### OPTIONS:

- Wand colors: White, Vanilla, Gray, Bronze, Black. (Must specify at time of order)
- Wand lengths: 1 ft (12"), 2 ft (24"), 3 ft (36"), 4 ft (48"), 5 ft (60")
- Can be ordered for right or left side placement
- One plug-in charger is required for each order



| InMotion™ Wand - SIZE STANDARDS |                  |                |
|---------------------------------|------------------|----------------|
| Single Panel                    |                  |                |
|                                 | Cellular Fabrics | 1-1/4" Fabrics |
| Minimum NET Width - Bottom-Up   | 21"              | 24"            |
| Maximum Width                   | 120"             | 120"           |
| Minimum Height                  | 12"              | 12"            |
| Maximum Height                  | 108"             | 108"           |

**NOTE:** Max height varies by width and fabric type. Refer to chart.

The minimum inside mount width is 22" or 25" (1-1/4" fabrics) when ordered with hold-down bracket

InMotion™ Wand is not available with 2" Fabrics

**PLEASE NOTE-** At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

| InMotion™ Wand - SIZE STANDARDS |                  |                |
|---------------------------------|------------------|----------------|
| Two-on-One Headrail             |                  |                |
|                                 | Cellular Fabrics | 1-1/4" Fabrics |
| Minimum NET Width - Per Panel   | 24-1/4"          | 24"            |
| Minimum NET Width - Overall     | 48-1/2"          | 48"            |
| Maximum Width - Per Panel       | 120"             | 120"           |
| Maximum Width - Overall         | 144"             | 144"           |
| Minimum Height                  | 12"              | 12"            |
| Maximum Height                  | 108"             | 108"           |

**NOTE:** Max height varies by width and fabric type. Refer to chart.

InMotion™ Wand is not available with 2" Fabrics

### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Cellular                  |                |
|---------------------------|----------------|
| <b>Inside (IB) Mounts</b> |                |
| Headrail unit             | - 1/4"         |
| Shade height              | ordered height |
| Fabric width              | - 3/8"         |
| <b>Outside (OB) Mount</b> |                |
| Headrail unit             | ordered width  |
| Shade height              | ordered height |
| Fabric width              | - 1/8"         |

**NOTE:** Measurements may vary  $\pm 1/8"$

**NOTE:** InMotion™ Wand is **not available** with 2" Fabrics

Adjustments are taken from ordered dimensions.

| 1-1/4" Fabrics            |                |
|---------------------------|----------------|
| <b>Inside (IB) Mounts</b> |                |
| Headrail unit             | - 1/4"         |
| Shade height              | ordered height |
| Fabric width              | - 3/8"         |
| <b>Outside (OB) Mount</b> |                |
| Headrail unit             | ordered width  |
| Shade height              | ordered height |
| Fabric width              | - 1/8"         |

### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

| Cellular                             |        |
|--------------------------------------|--------|
| <b>Inside (IB) Mount</b>             |        |
| Minimum mounting depth               | 3/4"   |
| Minimum mounting depth, flush mount: | 2-1/8" |
| <b>Outside (OB) Mount</b>            |        |
| Minimum flat vertical surface        | 1-1/2" |

Use a metal tape measure for all measurements.

| 1-1/4" Fabrics                       |        |
|--------------------------------------|--------|
| <b>Inside (IB) Mount</b>             |        |
| Minimum mounting depth               | 1-5/8" |
| Minimum mounting depth, flush mount: | 3"     |
| <b>Outside (OB) Mount</b>            |        |
| Minimum flat vertical surface        | 1-1/2" |

**NOTE:** To accommodate the larger pleat of 1-1/4" fabrics, they use a larger rail system that requires more mounting depth.

# INMOTION™ WAND SIZE STANDARDS

| InMotion™ WAND<br>MAXIMUM HEIGHTS<br>Bottom-Up |                                        |           |      |      |                         |      |
|------------------------------------------------|----------------------------------------|-----------|------|------|-------------------------|------|
| CODE                                           | SHADE NET WIDTH TO:                    | 21" – 72" | 84"  | 96"  | 108"                    | 120" |
| <b>3/4" Light Filtering</b>                    |                                        |           |      |      |                         |      |
|                                                |                                        |           |      |      | 60 Sq Ft Max - Over 96" |      |
| ABL1                                           | Abaca Linen - 3/4" Light Filtering     | 108"      | 108" | 108" | 80"                     | 72"  |
|                                                |                                        |           |      |      | 85 Sq Ft Max - Over 96" |      |
| CBC1                                           | Cambrica - 3/4" Light Filtering        | 108"      | 108" | 108" | 108"                    | 102" |
|                                                |                                        |           |      |      | 85 Sq Ft Max - Over 96" |      |
| CLC1                                           | Classic - 3/4" Light Filtering         | 108"      | 108" | 108" | 108"                    | 102" |
|                                                |                                        |           |      |      |                         |      |
| CHC1                                           | Crosshatch - 3/4" Light Filtering      | 108"      | 108" | 108" | 108"                    | 108" |
|                                                |                                        |           |      |      | 85 Sq Ft Max - Over 96" |      |
| DPL1                                           | Dappled - 3/4" Light Filtering         | 108"      | 108" | 108" | 108"                    | 102" |
|                                                |                                        |           |      |      |                         |      |
| LDC1                                           | Designer Colors - 3/4" Light Filtering | 108"      | 108" | 108" | 108"                    | 108" |
|                                                |                                        |           |      |      |                         |      |
| SLK1                                           | Silkweave - 3/4" Light Filtering       | 108"      | 108" | 108" | 108"                    | 108" |
| <b>3/4" Sheer</b>                              |                                        |           |      |      |                         |      |
| SHC1                                           | SheerCell™ - 3/4" Sheer                | 108"      | 108" | 108" | 108"                    | 108" |
| <b>3/4" Blackout</b>                           |                                        |           |      |      |                         |      |
|                                                |                                        |           |      |      | 65 Sq Ft Max - Over 96" |      |
| CBC3                                           | Bella Vista - 3/4" Blackout            | 108"      | 108" | 108" | 87"                     | 78"  |
|                                                |                                        |           |      |      | 85 Sq Ft Max - Over 96" |      |
| CLC3                                           | Classic - 3/4" Blackout                | 108"      | 108" | 108" | 108"                    | 102" |
|                                                |                                        |           |      |      | 60 Sq Ft Max - Over 96" |      |
| CHC3                                           | Crosshatch - 3/4" Blackout             | 108"      | 108" | 108" | 80"                     | 72"  |
|                                                |                                        |           |      |      |                         |      |
| LDC3                                           | Designer Colors - 3/4" Blackout        | 108"      | 108" | 108" | 108"                    | 108" |
|                                                |                                        |           |      |      |                         |      |
| SLK3                                           | Silkweave - 3/4" Blackout              | 108"      | 108" | 108" | 108"                    | 108" |
| <b>Double Cell Light Filtering</b>             |                                        |           |      |      |                         |      |
|                                                |                                        |           |      |      | 70 Sq Ft Max - Over 96" |      |
| CHC2                                           | Crosshatch - 1/2" Light Filtering      | 108"      | 108" | 108" | 93"                     | 84"  |
|                                                |                                        |           |      |      | 45 Sq Ft Max            |      |
| LDC2                                           | Designer Colors - 1/2" Light Filtering | 90"       | 77"  | 67"  | 60"                     | 54"  |
|                                                |                                        |           |      |      | 65 Sq Ft Max - Over 96" |      |
| SLK2                                           | Silkweave - 1/2" Light Filtering       | 108"      | 108" | 108" | 87"                     | 78"  |
| <b>Double Cell Blackout</b>                    |                                        |           |      |      |                         |      |
|                                                |                                        |           |      |      | 45 Sq Ft Max            |      |
| LDC4                                           | Designer Colors - 1/2" Blackout        | 90"       | 77"  | 67"  | 60"                     | 54"  |
| <b>1-1/4" Light Filtering</b>                  |                                        |           |      |      |                         |      |
|                                                |                                        |           |      |      | 60 Sq Ft Max - Over 96" |      |
| ABL7                                           | Abaca Linen - 1-1/4" Light Filtering   | 108"      | 108" | 108" | 80"                     | 72"  |
|                                                |                                        |           |      |      | 55 Sq Ft Max - Over 96" |      |
| CBC7                                           | Cambrica - 1-1/4" Light Filtering      | 108"      | 108" | 108" | 73"                     | 66"  |
|                                                |                                        |           |      |      | 55 Sq Ft Max - Over 96" |      |
| CHC7                                           | Crosshatch - 1-1/4" Light Filtering    | 108"      | 108" | 108" | 73"                     | 66"  |
|                                                |                                        |           |      |      | 55 Sq Ft Max - Over 96" |      |
| SLK7                                           | Silkweave - 1-1/4" Light Filtering     | 108"      | 108" | 108" | 73"                     | 66"  |
| <b>1-1/4" Blackout</b>                         |                                        |           |      |      |                         |      |
|                                                |                                        |           |      |      | 50 Sq Ft Max - Over 96" |      |
| CBC9                                           | Cambrica - 1-1/4" Blackout             | 108"      | 108" | 108" | 67"                     | 60"  |
|                                                |                                        |           |      |      | 50 Sq Ft Max - Over 96" |      |
| CHC9                                           | Crosshatch - 1-1/4" Blackout           | 108"      | 108" | 108" | 67"                     | 60"  |
|                                                |                                        |           |      |      | 50 Sq Ft Max - Over 96" |      |
| SLK9                                           | Silkweave - 1-1/4" Blackout            | 108"      | 108" | 108" | 67"                     | 60"  |

## NOTES:


- 1) InMotion™ Wand is not available with 2" fabrics
- 2) InMotion™ Wand minimum width is 21"
- 3) 2-on-1 Minimum Panel Width 48-1/2"
- 4) 2-on-1 Maximum Width (overall) is 144"

## VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

### VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
  - 1) Left Stack
  - 2) Right Stack
  - 3) Split Stack (center opening)
  - 4) Center Stack
  - 5) Day/Night combo



#### Top Rail Dimensions



#### VERTICAL APPLICATION – SIZE STANDARDS

|                                            | Cellular                                        |                                  |                            |                                        |                                 | 2"           | 1-1/4"                                 |
|--------------------------------------------|-------------------------------------------------|----------------------------------|----------------------------|----------------------------------------|---------------------------------|--------------|----------------------------------------|
|                                            | Classic/Dappled/Designer Colors Light Filtering | Classic/Designer Colors Blackout | Sheer Fabric / Abaca Linen | All Other 3/4" Light Filtering Fabrics | All Other 3/4" Blackout Fabrics | Abaca Linen  | All Light Filtering & Blackout Fabrics |
| Min. Width                                 | 12"                                             | 12"                              | 12"                        | 12"                                    | 12"                             | 12"          | 12"                                    |
| Max. Width <b>Side &amp; Center Stack</b>  | 168"                                            | 168"                             | 120"                       | 168"                                   | 168"                            | 120"         | 120"                                   |
| Max. Width <b>Split Stack</b>              | 336"                                            | 336"                             | 240"                       | 336"                                   | 336"                            | 240"         | 240"                                   |
| Max. Width <b>Day/Night</b>                | 168"                                            | 168"                             | 120"                       | 168"                                   | 168"                            |              | 120"                                   |
| Min. Height                                | 24"                                             | 24"                              | 24"                        | 24"                                    | 24"                             | 24"          | 24"                                    |
| Max. Height                                | 120"                                            | 120"                             | 120"                       | 120"                                   | 120"                            | 120"         | 120"                                   |
| Max Sq. ft. <b>Side &amp; Center Stack</b> | 120 / panel                                     | 80 / panel                       | 100" / panel               | 140" / panel                           | 120" / panel                    | 100"         | 100" / panel                           |
| Max Sq. ft. <b>Split Stack</b>             | 120 / panel                                     | 80 / panel                       | 100" / panel               | 140" / panel                           | 120" / panel                    | 100" / panel | 100" / panel                           |
| Max Sq. ft. <b>Day/Night</b>               | 120 / panel                                     | 80 / panel                       | 100" / panel               | 140" / panel                           | 120" / panel                    | N/A          | 100 / panel                            |

#### Vertical Application not available with Double cell fabrics

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width

NOTE: The Vertical Application headrail color is Aspen White(785). Side rails and valance are color coordinated.

For shades over 168" wide, the valance will be shipped in 2 pieces

NOTE: For Day/Night - both fabrics selected must be the same cell size, 3/4" & 3/4" or 1-1/4" & 1-1/4"

- Split stack up to 336"
- Day/Night not available for 2" Fabrics
  - Hardware color follows the fabric that stacks on the left
  - CANNOT combine two different cell sizes
  - Max width use the smaller of the two fabrics

#### Standard Valance Returns

|                |        |
|----------------|--------|
| 3/4" Fabrics   | 3-1/4" |
| 1-1/4" Fabrics | 4"     |
| 2" Fabric.     | 4-3/8" |

# VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

|                           | Cellular       | 2" Fabrics     |
|---------------------------|----------------|----------------|
| <b>Inside (IB) Mount</b>  |                |                |
| Headrail unit             | -1/2"          | -1/2"          |
| Shade height              | - 1/2"         | - 1/2"         |
| Valance width (non-flush) | + 1"           | + 1-1/4"       |
| Valance width (flush)     | - 1/8"         | - 1/8"         |
| <b>Outside (OB) Mount</b> |                |                |
| Headrail unit             | -1/2"          | -1/2"          |
| Shade height              | ordered height | ordered height |
| Valance width             | + 1.25"        | + 1.25"        |
| <b>Standard Returns</b>   |                |                |
| Outside Mount             | 3-1/8"         | 4-1/4"         |
| Inside Non Flush Mount *  | 1-1/2"         | 1-1/2"         |

NOTE: Measurements may vary  $\pm 1/8"$

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

|                                     | Cellular | 2" Fabrics |
|-------------------------------------|----------|------------|
| <b>Inside (IB) Mount</b>            |          |            |
| Minimum mounting depth              | 15/16"   | 15/16"     |
| Minimum mounting depth, flush mount | 3-5/8"   | 4-1/2"     |
| <b>Outside (OB) Mount</b>           |          |            |
| Minimum flat vertical surface       | 5/8"     | 5/8"       |

\*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

## HARDWARE COLOR

- The Vertical Application headrail color is always Aspen White (785)

## EXCLUSIONS

- All Double Cell

## VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount or flush mount.
- Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected\*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.  
\*Override height location will be the center of the handle.

- Standard installation hardware (brackets) provided.
- 2" Fabric handles will be clear.


NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Fabric.

# CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## CLASSIC SKYLIGHT



This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.

- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail to cover the internal components
- 5' adjustable extension pole – extends to 10'

| STACK LOCATION: | WINDOW POSITION: |
|-----------------|------------------|
| <br>Top         | <br>Vertical     |
| <br>Bottom      | <br>Sloped       |
| <br>Side        | <br>Horizontal   |

Note: Cells will have a vertical orientation when side stack is ordered.





| CLASSIC SKYLIGHT – SIZE STANDARDS |               |
|-----------------------------------|---------------|
|                                   | Cellular      |
|                                   | All Fabrics * |
| Min. Width                        | 18"           |
| Max. Width                        | 60"           |
| Min. Height                       | 6"            |
| Max. Height                       | 72"           |
| Max Area (sq. ft.)                | 25            |

\* Classic Skylight not available with any Classic, Dappled, Designer Colors, 1-1/4" or 2" fabrics

| CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS |               |
|----------------------------------------------|---------------|
|                                              | Cellular      |
|                                              | All Fabrics * |
| Min. Width                                   | 6"            |
| Max. Width                                   | 72"           |
| Min. Height                                  | 18"           |
| Max. Height                                  | 60"           |
| Max Area (sq. ft.)                           | 25            |

\* Classic Skylight not available with any Classic, Dappled, Designer Colors, 1-1/4" or 2" fabrics

Optional Extension Pole  
Extends 5' to 10'  
(Part #400036-81511)



## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Inside (IB) Mount  |                |
|--------------------|----------------|
| Headrail unit      | – 3/16"        |
| Shade height       | ordered height |
| Fabric width       | – 3/4"         |
| Outside (OB) Mount |                |
| Headrail unit      | + 3/4"         |
| Shade height       | ordered height |
| Valance width      | ordered width  |

NOTE: All finished dimensions include side tracks.

NOTE: Measurements may vary ± 1/8"

## MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

| Inside (IB) Mounts                   | 3/4" Single and 1/2" Double |
|--------------------------------------|-----------------------------|
| Minimum mounting depth IB:           | 1-1/4"                      |
| Minimum mounting depth, flush mount: | 2-1/2"                      |
| Outside (OB) Mount                   | 3/4" Single and 1/2" Double |
| Minimum flat vertical surface        | 1"                          |

# SKYLIGHT WITH INMOTION™ MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## SKYLIGHT WITH INMOTION™ MOTORIZATION

Skylights with Motorization are different than Classic Skylight.

Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.



**InMotion™ Motorization:**

- Fabric stacks to the top of the window – between the moving rail and headrail



### SKYLIGHT with MOTORIZATION - SIZE STANDARDS

|                | All Cellular Fabrics* |
|----------------|-----------------------|
| Minimum Width  | 18"                   |
| Maximum Width  | 48"                   |
| Minimum Height | 12"                   |
| Maximum Height | 72"                   |

**Skylight with Motorization not available with any Classic, Dappled, Designer Colors, 1-1/4" or 2" fabrics**

### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

| Inside (IB) Mount |                |
|-------------------|----------------|
| Headrail unit     | - 3/16"        |
| Shade height      | ordered height |
| Fabric width      | - 1-1/4"       |

### HEADRAIL & BOTTOMRAIL DIMENSIONS

|                                      |        |
|--------------------------------------|--------|
| Depth of Rail                        | 2"     |
| Depth of Rail & Bracket              | 2-1/4" |
| Depth of Rail, Side Tracks & Bracket | 2-1/2" |
| Height of Rail                       | 1-1/2" |

**NOTE:** Skylight with Motorization is **not available** with 2" Fabrics, 1-1/4", Classic, or Designer Colors fabrics

### Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled InMotion™ Motorization motors
- Wireless remote control operates individual or groups of shades

### Operation & Installation Tips

- Skylight with InMotion™ Motorization has the option of an external battery pack that can be installed on the back of the headrail. Consider adding 48" Extension Cable (Part #62207000) to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all.
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

### MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the top or highest point in the window.

### External Battery - Mounted away from the Headrail

| Inside (IB) Mounts         |        |
|----------------------------|--------|
| Minimum mounting depth, IB | 2-1/2" |

### External Battery - Mounted to the back of the Headrail

| Inside (IB) Mounts         |        |
|----------------------------|--------|
| Minimum mounting depth, IB | 3-1/2" |

### NOTE:

The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

# SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

## ARCHES

### INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

### OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)


Height: Measure desired height(s)

## FAN-FOLD ARCHES


### NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

#### FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)



#### SIZE STANDARDS

|             | Cellular                     |               |             |
|-------------|------------------------------|---------------|-------------|
|             | 3/4" Light Filtering & Sheer | 3/4" Blackout | Double Cell |
| Min. Width  | 12"                          | 12"           | 12"         |
| Max. Width  | 84"                          | 60"           | 60"         |
| Min. Height | 6"                           | 6"            | 6"          |
| Max. Height | 42"                          | 30"           | 30"         |


Not available with 2", 1-1/4", 3/4" Abaca, Classic, Designer Colors

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch


### MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

#### FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)



#### SIZE STANDARDS

|             | Cellular                     |               |             |
|-------------|------------------------------|---------------|-------------|
|             | 3/4" Light Filtering & Sheer | 3/4" Blackout | Double Cell |
| Min. Width  | 12"                          | 12"           | 12"         |
| Max. Width  | 84"                          | 60"           | 60"         |
| Min. Height | 6"                           | 6"            | 6"          |
| Max. Height | 42"                          | 30"           | 30"         |


Not available with 2", 1-1/4", 3/4" Abaca, Classic, Designer Colors

Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch


### NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

#### FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)



#### SIZE STANDARDS

|             | Cellular                     |                    |                    |
|-------------|------------------------------|--------------------|--------------------|
|             | 3/4" Light Filtering & Sheer | 3/4" Blackout      | Double Cell        |
| Min. Width  | 12"                          | 12"                | 12"                |
| Max. Width  | 84"                          | 60"                | 60"                |
| Min. Height | 1/4 width (6" min)           | 1/4 width (6" min) | 1/4 width (6" min) |
| Max. Height | 1/2" width                   | 1/2" width         | 1/2" width         |

Not available with 2", 1-1/4", 3/4" Abaca, Classic, Designer Colors

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch

## FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.


| Inside (IB) Mounts |                |
|--------------------|----------------|
| Rail unit          | – 3/16"        |
| Arch height        | ordered height |
| Fabric width       | – 3/8"         |
| Outside (OB) Mount |                |
| Rail unit          | + 3/16"        |
| Arch height        | ordered height |
| Fabric width       | ordered width  |

NOTE: Measurements may vary ± 1/8"

## MOUNTING REQUIREMENTS

| Inside (IB) Mount                    | 3/4" Single, 1/2" Double |
|--------------------------------------|--------------------------|
| Minimum mounting depth:              |                          |
| Standard installation bracket        | 1-1/4"                   |
| Minimum mounting depth, flush mount: |                          |
| Standard installation bracket        | 2-1/4"                   |
| Outside (OB) Mount                   | 3/4" Single, 1/2" Double |
| Minimum flat vertical surface        | 1"                       |

PRODUCT COMPONENTS – CONTINUOUS CORD LOOP




---

## PRODUCT COMPONENTS – CONTINUOUS CORD LOOP

---

1. Extension Bracket  
Part #KIT2013 (2PK)  
Part #KIT2014 (3PK)
2. Mounting Bracket  
Part #KIT-CCCLHC-2PK (2PK)  
Part #KIT-CCCLHC-3PK (3PK)
3. 1/2" Spacer Block  
KIT2011 (2PK)  
KIT2012 (3PK)
4. Spool Cover (Part #5241301)
5. Right Hand Clutch Cover (Part #90-10-0COLOR)  
Left Hand Clutch Cover (Part #90-20-0COLOR)
6. Right Hand Clutch Assembly (Part #50-0121-000)  
Left Hand Clutch Assembly (Part #50-0122-000)
7. Color-Coordinated Cord Loop
8. Continuous Cord Loop Headrail
9. Drop Limiter Tube (Part #500098000)
10. Polycarb Lift Spool (Part #1019884)
11. Metal V Shaft (Part #2770004000)
12. 1/2" Spacer Block KIT2011 (2PK) KIT2012 (3PK)
13. Cradle Support (Part # 19-179)
14. Spool Cover (Part #5241301)
15. Polycarb Lift Spool (Part #1019884)
16. Lift Station Support  
RH (Part # 6281301)  
LH (Part # 6281303)
17. Headrail End Cap (Part #4024954-COLOR)
18. Headrail Filler Strip (Part #42500110C)
19. Filler Strip – 3/8" Rail (Part #2954000000)  
Filler Strip – 3/4" Rail (Part #42500110C)
20. Universal Cord Tensioner Mounting Kit (Part #1045674)
21. Hold Down Bracket 3/4" (Part #XCS1101) 3/8" (Part #CS1101)
22. End Cap – 3/8" (Part #UEC-COLOR)  
End Cap – 3/4" (Part #19-183-COLOR)
23. Shade Adjust (Part #12-128A Spool, 12-129A Base)
24. Rail Weight – 5" With Tape (Part #40-0013-000)
25. Universal Cord Tensioner (pictured) and Bearing (not pictured) - Order both together  
Black (UCT Part #1042820; Bearing #1042806)  
Vanilla (UCT #1042821; Bearing #1042807)  
White (UCT #1042822; Bearing #1042808)  
Dark Brown (UCT #1042823; Bearing #1042809)  
Light Brown (UCT #1042824; Bearing #1042810)
26. LH Rear Clutch Assembly (Part #CS4317)
27. Dual Bottom Limiter (Part #500199000)

## PRODUCT COMPONENTS – CORDLESS



### CORDLESS TOP-DOWN/BOTTOM-UP

Striker Plate:  
Zinc: Part #CS5476 (Painted rails)  
White: Part #CS5476W (Fabric covered rails)

Magnet:  
Zinc: Part #CS5467 (Painted rails)  
Magnet Cover - White: Part #CS5467CV-W (Fabric covered rails)  
Magnet Lock: Part #CS5471  
Magnet Screw: Part #1021017


---

## PRODUCT COMPONENTS – CORDLESS

---

1. End Mount Bracket (Part #40-0026-159)  
Used with installation bracket
2. 1/2" Spacer Block  
Part #KIT2011 (2PK)  
Part #KIT2012 (3PK)
3. Spool Cover (Part #5241301)
4. Lift Station Support – RH (Part #6281301)
5. Headrail End Cap (Part #4024954-COLOR)
6. Cordless Headrail
7. Polycarb Lift Spool (Part #1019884)
8. Lift Motor  
Blue (Part #1009471)  
White (Part #1009472)  
Gray (Part #1009470)
9. Installation Bracket  
Part #KIT-CCCLHC-2PK (2PK)  
Part #KIT-CCCLHC-3PK (3PK)
10. Extension Bracket  
Part #KIT2013 (2PK)  
Part #KIT2014 (3PK)
11. Lift Rod V Shaft (Part #50-00-69-000)
12. Spool Cover (Part #5241301)
13. 1/2" Spacer Block  
Part #KIT2011 (2PK)  
Part #KIT2012 (3PK)
14. Lift Station Support – LH (Part #6281303)
15. Cradle Support (Part #19-179)
16. Headrail Filler Strip (Part #42500110C)
17. 3/8" Rail (Part #UR-COLOR-16)  
3/4" Rail (Part #XUR-COLOR-16)
18. Filler Strip  
3/8" Rail (Part #2954000000)  
3/4" Rail (Part #42500110C)
19. Bottomrail End Cap  
3/8" (Part #UEC-COLOR)  
3/4" (Part #19-183-COLOR)
20. Hold Down Bracket  
3/4" (Part #XCS1101)  
3/8" (Part #CS1101)
21. Shade Adjust  
Spool (Part #12-128A)  
Base (Part #12-129A)
22. Clear handle plug (Part #09-209A-000)
23. Cordless Handle  
Color (Part #09-199B-COLOR)  
Clear (Part #09-199B-000)
24. Light Block Option Dimensions and 1-1/4"  
(Cordless and Motorized IB only) (Part #RCBLBB)
25. Rail Weight – 5" With Tape (Part #40-0013-000)

## PRODUCT COMPONENTS – 1 1/4" CORDLESS BOTTOM UP




---

## PRODUCT COMPONENTS – 1 1/4” CORDLESS BOTTOM UP

---

1. Headrail (CC) RAIL;HDR;HC;1.25in;  
CC = Coordination Color
2. Bottom rail (CC) RAIL;BTM;HC;1.25in;  
CC = Coordination Color
3. COMMON HR LIFT SPOOL SUPPORT (Part #2780033000)
4. SPOOL;HONEYCOMB;COMMON HR ASA;DARK GRAY (Part#1019884)
5. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
6. Headrail end cap (CC) EC;HC;1.25in;HDR;  
CC = Coordination Color
7. Bottom rail end cap (CC) EC;HC;1.25in;BTM;  
CC = Coordination Color
8. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
9. Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
10. CORD;CC090002;NA;WHITE;00110;CRDLS .09MM (Part #1851771)
11. SIMPLEX WHITE MOTOR ASSEMBLY-NEW WING (Part #1009472)  
SIMPLEX BLUE MOTOR ASSEMBLY-NEW WING (Part #1009471)  
SIMPLEX TAN MOTOR NO BRAKE-NEW WING (Part #1009473)  
SIMPLEX MOTOR BROWN NO BRAKE (Part #500200000)
12. FILLER STRIP 2.41IN ALUMINUM (Part #2971311000)
13. Fabric
14. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)
15. KIT SM CASS BKT 2PK (Part #KIT-RS-010R)  
KIT SM CASS BKT 3PK (Part #KIT-RS-011R)
16. HC CL Handle Universal- (Part #09-199B-XXX (CC))  
CC = Coordination Color
17. Not Shown (Optional):  
Light Blocking Brush 200yd spool (Part #RCBLBB)  
Spacer Block 2-Pack (Part #KIT2011)  
Spacer Block 3-Pack (Part #KIT2012)  
4 IN BREAK AWAY BRACKET WHITE 10-0706 (Part #40-0026-159)




---

## PRODUCT COMPONENTS – 1 1/4" CORDLESS TOP DOWN/BOTTOM UP

---

1. Headrail (CC) RAIL;HDR;HC;1.25in;  
CC = Coordination Color
2. Bottom rail (CC) RAIL;BTM;HC;1.25in;  
CC = Coordination Color
3. COMMON HR LIFT SPOOL SUPPORT (Part #2780033000)
4. SPOOL;HONEYCOMB;COMMON HR ASA;DARK GRAY (Part #1019884)
5. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
6. Headrail end cap (CC) EC;HC;1.25in;HDR;  
CC = Coordination Color
7. Bottom rail end cap (CC) EC;HC;1.25in;BTM;  
CC = Coordination Color
8. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
9. Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
10. CORD;CC090002;NA;WHITE;00110;CRDLS .09MM (Part #1851771)
11. SIMPLEX WHITE MOTOR ASSEMBLY-NEW WING (Part #1009472)  
SIMPLEX BLUE MOTOR ASSEMBLY-NEW WING (Part #1009471)  
SIMPLEX TAN MOTOR NO BRAKE-NEW WING (Part #1009473)  
SIMPLEX MOTOR BROWN NO BRAKE (Part #500200000)
12. FILLER STRIP 2.41IN ALUMINUM (Part #2971311000)
13. Fabric
14. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)
15. KIT SM CASS BKT 2PK (Part #KIT-RS-010R)  
KIT SM CASS BKT 3PK (Part #KIT-RS-011R)
16. HC CL Handle Universal- (Part #09-199B-XXX (CC))  
CC = Coordination Color
17. INSERT;HC;1.25in;LGHT GSKT;16ft EXTR (Part #1022119)
18. LIFTLOCK TDBU 1.5IN X .925IN X .059IN P (Part #1022973)
19. MOTIONLOCK HANDLE ASSEMBLY 3/8IN SCREWS (Part #1021017)
20. LIFTLOCK TDBU .560IN X .125IN MAGNET (Part #6191403)
21. CAP;MAGNET;HC;1.25in;White (Part #1016334)
22. Not Shown (Optional):  
Light Blocking Brush 200yd spool (Part #RCBLBB)  
Spacer Block 2-Pack (Part #KIT2011)  
Spacer Block 3-Pack (Part #KIT2012)  
4 IN BREAK AWAY BRACKET WHITE 10-0706 (Part #40-0026-159)


# PRODUCT COMPONENTS – INMOTION™ MOTORIZATION BOTTOM UP



## PRODUCT COMPONENTS – INMOTION™ MOTORIZATION BOTTOM UP

1. HR SMTH MOD 2.10 UNIV HCCLCC (Part #90-80-0xxx)
2. RAIL STD CMTX 3/4 (Part #XURxxx16)  
RAIL STD CMTX 3/8 (Part #URxxx16)
3. Clamshell Lift Station Support Single RH (Part #6281301)
4. SPOOL;HONEYCOMB;COMMON HR ASA;DARK GRAY (Part #1019884)
5. Clamshell Lift Station Cover (Part #CS4052)
6. CRADLE SUPPORT (Part #19-179)
7. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
8. Fabric
9. HDRL END CAP UNIV RAIL (Part #4024954xxx)
10. END CAP 3/4 CMTX REV16 (Part #19-183-XXX)  
END CAP 3/8 CMTX (Part #UECXXX)
11. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)  
Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
12. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)
13. FILLER STRIP Duet Appls Acclm 3/4in AL (Part #42500110C)  
Aluminium filler strip 1 1/2 inch 1KFT RL (Part #1091830150)  
FILLER STRIP HC Pltd 3/8in ALUMINUM \*\* (Part #2954000000)
14. CORD .9 MM (Part #1851771)
15. KIT CC/CL HC INSTL BRKT WHITE 2 PK (Part #KIT-CCCLHC-2PK)  
KIT CC/CL HC INSTL BRKT WHITE 3 PK (Part #KIT-CCCLHC-3PK)
16. Cable tie mounting base (Part #CS5201)
17. LOCKING COLLAR ASSY - NGPR (METAL) (Part #2920750000)
18. MOTOR;INMOTION™ MOTORIZATION;CELL;SingleDr;0.6Nm;50r  
(Part #62006000)  
Includes motor and shaft adapters
19. InMotion™ Motorization BU 15 Channel Remote Control  
(Part #1026655)  
InMotion™ Motorization TDBU 16 Channel Remote Control (Part  
#1026656)
20. BATPK;INMOTION™ MOTORIZATION;5v2.6AhLi-ion;Rechrgeable  
(Part #62203000)
21. CHARGER;INMOTION™ MOTORIZATION;Solar Panel;2.0;USB Mtr  
(Part #62201000)
22. KIT;CHARGER;5V;WALL;USB;WHITE (Part #1027720)
- 23.
24. CNTRL;INMOTION™ MOTORIZATION;Gateway;WiFiHub;AltaExc  
(Part #62102C00)
25. CABLE;EXT;CHARGE;MICRO-USB;48IN (Part #1013115)
26. Internal Battery Motor (Part #62009000)  
Internal Battery (Part #62203100)  
Not Shown (Optional)  
CABLE;EXT;CHARGE;MICRO-USB;8IN (Part #1013119) Spacer  
Block 2-Pack (Part #KIT2011)  
Spacer Block 3-Pack (Part #KIT2012)  
CONN;Tip;INMOTION™ MOTORIZATION;Magnetic;USB  
(Part #62206200)  
KIT;INMOTION™ MOTORIZATION;Magnetic;Connect;Tip  
(Part #1026665)  
KIT;INMOTION™ MOTORIZATION;Magnetic;90deg;Connect;Tip  
(Part #1027769)


PRODUCT COMPONENTS – 1 1/4" INMOTION™ MOTORIZATION BOTTOM UP



## PRODUCT COMPONENTS – 1 1/4" INMOTION™ MOTORIZATION BOTTOM UP

1. Headrail (CC) RAIL;HDR;HC;1.25in;  
CC = Coordination Color
2. Bottom rail (CC) RAIL;BTM;HC;1.25in;  
CC = Coordination Color
3. COMMON HR LIFT SPOOL SUPPORT (Part #2780033000)
4. SPOOL HOUSING LH (Part #2965980000)
5. SPOOL;HONEYCOMB;COMMON HR ASA;DARK GRAY (Part #1019884)
6. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
7. Headrail end cap (CC) EC;HC;1.25in;HDR;  
CC = Coordination Color
8. Bottom rail end cap (CC) EC;HC;1.25in;BTM;  
CC = Coordination Color
9. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
10. Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
11. CORD;CC090002;NA;WHITE;00110;CRDLS .09MM (Part #1851771)
12. FILLER STRIP 2.41IN ALUMINUM (Part #2971311000)
13. Fabric
14. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)
15. KIT SM CASS BKT 2PK (Part #KIT-RS-010R)  
KIT SM CASS BKT 3PK (Part #KIT-RS-011R)
16. LOCKING COLLAR ASSY - NGPR (METAL) (Part #2920750000)
17. MOTOR;INMOTION™ MOTORIZATION;CELL;SingleDr;0.6Nm;50r  
(Part #62006000)  
Includes motor and shaft adapters
18. BATPK;INMOTION™ MOTORIZATION;5v2.6AhLi-ion;Rechrgeable  
(Part #62203000)
20. CABLE;EXT;CHARGE;MICRO-USB;8IN (Part #62206700)
21. CABLE;EXT;CHARGE;MICRO-USB;48IN (Part #62206800)
22. CHARGER;INMOTION™ MOTORIZATION;Solar Panel;2.0;USB Mtr  
(Part #62201000)
23. KIT;CHARGER;5V;WALL;USB;WHITE (Part #1027720)
24. InMotion™ Motorization 15 Channel Remote Control (Part #1026655)
25. CNTRL;INMOTION™ MOTORIZATION;Gateway;WiFiHub;AltaExc  
(Part #62102C00)
26. STOP;MOTOR;HC;1.25in;HDR (Part #1020445)
27. TAPE;FOAM;.05inx1.5in;Blue (Part #1017594)
28. Not Shown (Optional):  
Light Blocking Brush 200yd spool (Part #RCBLBB)  
Spacer Block 2-Pack (Part #KIT2011)  
Spacer Block 3-Pack (Part #KIT2012)  
4 IN BREAK AWAY BRACKET WHITE 10-0706 (Part #40-0026-159)


## PRODUCT COMPONENTS – INMOTION™ WAND MOTORIZATION



## PRODUCT COMPONENTS – INMOTION™ WAND MOTORIZATION

- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Headrail</li> <li>2. 3/8" Rail (Part #UR-COLOR-16)<br/>3/4" Rail (Part #XUR-COLOR-16)</li> <li>3. Common HR Lift Spool Support (Part #278003300)</li> <li>4. Polycarb Lift Spool (Part #1019884)</li> <li>5. Spool Housing LH (Part #2965980000)</li> <li>6. SPOOL SUPPORT COVER (Part # CS4052)</li> <li>7. LIFT ROD V-SHAFT (Part #2770004000)</li> <li>8. Fabric</li> <li>9. HDRL END CAP UNIV RAIL (Part #4024954xxx)</li> <li>10. END CAP 3/4 (Part #19-183-XXX)<br/>END CAP 3/8 (Part #UECXXX)</li> <li>11. Shade Adjust<br/>Base (PCN 12-129A)<br/>Spool (PCN 12-128A)</li> <li>12. 5 IN BOTTOM BAR WEIGHT W/TAPE (7505T) (Part #40-0013-000)</li> <li>13. Filler Strip<br/>3/8" Rail (Part #2954000000)<br/>3/4" Rail (Part #42500110C)</li> <li>14. Cord (Part #1851771)</li> <li>15. LOCKING COLLAR ASSY - NGPR (METAL) (Part #2920750000)</li> <li>16. ADAPT;VRod;HC;SPARE (Part #1034492)</li> <li>17. ADAPT;INMOTION™ WAND<br/>MOTORIZATION;BTE;Cell;SmoothHR (Part #1034496)</li> <li>18. MOTOR (Part #1034490)</li> <li>19. BATTERY (Part #1034491)</li> <li>20. EC;Receiver;InMotion™ Wand Motorization;RH (Part #1034428)<br/>EC;Receiver;InMotion™ Wand Motorization;LH (Part #1034429)</li> <li>21. Pendant<br/>White<br/>1FT (Part # 1034303)<br/>2FT (Part # 1034304)<br/>3FT (Part # 1034305)<br/>4FT (Part # 1034306)<br/>5FT (Part # 1034307)<br/>6FT (Part # 1040190)<br/>Vanilla<br/>1FT (Part # 1034408)<br/>2FT (Part # 1034409)<br/>3FT (Part # 1034410)<br/>4FT (Part # 1034411)<br/>5FT (Part # 1034412)<br/>6FT (Part # 1040191)<br/>Gray<br/>1FT (Part # 1034413)<br/>2FT (Part # 1034414)<br/>3FT (Part # 1034415)<br/>4FT (Part # 1034416)<br/>5FT (Part # 1034417)<br/>6FT (Part # 1040192)<br/>Bronze<br/>1FT (Part # 1034403)<br/>2FT (Part # 1034404)<br/>3FT (Part # 1034405)<br/>4FT (Part # 1034406)<br/>5FT (Part # 1034407)<br/>6FT (Part # 1040193)</li> </ol> | <div style="margin-left: 40px;">             Black<br/>             1FT (Part # 1034308)<br/>             2FT (Part # 1034309)<br/>             3FT (Part # 1034400)<br/>             4FT (Part # 1034401)<br/>             5FT (Part # 1034402)<br/>             6FT (Part # 1040194)           </div> <ol style="list-style-type: none"> <li>22. STOP;MOTOR;HC;1.25in;HDR (Part #1020445)</li> <li>23. TAPE;FOAM;.05inx1.5in;Blue (Part #1017594)</li> <li>24. END CAP CLTCH RH UNIV RAIL (Part #90-10-0XXX)<br/>END CAP CLTCH LH UNIV RAIL (Part #90-20-0XXX)</li> </ol> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


# PRODUCT COMPONENTS – VERTICAL APPLICATION



## PRODUCT COMPONENTS – VERTICAL APPLICATION

- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Headrail</li> <li>2. Manual End Plate (Part #2991380000)</li> <li>3. End Plate Screws (#8 x 3/4" Pan Head) (Part #2999019000)</li> <li>4. Cord Tensioner (Part #2991281000)</li> <li>5. Headrail Light Block Strip (Part #2780229002)</li> <li>6. Rail Carrier (Front Rail, Black) (Part # 2991259000)</li> <li>7. Rail Carrier (Rear Rail, Clear) (Part #2991260000)</li> <li>8. Fabric Carrier (Part #2991237000)</li> <li>9. Fabric Reinforcer (Part #2991238000)</li> <li>10. Stationary Rail Bracket Assembly<br/>LH (Part #2991323000)<br/>RH (Part #2991324000)</li> <li>11. Moving Rail Bracket Assembly<br/>LH (used with left fabric stacks) (Part #2991227000)<br/>RH (used with right fabric stacks) (Part #2991228000)</li> <li>12. Vertical Rail End Cap<br/>3/4" (Part #2991226000)<br/>1-1/4" Rail (Part #2991225000)</li> <li>13. Cord Guide Pin (Part #12991523000)</li> <li>14. Vertical Rail</li> <li>15. Handle Kit with Screws<br/>KIT2584 – Aspen White (785)<br/>KIT2670 – Silverado (276)<br/>KIT2589 – White Tiara (661)<br/>KIT2592 – Gardenia White (862)<br/>KIT2594 – Honey Bisque (882)<br/>KIT2591 – Dark Blonde (841)<br/>KIT2586 – Camel (082)<br/>KIT2587 – Cocoa (083)<br/>KIT2585 – Mushroom (810)<br/>24-119 – 2" Fabric (Clear)</li> <li>16. Vertical Rail Light Block Strip (Part # 2991319-COLOR)</li> <li>17. Set Screw (4-40 x 1/4") (Part #2999137000)</li> <li>18. Filler Strip<br/>3/4" (Part #1000002)<br/>1-1/4" (Part #2971311000)</li> <li>19. Fabric</li> <li>20. Cord Guide (Part #2991290000)</li> <li>21. Cord (Part #1003020)</li> <li>22. Valance Corner End Caps<br/>Black (Part #1031831)<br/>Camel (Part #1031837)<br/>Cocoa (Part #1035257)<br/>Silverado (Part #1031674)<br/>White Tiara (Part #1031671)<br/>Aspen White (Part #1031675)<br/>Mushroom (Part #1031830)<br/>Dark Blonde (Part #1031677)<br/>Gardenia White (Part #1031672)<br/>Honey Bisque (Part #1031678)</li> <li>23. Valance</li> <li>24. Cord Wrapper (Part #2991379000)</li> </ol> | <ol style="list-style-type: none"> <li>25. Foam Stop (IB Shades Only) (Part #2991497000)</li> <li>26. Cord Washer (Part #2930130000)</li> <li>27. Installation Bracket<br/>2 Pack (Part #KIT2764)<br/>3 Pack (Part #KIT2765)</li> <li>28. Spacer Blocks<br/>2 Pack (Part #KIT2511)<br/>3 Pack (Part #KIT2512)</li> <li>29. Extension Bracket Kit<br/>2 Pack (Part #KIT2013)<br/>3 Pack (Part #KIT2014)</li> <li>30. Stationary Rail Bracket Screw Kit (Part #KIT2757)</li> <li>31. Valance Splice Kit (Part #KIT2730)</li> <li>32. 1-1/4" Valance Clip<br/>2 Pack (Part #KIT2596)<br/>3 Pack (Part #KIT2618)<br/>4 Pack (Part #KIT2713)</li> <li>33. 3/4" Valance Clip<br/>2 Pack (Part #KIT2595)<br/>3 Pack (Part #KIT2617)<br/>4 Pack (Part #KIT2712)</li> <li>34. Stationary Rail Bracket (Part #KIT2490)</li> </ol> <p>Not shown<br/>Rail Magnet (Part #2993979000)<br/>Rail Magnet Holder (Part #2991240000)</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## PRODUCT COMPONENTS – SKYLIGHT




---

## PRODUCT COMPONENTS – SKYLIGHT

---

1. Standard Installation Bracket 3/8" Part #KIT-38HC-STD (2PK)
2. Standard Installation Bracket 3/4" Part #KIT-34HC-STD (2PK)
3. Aspen White Aluminum Rail  
3/4" (Part #72-21-0785)  
3/8" (Part #71-21-0785)
4. Washer (Part #2980043000)
5. Headrail End Cap  
3/4" (Part #2970020785)  
3/8" (Part #2950020785)
6. Cord Guide  
3/8" (Part #2950100000)  
3/4" (Part #2970300000)
7. Filler Strip  
3/8" (Part #2954000000)  
3/4" (Part #42500110C)
8. Specialty Side Track (Part #2980042785)  
3/8" (Part #2980041785)  
3/4" (Part #2980042785)
9. Specialty End Cap  
3/8" (Part #2980045000)  
3/4" (Part #2980040000)
10. Cord Clamping Screw (Part #2980044000)
11. Cord Clamping Washer (Part #2980043000)
12. Bottomrail End Cap  
3/8" (Part #2950020785)  
3/4" (Part #2970020785)
13. Specialty Spring (Part #2980035000)
14. Optional Extension Pole Extends 5' to 10' (Part #400036-81511)
15. Handle (Part #2980048785)  
Handle Screw (Part #2980049785)
16. Fabric Gasket
17. 1.2 MM Cord (Part #5009085959)

## PRODUCT COMPONENTS – SKYLIGHT INMOTION™ MOTORIZATION



---

## PRODUCT COMPONENTS – SKYLIGHT INMOTION™ MOTORIZATION

---

1. HR SMTH MOD 2.10 UNIV HCCLCC White Tiara (Part #90-80-0661)
2. RAIL STD CMTX 3/4 White Tiara (Part #XUR66116)
3. Cellular Fabric
4. FILLER STRIP Duet Appls Acclm 3/4in AL (Part #42500110C)
5. Shade Adjust - Base Clr/5K CAR rev 7.14. (Part #12-129A)
6. Shade Adjust - Spool Clear/5K CAR (Part #12-128A)
7. EYELET HC Pltd (Part #2980037000)
8. CORD .9 MM (Part #1851771)
9. END CAP 3/4 CMTX MOD LL WHITE TIARA (Part #19-183-661)
10. HDRL END CAP UNIV RAIL White Tiara (Part #4024954661)
11. COMMON HR LIFT SPOOL SUPPORT (Part #2780033000)
12. SPOOL HOUSING LH (Part #2965980000)
13. SPOOL SUPPORT COVER CORDLESS ULTRA IV (Part #CS4052)
14. SPOOL;CELLULAR;COMMON HR ASA;DARK GRAY (Part #1019884)
15. STEEL V-SHAFT ROD FOR COMMON HEADRAIL -A (Part #2770004000)
16. .350"H KERF MOUNT FOAM FILLED SEAL WHITE (Part #CS650W)
17. SIMPLEX MOTOR BROWN NO BRAKE (Part #500200000)
18. TRACK RETAINER BRIGHT WHITE 8 FT (Part #CS2400BW)
19. MOTOR;INMOTION™ MOTORIZATION;CELL;SingleDr;0.6Nm;50r (Part #62006000)  
(Note: Motor includes mount and shaft adapters)
20. BATPK;INMOTION™ MOTORIZATION;5v2.6AhLi-ion;Rechrgeable (Part #62203000)
21. 6-32 5/16W 1/8H NYLON INSERT HEX LOCK (Part #CS5471)
22. FLAT WASHER 18-8 STAINLESS STEEL (Part #CS5473)
23. 6-32 7/16 FLAT HD PHILIPS MACHINE SCREW (Part #CS5474)
24. 3/8 DIA. ROUND MAGNET FOR TOP RAIL (Part #CS5467)
25. Magnet Center Striker Plate TDBU Zinc PI (Part #CS5476)
26. CABLE TIE MOUNTING BASE (Part #CS5201)
27. Solar Panel (Part #62201000)
28. Plug In Charger Kit (Part #1027720)
29. InMotion™ Motorization 15 Channel Remote Control (Part #1026655)
30. Installation Bracket  
(Part #KIT-CCCLHC-2PK (2PK))  
(Part #KIT-CCCLHC-3PK (3PK))