



2X1

(3)X1

(4)X1



Do not install in case part is missing, contact us to get. Send email with your question to support@idealhouse.vip We will resend within 24 hours



• Before cutting, drilling or hammering into any wall or floor surface, verify the location of electrical, plumbing and gas lines.Cutting may cause serious injury.


3

Ready to assemble the dresser


Before installation, observe each structure of the drawer dresser. The drawer dresser consists of two main parts. You will assemble the chest first, and then install the five drawers. Finally, look at the finished look, and contrast list of part, imagine how to install it faster, hope this will help you.





We recommend using a power drill to assemble.



4







Step 6

 (\mathbf{F})

2)IIII

¢3.5*12mm 8X

(6)

(6)

-Install the drawer slides (f) on the Middle panel (f). Make sure the drawer slide is the one with a flat end when you build it.



ĨÐ

0 0 00 00

The first hole in the UPPER row holes of the slide is without the corresponding pre-drilled hole, after fix the position of the slide and then

 \oplus

00

Install first rail on the right side of board.

The first hole in the UPPER row holes of the slide is without the corresponding pre-drilled

hole, after fix the position of the slide and then

screw on.


¶€


screw on.


Step 7



-Screw (E) to lock (7) & 26 to the (5) as below shown











Step 8

-Screw (£) to lock (8) to the (6) as below shown -Screw (£) to lock (7) & (2) to the (6) as below shown



(5) ø (5) 6 EX5 12





Step 9




E \$\$ \$3.5*35mm 2X

-Attach[®] to⁶ to below shown -Screw[®] to lock[®] to the⁶ as below shown








Step 13




-Stick (1) to (1) & (2), use (6) locked




Warm tips: 1 It is recommended to put the product upside down when installing when installing the back panel.

2 It is recommended to attach the back panel (3) at the top panel (1) first.



The long groove on the panel is used to install the bottom plate.Please made sure all grooves of these boards are on the same side.



Step 15


-Attach@&③to①&①as below shown

-Attach220005&06&07 as below shown -ScrewEto attach20&01002&03 as below shown


> 12/13 (10) (E)X4 20/21 (1)0 `15/16/17 0 Х3


> > 19






20X







The furniture must permanently be fixed to the wall using the provided anti-tipping device to prevent it from tipping over.

Mark the drill positions on the wall with a pencil.
Drill a small hole on the marked positions.
Insert a wall anchor into the drilled hole.

·Fix the anti-tipping strap to the wall using the provided screws.