# TITESEAL

# **SAFETY DATA SHEET**

#### 1. Identification

Product identifier Tite Seal Instant Tire Repair - Specialty Tires

Other means of identification

SDS number M1108 Part No. M1108

Tariff code 3506.91.0000

Recommended use Tire Repair

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

RSC Chemical Solutions
600 Radiator Road
Indian Trail, NC 28079

**United States** 

**Telephone** Customer Service: (704) 821-7643

Technical: (704) 821-7643

Website www.rscbrands.com E-mail sds@rscbrands.com

**Emergency phone number** Emergency Telephone: (303) 623-5716

Emergency Contact: RMPDC (877) 740-5015

Category 2

2. Hazard(s) identification

Physical hazards Flammable aerosols Classification not possible

**Health hazards** Specific target organ toxicity, repeated

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Contains gas under pressure; may explode if heated. May cause damage to organs through

prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** Do not breathe mist or vapor.

**Response** Get medical advice/attention if you feel unwell.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: Tite Seal Instant Tire Repair - Specialty Tires

M1108 Version #: 04 Revision date: 08-21-2018 Issue date: 11-03-2015

#### Supplemental information

27.51% of the mixture consists of component(s) of unknown acute oral toxicity. 27.51% of the mixture consists of component(s) of unknown acute dermal toxicity. 30.51% of the mixture consists of component(s) of unknown acute inhalation toxicity. 30.51, 32.81% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 30.51, 32.81% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The container label may not include the OSHA label elements listed in this document. Always carefully review the entire SDS and the product label prior to use in the workplace.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name                 | Common name and synonyms | CAS number | %         |
|-------------------------------|--------------------------|------------|-----------|
| Trans-1,3,3,3-Tetrafluoroprop | o-1-ene                  | 29118-24-9 | 20 - < 30 |
| ETHYLENE GLYCOL               |                          | 107-21-1   | 3 - < 5   |
| Ammonia, Anhydrous            |                          | 7664-41-7  | < 0.1     |
| Other components below repo   | ortable levels           |            | 70 - < 80 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

InhalationIf symptoms develop move victim to fresh air. Get medical attention if symptoms persist.Skin contactWash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** In the unlikely event of swallowing contact a physician or poison control center.

Prolonged exposure may cause chronic effects.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

IIICuia

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods
General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Containers should be cooled with water to prevent vapor pressure build up.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

#### Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components  | Туре  | Value   |  |
|---|---|---|--|
| Ammonia, Anhydrous (CAS 7664-41-7)  | PEL   | 35 mg/m3  |  |
|   |   | 50 ppm  |  |
| US. ACGIH Threshold Limit   |   |   |  |
| Components  | Туре  | Value   | Form   |
| Ammonia, Anhydrous (CAS 7664-41-7)  | STEL  | 35 ppm  |  |
|   | TWA   | 25 ppm  |  |
| ETHYLENE GLYCOL (CAS 107-21-1)  | STEL  | 10 mg/m3  | Aerosol, inhalable.  |
|   |   | 50 ppm  | Vapor fraction   |
|   | TWA   | 25 ppm  | Vapor fraction   |
| US. NIOSH: Pocket Guide to  | Chemical Hazards  |   |  |
| Components  | Туре  | Value   |  |
| Ammonia, Anhydrous (CAS 7664-41-7)  | STEL  | 27 mg/m3  |  |
|   |   | 35 ppm  |  |
|   | TWA   | 18 mg/m3  |  |
|   |   | 25 ppm  |  |
|   |   | •   |  |
| •   | tal Exposure Level (WEEL) Guides  |   |  |
| US. Workplace Environmen<br>Components  | tal Exposure Level (WEEL) Guides<br>Type  | Value   |  |
| •   | • • •   | Value<br>800 ppm  |  |
| Components Trans-1,3,3,3-Tetrafluoropr  | Туре  | 800 ppm   |  |
| Components Trans-1,3,3,3-Tetrafluoropr op-1-ene (CAS 29118-24-9)  | <b>Type</b> TWA   | 800 ppm or the ingredient(s). Dair changes per hour) should applicable, use process enclos at airborne levels below rece  | ures, local exhaust ventilat<br>ommended exposure limits   |
| Components  Trans-1,3,3,3-Tetrafluoropr op-1-ene (CAS 29118-24-9)  logical limit values propriate engineering trols                                     | Type  TWA  No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main   | 800 ppm or the ingredient(s). O air changes per hour) should applicable, use process enclos tain airborne levels below recellished, maintain airborne levels  | ures, local exhaust ventilat<br>ommended exposure limits   |
| Components  Trans-1,3,3,3-Tetrafluoropr op-1-ene (CAS 29118-24-9)  logical limit values propriate engineering trols                                     | Type  TWA  No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estable.  | 800 ppm or the ingredient(s). D air changes per hour) should applicable, use process enclos tain airborne levels below reculished, maintain airborne levels   | ures, local exhaust ventilat<br>ommended exposure limits<br>s to an acceptable level.                              |
| Trans-1,3,3,3-Tetrafluoropr op-1-ene (CAS 29118-24-9) logical limit values propriate engineering trols  vidual protection measures, Eye/face protection | Type  TWA  No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estable, such as personal protective equipmed Chemical respirator with organic vap settings only. | 800 ppm  or the ingredient(s).  D air changes per hour) should applicable, use process enclos atain airborne levels below recollished, maintain airborne levels nent or cartridge and full facepiece. | ures, local exhaust ventilat<br>ommended exposure limits<br>s to an acceptable level.<br>Applicable for industrial |
| Trans-1,3,3,3-Tetrafluoropr op-1-ene (CAS 29118-24-9) logical limit values propriate engineering trols  vidual protection measures, Eye/face protection | Type  TWA  No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estable, such as personal protective equipment Chemical respirator with organic vap               | 800 ppm  or the ingredient(s).  D air changes per hour) should applicable, use process enclos atain airborne levels below recollished, maintain airborne levels nent or cartridge and full facepiece. | ures, local exhaust ventilat<br>ommended exposure limits<br>s to an acceptable level.<br>Applicable for industrial |

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece. Chemical respirator with

organic vapor cartridge and full facepiece if threshold limits are exceeded. Applicable for industrial

settings only.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Appearance Liquid
Physical state Liquid.
Form Aerosol.

Color Opaque. Milky.

Odor Ammonia

Odor threshold Not available.

pH 9.3 - 9.8

Melting point/freezing point Not available.

Initial boiling point and boiling

range

-2.2 °F (-19 °C) estimated

Flash point None

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 2.05 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 8.34 lbs/gal estimated

**Explosive properties** Not explosive.

**Heat of combustion (NFPA** 

30B)

0.49 kJ/g estimated

Oxidizing properties Not oxidizing.

Percent volatile 69.66 % estimated

Specific gravity 1 estimated

VOC 0 % w/w

#### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with Conditions to avoid

> incompatible materials. Strong oxidizing agents.

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. Toxicological information

#### Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. **Eve contact** 

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity** Not known.

Components **Species Test Results** 

Ammonia, Anhydrous (CAS 7664-41-7)

**Acute** 

Inhalation

LC50 Rat 2000 ppm, 4 Hours

Oral

LD50 Rat 350 mg/kg

ETHYLENE GLYCOL (CAS 107-21-1)

**Acute** 

**Dermal** 

LD50 Rabbit 9530 mg/kg

Oral

LD50 Rat 5.89 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

SDS US

**Chronic effects** May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

#### 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species **Test Results** 

Ammonia, Anhydrous (CAS 7664-41-7)

Aquatic

Fish LC50 Chinook salmon (Oncorhynchus 0.43 - 0.47 mg/l, 96 hours

tshawytscha)

ETHYLENE GLYCOL (CAS 107-21-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYLENE GLYCOL -1.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents **Disposal instructions** 

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

#### 14. Transport information

DOT

**UN number** Not available.

**UN proper shipping name** 

Consumer Commodity Transport hazard class(es)

ORM-D

Class Subsidiary risk

Not available. Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** T50 306 Packaging exceptions Packaging non bulk 304 Packaging bulk 314, 315

IATA

UN1950 **UN number** 

Aerosol, non flammable **UN proper shipping name** 

Transport hazard class(es)

Class 2.2 Subsidiary risk

Not available. Packing group

No. **Environmental hazards** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Material name: Tite Seal Instant Tire Repair - Specialty Tires

M1108 Version #: 04 Revision date: 08-21-2018 Issue date: 11-03-2015

**IMDG** 

**UN number** UN1950 **UN proper shipping name** AEROSOLS

Transport hazard class(es)

Class 2.2 Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG



# 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Ammonia, Anhydrous (CAS 7664-41-7) Listed. ETHYLENE GLYCOL (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Ammonia, Anhydrous (CAS 7664-41-7) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

| Chemical name CAS number | Reportable<br>quantity<br>(pounds) | Threshold planning quantity (pounds) | Threshold planning quantity, lower value (pounds) | Threshold<br>planning quantity,<br>upper value<br>(pounds) |  |
|--------------------------|------------------------------------|--------------------------------------|---|--|--|
|--------------------------|------------------------------------|--------------------------------------|---|--|--|

Ammonia, Anhydrous 7664-41-7 100 500

SARA 311/312 Hazardous

chemical

No (Exempt)

SARA 313 (TRI reporting)

| Chemical name   | CAS number | % by wt. |  |
|-----------------|------------|----------|--|
| ETHYLENE GLYCOL | 107-21-1   | 3 - < 5  |  |

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

ETHYLENE GLYCOL (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ammonia, Anhydrous (CAS 7664-41-7) **Safe Drinking Water Act**Not regulated.

(SDWA)

(SDWA)

#### **US state regulations**

#### California Proposition 65



WARNING: California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For

more information go to www.P65Warnings.ca.gov.

Australian Inventory of Chemical Substances (AICS)

#### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Ammonia, Anhydrous (CAS 7664-41-7) ETHYLENE GLYCOL (CAS 107-21-1)

#### **International Inventories**

Australia

Country(s) or region

| Canada      | Domestic Substances List (DSL)   | No |
|-------------|--|----|
| Canada      | Non-Domestic Substances List (NDSL)                                    | No |
| China       | Inventory of Existing Chemical Substances in China (IECSC)             | No |
| Europe      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe      | European List of Notified Chemical Substances (ELINCS)                 | No |
| Japan       | Inventory of Existing and New Chemical Substances (ENCS)               | No |
| Korea       | Existing Chemicals List (ECL)  | No |
| New Zealand | New Zealand Inventory  | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances              | No |

(PICCS)

Inventory name

Taiwan Taiwan Chemical Substance Inventory (TCSI) No Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Νo \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Issue date 11-03-2015 08-21-2018 **Revision date** 

Version #

HMIS® ratings Health: 2

Flammability: 0

Physical hazard: 0

NFPA ratings Health: 0

> Flammability: 0 Instability: 0

NFPA ratings



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).