

Assembly Instructions



Model No. RY0066/RY0149/RY0223

Night Table



Call us!

We're here to help!

If you have any issues with this product, please contact our customer service team **before returning** it.



We want you to be completely satisfied with your purchase! If anything is missing, damaged, incor-rect, or not what you expected, don't worry. Please keep the outer packaging and take photos of both the packaging and products, and then reach out to us at support@tribesigns.com or call us at **1-424-220-6888**. We'll take care of everything and send you a free replacement, so you can enjoy your purchase as soon as possible without any hassle.

Assembly Instructions:

- 1. Carefully read these instructions and keep them for future reference.
- 2. Refer to the parts list for guidance and ensure that you have all the pieces before starting the assembly process, if anything is missing, damaged, or incorrect, contact us FIRSTLY BEFORE assembling.
- 3. When assembling, place all parts on a soft, clean, and flat surface, such as a carpet, to prevent any scratches.
- 4. To avoid misalignment of the holes, Please don't fully tighten the screws until you ensure all parts are in place.

Follow Tribesign:











Pinterest


YouTube


Instagram






X2






When using the electric screwdriver,
Reduce the power and torque to avoid damaging the furniture











Make sure all parts are included. Most board parts are labeled or stamped on the raw edge. Contact us for free replacement if having damaged or missing parts.



Parts & Hardware List




Hardware List






Installation of Cams and Pins


Read each step carefully before starting. Each step of instruction should be performed in the correct order. If these steps are not followed in sequence, assembly difficulties may occur.




Screw the pin into the hole. Set the cams correctly by aligning the head of the cams with the lock pins. Lock the cam by turning the cam head with a screwdriver until it is tightened. Please do not use an electric screwdriver to assemble the unit.






















































No heartburn, when we handle the return

Our way Their way



support@tribesigns.com



Replacement/Refund



You

Re-package item









Contact our customer service team



support@tribesigns.com www.tribesigns.com



1-424-220-6888