



**MoistureShield.**

DECKING • RAILING

---

**2026**  
RETAIL PRODUCT GUIDE





### **Superior Durability**

Decking built to last. Won't splinter and resists damage from moisture, rot and insects.

### **Ultra Low-Maintenance**

Our decking is fade/stain-resistant and stands up to the elements so you can focus on enjoying your deck, not working on it.

### **Lifetime Value**

Our decking lasts significantly longer and requires no ongoing maintenance compared to wood, resulting in better lifetime value.

### **Industry-Leading Warranties**

Structural and fade & stain warranties protect your investment.

### **Environmentally Friendly**

Made with 95% recycled materials, our wood composite decking supports conservation and doesn't rely on virgin timber.



vs.

## **Wood Decking**

### **Rots, Warps, and Splinters**

Exposure to weather heavily damages wood, affecting your deck's appearance and performance.

### **Ongoing Maintenance**

Requires constant upkeep due to fading and moisture absorption, with a shorter lifespan and eventual complete replacement.

### **Perceived Value**

Lower upfront cost seems like a good value, but upkeep, repair and replacement over time makes it the more costly option.

### **Limited Coverage**

Most wood products have no warranty at all.

### **Environmentally Harmful**

Wood sourcing varies widely and can contribute to deforestation when logging isn't responsibly managed.

# INNOVATION IS AT OUR CORE

## Decking Innovations



### The Solid Core Difference

An impermeable barrier that fights damage from moisture, rot, insects and other harmful elements.



### CoolDeck® Technology

Heat mitigating technology keeps boards up to 30° cooler than leading competitors' composite and PVC deck boards.\*



### TruTexture™ Surface

True wood grain finish, added scratch resistance and enriched color variegation for authentic, long-lasting beauty.



### DiamondDefense™ Coating

Creates the strongest composite cap in the industry to resist damage from scratches, stains and fading.

## Railing Innovations



### Powder Coat Protection

Performs at three times the industry standard.



### Connex™

Patented locking strip ensures secure connections.

*\*When compared to competitor's deck boards of similar or lighter brightness (L\* value)*

# Vision<sup>®</sup>

## Capped Composite Decking



The Solid Core Difference



CoolDeck<sup>®</sup> Technology



DiamondDefense<sup>™</sup> Coating



Zero Structural Field Failures in 30+ Years



Slip Resistance


Vision in Cold Brew.

It's time to step up to the future of composite decking. Vision, our strongest capped wood composite board, features reduced heat absorption and an enhanced finish with distinctive style that is comfortable underfoot and resistant to scratches, stains and impact.

- Dimensional wood grain texture
- Detailed variegated color tones
- Marine grade options span up to 24"
- Approved for open-joint cladding



Mochaccino



Cold Brew



MoistureShield Vision decks are backed by a 50-year transferable residential structural warranty, plus fade and stain coverage for 50 years.

Learn more at [MoistureShield.com/warranty](https://www.moistureshield.com/warranty).

## Deck Boards



### Grooved Edge

Actual Dimensions 1" x 5.4"  
Lengths 12', 16', 20'



### Solid Edge

Actual Dimensions 1" x 5.4"  
Lengths 16', 20'




### Fascia

Actual Dimensions 0.67" x 11.25"  
Length 12'

Vision® with CoolDeck® Technology	12' Grooved	16' Grooved	20' Grooved	
Mochaccino		13550611	13550613	13550616
Cold Brew		13550903	13550902	13550897

Vision® with CoolDeck® Technology	16' Solid Edge	20' Solid Edge	12' Fascia	
Mochaccino		13550614	13550617	13550041
Cold Brew		13550991	13550904	13550969

## Color Matched Pro Plugs

Pro Plugs to match Vision®	100 SF (375) Kit w/ Tool	100 PC Fascia Kit	
Mochaccino		70220228	73058358
Cold Brew		70220225	73058359



## Joist Tape (see page 14 for details)

Joist Tape	Material	65' Roll
2" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220022
4" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220023
6" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220024



## Hidden Fasteners (see page 14 for details)

Hidden Fasteners	Material	Screw	50 SF Box	250 SF Bucket	Availability
Aegis™ Plastic Clip Carbon Steel Screw WF	Plastic	Carbon	70220038	70220037	All markets
Aegis™ Plastic Clip Stainless Steel Screw WF	Plastic	Stainless	70220031	70220032	HI & FL
MoistureShield Steel Clip Carbon Reg Screws	Steel	Carbon	70221120	70221110	Varies by market

**InstaDeck®:** See pages 10-11

**Railing:** See pages 12-13 for railing options with your MoistureShield Decking

# Meridian™

## Capped Composite Decking



The Solid Core Difference



CoolDeck® Technology



TruTexture™ Surface



Zero Structural Field Failures in 30+ Years



Slip Resistance

Meridian in Citadel.

Resilient Meridian features an authentic wood look, low pattern repetition and rich color variegation without the upkeep of real wood. The low-profile wood grain texture features added scratch resistance and heat-mitigating technology to keep decks cooler.

- Low-repetition authentic wood grain texture
- Natural, variegated color tones
- Rated for installations on-ground, in-ground and underwater
- Approved for open-joint cladding




MoistureShield Vision decks are backed by a 50-year transferable residential structural warranty, plus fade and stain coverage for 40 years.

Learn more at [MoistureShield.com/warranty](https://www.moistureshield.com/warranty).



Catalina



Shoreside



Citadel

## Deck Boards



### Grooved Edge

Actual Dimensions 1" x 5.4"  
Lengths 12', 16', 20'



### Solid Edge

Actual Dimensions 1" x 5.4"  
Length 20'



### Fascia

Actual Dimensions 0.67" x 11.25"  
Length 12'

Meridian™ with CoolDeck® Technology		12' Grooved	16' Grooved	20' Grooved
Catalina		13550223	13550167	13550093
Shoreside		13550937	13550939	13550941
Citadel		13550942	13550947	13550943

Meridian™ with CoolDeck® Technology		20' Solid Edge	12' Fascia
Catalina		13550267	13550268
Shoreside		13550951	13550934
Citadel		13550944	13550949

## Color Matched Pro Plugs

Pro Plugs to match Meridian™		100 SF (375) Kit w/ Tool	100 PC Fascia Kit
Catalina		70220224	73058361
Shoreside		70220226	73058362
Citadel		70220227	73058360



## Joist Tape (see page 14 for details)

Joist Tape	Material	65' Roll
2" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220022
4" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220023
6" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220024



## Hidden Fasteners (see page 14 for details)

Hidden Fasteners	Material	Screw	50 SF Box	250 SF Bucket	Availability
Aegis™ Plastic Clip Carbon Steel Screw WF	Plastic	Carbon	70220038	70220037	All markets
Aegis™ Plastic Clip Stainless Steel Screw WF	Plastic	Stainless	70220031	70220032	HI & FL
MoistureShield Steel Clip Carbon Reg Screws	Steel	Carbon	70221120	70221110	Varies by market

**InstaDeck®:** See pages 10-11

**Railing:** See pages 12-13 for railing options with your MoistureShield Decking

# Elevate™

## Capped Composite Decking



The Solid Core Difference



Zero Structural Field Failures in 30+ Years




Slip Resistance


Elevate in Riverbank.

With Elevate, you get advanced protection and beauty at an exceptional value. Rot, insects and other harmful elements are kept at bay while you enjoy the depth of rich color tones that create stylish, durable outdoor spaces simply and affordably.

- Detailed wood grain texture
- Available in classic solid and organic variegated colors
- Rated for installations on-ground, in-ground and underwater
- Unbeatable moisture protection at a great value



Riverbank



Alpine Gray



MoistureShield Elevate decks are backed by a 50-year transferable residential structural warranty, plus fade and stain coverage for 30 years. Learn more at [MoistureShield.com/warranty](https://www.moistureshield.com/warranty).

# Strong. Dynamic. Fundamental.

## Deck Boards



### Grooved Edge

Actual Dimensions 1" x 5.4"  
Lengths 12', 16', 20'

### Solid Edge

Actual Dimensions 1" x 5.4"  
Length 20'

### Fascia

Actual Dimensions 0.67" x 11.25"  
Length 12'

	Elevate™	12' Grooved	16' Grooved	20' Grooved
Riverbank		13550582	13550583	13550584
Alpine Gray		13550577	13550578	13550579

	Elevate™	20' Solid Edge	12' Fascia
Riverbank		13550586	13500027
Alpine Gray		13550581	13500026

## Color Matched Pro Plugs

	Pro Plugs to match Elevate™	100 SF (375) Kit w/ Tool	100 PC Fascia Kit
Riverbank		N/A	73058367
Alpine Gray		N/A	73058366



## Joist Tape (see page 14 for details)

Joist Tape	Material	65' Roll
2" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220022
4" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220023
6" x 65" MoistureShield Joist Tape Roll - Black	Polyethyl Cloth	70220024



## Hidden Fasteners (see page 14 for details)

Hidden Fasteners	Material	Screw	50 SF Box	250 SF Bucket	Availability
Aegis™ Plastic Clip Carbon Steel Screw WF	Plastic	Carbon	70220038	70220037	All markets
Aegis™ Plastic Clip Stainless Steel Screw WF	Plastic	Stainless	70220031	70220032	HI & FL
MoistureShield Steel Clip Carbon Reg Screws	Steel	Carbon	70221120	70221110	Varies by market

**InstaDeck®:** See pages 10-11

**Railing:** See pages 12-13 for railing options with your MoistureShield Decking

# InstaDeck®

Outdoor Flooring System



Easily create picture frame design

Heavy-duty tiles hold decking securely in place

For ground-level decking, simplify installation with heavy-duty plastic tiles that easily snap together to create a framework and foundation for MoistureShield decking. Create any size or shape deck without screws. Also compatible with select Belgard® pavers, allowing for the creativity of mixed material designs.

- Compatible with all MoistureShield decking lines
- Picture frame ability using line and corner tiles
- For installation of ground-level decking on any flat surface
- Fast, easy installation with minimal tools

See how easy it is!  
(1 minute video)



## Build a deck in a day!



1. Ensure a flat, level surface and set tiles.



**2' x 2' InstaDeck (set of 4)**  
Actual dimensions 22.55" x 22.55"



2. Press clips together to interlock tiles and secure to surface.



**Line InstaDeck (set of 16)**  
Actual dimensions 5.83" x 5.83"



3. Step down to snap boards in.



**Corner InstaDeck (set of 4)**  
Actual dimensions 5.83" x 5.83"

### InstaDeck Tiles

Description	Model #
InstaDeck Tiles – 22.55" x 22.55" – 4 pack	73056162
InstaDeck Line Tiles – 5.83" x 5.83" – 16 pack	73057673
InstaDeck Corner Tiles – 5.83" x 5.83" – 4 pack	73057674



Compatible with Belgard® 60mm pavers

# Compass™

Aluminum Railing



Connex™



Powder Coat  
Protection




Industry-Leading  
Warranty

Compass in Matte Black with Classic Top Rail.

Compass aluminum railing with customizable options perfectly complements any deck and home. Compass is engineered for low-maintenance durability, so your finished space feels safe and looks polished year after year.

- Timeless styling
- Premium rust-resistant powder-coated finish
- Pre-assembled true-to-length panels
- Patented Connex™ locking strip ensures secure connections



*36" rail height in 6' and 8' lengths.  
42" rail height available in select markets.*



MoistureShield Compass railing is backed by a Transferable Limited Lifetime Warranty. Learn more at [MoistureShield.com/warranty](https://www.MoistureShield.com/warranty).



**Matte Black**


# Prevailing. Flawless. Guided.

## 1. Choose your rail panel:

Select your railing height and panel length(s); 6' and 8' panels are interchangeable.

Your rail panel includes: pre-assembled panel with 3/4" square balusters, brackets & hardware.

Compass Rail Panels with 3/4" Square Balusters		
Description	36"	42"
6' Level Rail Panel	73054979	73054981
8' Level Rail Panel	73054980	73054982
6' Stair Rail Panel	73054987	73054989
8' Stair Rail Panel	73054988	73054990



## 2. Choose your top rail:

Complete your railing installation by selecting a top rail.

Your top rail includes: top rail, end caps & hardware.

Compass Top Rails & Adapters		
Description	6'	8'
Classic Top Rail	73054997	73054998
Cambridge Top Rail	73054995	73054996
Deck Board Adapter	73053465	73053466



\*The Deck Board Adapter used on our Classic Top Rail allows you to install a MoistureShield deck board to create a "cocktail rail."

## 3. Choose your posts:

Your post kit includes: post, base trim & post cap.

Compass Post Kits		
Description	39'	42'
2.5" Compass Post Kit	73053469	73053470



Tip: You will need 1 post per rail section plus 1 additional post for the end of each run.

Tip: If you order additional posts to add short (cut) rail sections, don't forget to order your brackets below.

## 4. Choose your extra brackets:

Your rail panel includes a set of brackets; if cutting a rail panel down to create two shorter panels, you will need to select an extra set of brackets.

Your bracket kit includes: 2 top brackets, 2 bottom brackets, bracket covers & hardware.

Compass Rail Bracket Kits			
Description	Level	Level Angle	Stair
Classic Top Rail Bracket Kits	73053989	73054013	73053993
Cambridge Top Rail Bracket Kits	73054084	73054089	73054085



Classic Bracket Kit for Level



Classic Bracket Kit for Angle



Classic Bracket Kit for Stair

# Accessories

## Joist Tape & Fasteners

### Joist Tape

Protect every inch of your deck with MoistureShield joist tape. Its patented adhesive and cloth backing seals joists and screws to block moisture. The tape tears easily without tools, can be repositioned without residue, and applies smoothly to any substrate—including lumber and steel.

- Self-sealing and repositionable without residue or sticking to itself
- Easy to tear by hand
- Extends life of wood joists by up to 10+ years
- For application temperatures between -20°F to 200°F (-29°C to 93°C)



---

### Aegis™ Clip Plastic Hidden Deck Fastener

Aegis Clip offers a 90-degree installation process and fastener options for use on wood or steel joist systems. The bottom teeth on the clip bite into the grooved deck board to help control the deck board's lateral movement. Glass reinforced polypropylene provides lasting strength and durability.

- Tight fit for added stability
- Pre-inserted screws for easy installation
- Available in high-strength carbon or stainless steel
- Works with wood or metal frames



# Resources

Support for Every Step of the Build

## Order Samples to See Color & Style at Home

### Delivered Right to Your Door

Order 12" deck board or texture card samples to compare colors and wood-grain styles in your own space. Feel the durable moisture-resistant engineering and ensure the ideal shade before placing your full decking order.



## DIY or Pro – MoistureShield Has You Covered


### Installation Instructions

How to install your MoistureShield decking and railing project.



### MoistureShield for Pros

Everything you need to deliver the best results, all in one place.



## Perform. Defend. Endure.



### Zero Structural Field Failures in 30+ Years

Our products have stood up to the elements for more than 30 years with no structural field failures.



### Industry Leading Warranties

All of our decking products are backed by a 50-year residential structural warranty. Our goal is to create worry-free outdoor living that lasts a lifetime. Learn more at [MoistureShield.com/warranty](https://MoistureShield.com/warranty).



### Made in the USA

Our composite decking products are proudly made in the USA and backed by decades of proven performance, MoistureShield inspires bold outdoor spaces engineered to endure.

Visit us online





**AN OLDCASTLE® APG OUTDOOR BRAND**

MoistureShield.com | 1.866.729.2378