

acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

SECTION 1: Identification

Product identifier 1.1

Trade name **DRYLOK® Extreme**

Alternative number(s) 28612; UFI: FS2M-G7N1-X80J-9QNP

28613; UFI: KCCM-37NR-K801-FUX4 28615; UFI: 3HWM-A7Q4-U801-R4G1

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses Waterproofing sealers

Concrete masonry paint, coating and lacquer paint related material

1.3 Details of the supplier of the safety data sheet

Sika Corporation

1396 lefferson Avenue Dunmore PA 18509 **United States**

Telephone: +1 (570) 344-1202

Telefax: (570) 969-7634

e-mail:

retailorders@us.sika.com

Website:

http://www.drylok.com/

Emergency telephone number 1.4

Emergency information service 1-800-424-9300 Chemtrec (NORTH AMERICA) Emergency telephone number: outside office

hours

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class | Category | Hazard class and cat- egory | Hazard state- ment |
|---------|-----------------------|----------|--------------------------------|-----------------------|
| A.6 | carcinogenicity | 1A | Carc. 1A | H350 |
| A.7 | reproductive toxicity | 2 | Repr. 2 | H361d |

For full text of abbreviations: see SECTION 16.

2.2 **Label elements**

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS08



- Hazard statements

H350 May cause cancer.

H361d Suspected of damaging the unborn child.

United States: en Page: 1 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Diethylene glycol monomethyl ether (DM), Quartz

(SiO2)

2.3 Other hazards

Hazards not otherwise classified

Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Safety data sheet available on request.

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \geq 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS |
|---|----------------------|------------|--|
| Titanium dioxide | CAS No 13463-67-7 | 5 – < 10 | Carc. 2 / H351 |
| Diethylene glycol monomethyl ether (DM) | CAS No 111-77-3 | 1-<5 | Repr. 2 / H361d |
| Aluminium oxide | CAS No 1344-28-1 | 0.05 – < 1 | Acute Tox. 3 / H331 |
| Quartz (SiO2) | CAS No 14808-60-7 | 0.05 – < 1 | Carc. 1A / H350 |
| 1,2-benzisothiazol-3(2H)-one | CAS No 2634-33-5 | < 0.05 | Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317 |
| Reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-iso- thiazol-3-one [EC no. 220-239-6] (3:1) | CAS No 55965-84-9 | < 0.05 | Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 4 / H332 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 |

Remarks

For full text of abbreviations: see SECTION 16

United States: en Page: 2 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

United States: en Page: 3 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

| Coun- try | Name of agent | CAS No | Identi- fier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | Ceiling-C [ppm] | | Source |
|--------------|---------------|-----------|-----------------|--------------|----------------|---------------|--------------------|--------|-------------------------|
| US | alpha-alumina | 1344-28-1 | REL | | | | | appx-D | NIOSH REL |
| US | alpha-alumina | 1344-28-1 | PEL | | 15 | | | dust | 29 CFR 1910.10 00 |

United States: en Page: 4 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

Occupational exposure limit values (Workplace Exposure Limits)

| Coun- try | Name of agent | CAS No | Identi- fier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Nota- tion | Source |
|--------------|--|------------|-----------------|--------------|----------------|---------------|-----------------|--------------------|----------------------|------------------------------------|-------------------------|
| US | alpha-alumina | 1344-28-1 | PEL | | 5 | | | | | r | 29 CFR 1910.10 00 |
| US | aluminium, insol- uble compounds | 1344-28-1 | TLV® | | 1 | | | | | r | ACGIH® 2023 |
| US | aluminium oxide | 1344-28-1 | PEL (CA) | | 10 | | | | | dust | Cal/ OSHA PEL |
| US | aluminium oxide | 1344-28-1 | PEL (CA) | | 5 | | | | | r | Cal/ OSHA PEL |
| US | titanium dioxide | 13463-67-7 | PEL | | 15 | | | | | dust | 29 CFR 1910.10 00 |
| US | titanium dioxide | 13463-67-7 | REL | | | | | | | lowest, appx-A | NIOSH REL |
| US | titanium dioxide | 13463-67-7 | TLV® | | 2.5 | | | | | r, fine | ACGIH® 2023 |
| US | titanium dioxide | 13463-67-7 | TLV® | | 0.2 | | | | | r, nano | ACGIH® 2023 |
| US | Calcium silicate, naturally occur- ring as Wollaston- ite | 13983-17-0 | TLV® | | 1 | | | | | i, noAsb_l ess1Sil | ACGIH® 2023 |
| US | quartz | 14808-60-7 | PEL (CA) | | 0.05 | | | | | r, dust | Cal/ OSHA PEL |
| US | silica, crystalline - quartz | 14808-60-7 | PEL | | 0.098 | | | | | eq1a, r, dust | 29 CFR 1910.10 00 |
| US | silica, crystalline - quartz | 14808-60-7 | PEL | | 0.294 | | | | | eq2a, dust | 29 CFR 1910.10 00 |
| US | silica, crystalline - quartz | 14808-60-7 | PEL | 84.05 | | | | | | eq- ph1a, partml, r, dust | 29 CFR 1910.10 00 |
| US | silica, crystalline - quartz | 14808-60-7 | PEL | | 0.05 | | | | | r, dust | 29 CFR 1910.10 00 |
| US | silica, crystalline - quartz | 14808-60-7 | REL | | 0.05 (10 h) | | | | | r, dust, appx-A | NIOSH REL |

Notation

NIOSH Potential Occupational Carcinogen (Appendix A) see Appendix D - Substances with No Established RELs ceiling value is a limit value above which exposure should not occur appx-A appx-D Ceiling-C

as dust mppcf = 250/(%SiO2 + 5) mg/m³ = 10/(%SiO2 + 2) mg/m³ = 30/(%SiO2 + 2) fineparticle dust eq-ph1a eq1a eq2a fine inhalable fraction

lowest exposure by all routes should be carefully controlled to levels as low as possible

United States: en Page: 5 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

Notation

nano nanoparticle

noAsb_less1 contains no asbestos and less than 1% free crystalline silica

partml particles/ml r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| Physical state | liquid |
|----------------|-----------------------|
| Color | white |
| Particle | not relevant (liquid) |
| Odor | like ammonia |

Other safety parameters

United States: en Page: 6 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

| pH (value) | 9 (25 °C) |
|---|-----------------------|
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 193 °C at 760 mmHg |
| Flash point | not determined |
| Evaporation rate | not determined |
| Flammability (solid, gas) | not relevant, (fluid) |

Explosive limits

| - Lower explosion limit (LEL) | 0.6 vol% |
|-------------------------------|--|
| - Upper explosion limit (UEL) | 20.4 vol% |
| Vapor pressure | 1 mmHg at 64.3 °C |
| Density | 1.213 ^g / _{cm³} at 20 °C |
| Vapor density | this information is not available |
| Solubility(ies) | not determined |

Partition coefficient

| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|--|
| Auto-ignition temperature | 194 °C (auto-ignition temperature (liquids and gases)) |
| Viscosity | not determined |
| Explosive properties | none |
| Oxidizing properties | none |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

United States: en Page: 7 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components

| Name of substance | CAS No | Exposure route | ATE | |
|---|------------|-----------------------|---|--|
| Aluminium oxide | 1344-28-1 | inhalation: vapor | 3 ^{mg} / _I /4h | |
| Aluminium oxide | 1344-28-1 | inhalation: dust/mist | >0.888 ^{mg} / _I /4h | |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | oral | 670 ^{mg} / _{kg} | |
| Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | oral | 457 ^{mg} / _{kg} | |
| Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | dermal | 660 ^{mg} / _{kg} | |
| Reaction mass of: 5-chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | inhalation: vapor | 11 ^{mg} / _l /4h | |
| Reaction mass of: 5-chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | inhalation: dust/mist | 2.36 ^{mg} / _l /4h | |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

United States: en Page: 8 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

| Name of substance | CAS No | Classification | Number |
|-------------------|------------|----------------|--------|
| Quartz (SiO2) | 14808-60-7 | 1 | |
| Titanium dioxide | 13463-67-7 | 2B | |

Legend

Carcinogenic to humansPossibly carcinogenic to humans

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|---|------------|----------|------------------------------------|-----------------------|------------------|
| Diethylene glycol mono- methyl ether (DM) | 111-77-3 | LC50 | 5,741 ^{mg} / _l | fish | 96 h |
| Diethylene glycol mono- methyl ether (DM) | 111-77-3 | EC50 | 1,192 ^{mg} / _l | aquatic invertebrates | 48 h |
| 1,2-benzisothiazol-3(2H)- one | 2634-33-5 | LC50 | 16.7 ^{mg} / _I | fish | 96 h |
| 1,2-benzisothiazol-3(2H)- one | 2634-33-5 | EC50 | 2.94 ^{mg} / _I | aquatic invertebrates | 48 h |
| 1,2-benzisothiazol-3(2H)- one | 2634-33-5 | ErC50 | 150 ^{µg} /ı | algae | 72 h |
| Reaction mass of: 5- chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | LC50 | 0.19 ^{mg} / _l | fish | 96 h |
| Reaction mass of: 5- chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | EC50 | 0.16 ^{mg} / _I | aquatic invertebrates | 48 h |

United States: en Page: 9 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

Aquatic toxicity (acute) of components

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|---|------------|----------|-----------------------|---------|------------------|
| Reaction mass of: 5- chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | ErC50 | 19.9 ^{µg} /ı | algae | 72 h |

Aquatic toxicity (chronic) of components

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|---|------------|----------|-------------------------------------|-----------------------|------------------|
| Diethylene glycol mono- methyl ether (DM) | 111-77-3 | EC50 | >1,000 ^{mg} / _l | microorganisms | 30 min |
| 1,2-benzisothiazol-3(2H)- one | 2634-33-5 | EC50 | 13 ^{mg} / _l | microorganisms | 3 h |
| Reaction mass of: 5- chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | LC50 | 0.07 ^{mg} / _l | fish | 14 d |
| Reaction mass of: 5- chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | EC50 | >0.18 ^{mg} / _i | aquatic invertebrates | 21 d |
| Reaction mass of: 5- chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7]and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | ErC50 | 45.6 ^{µg} /ı | algae | 120 h |

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of \geq 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

12.7 Other adverse effects

Data are not available.

United States: en Page: 10 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance it-self.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed (ACTIVE) or exempt from listing

United States: en Page: 11 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

| Name of substance | CAS No | Remarks | Effective date |
|-------------------|-----------|---------------|----------------|
| Aluminium oxide | 1344-28-1 | fibrous forms | 1986-12-31 |

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|---|------------|---------------|----------------------------------|
| Titanium dioxide | 13463-67-7 | | IARC Carcinogens - 2B Prop 65 |
| Diethylene glycol monomethyl ether (DM) | | | CA TACs |
| Quartz (SiO2) | 14808-60-7 | | IARC Carcinogens - 1 |

- Toxic or Hazardous Substance List (MA-TURA)

| Name of substance | CAS No | DEP CODE | PBT/HHS/ LHS | PBT / HHS Threshold | De Minimis Concentration Threshold |
|---|-----------|----------|-----------------|------------------------|------------------------------------|
| Quartz (SiO2) | | 1095 | | | 1.0 % |
| Aluminium oxide | 1344-28-1 | | | | 1.0 % |
| Diethylene glycol monomethyl ether (DM) | | 1022 | | | 1.0 % |

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------|------------|------------|---------|
| Quartz (SiO2) | | A, * | |
| Titanium dioxide | 13463-67-7 | А | |

Legend

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|---|------------|---------|-----------------|
| Quartz (SiO2) | 14808-60-7 | | CA |
| Titanium dioxide | 13463-67-7 | | |
| Aluminium oxide | 1344-28-1 | | |
| Diethylene glycol monomethyl ether (DM) | | | |

Legend

Carcinogenic CA

United States: en Page: 12 / 16

Substances which are regulated by OSHA as carcinogens; have been categorized by the ACGIH as either "human carcinogens" or "suspect of carcinogenic potential for man"; have been evaluated by the International Agency for Research on Cancer (IARC) and found to be carcinogens or potential carcinogens; or have been listed as a carcinogen or potential carcinogen in the Annual Report on Carcinogens published by the National Toxicology Program (NTP).

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|-------------------------------|------------|----------------|
| TITANIUM OXIDE (TIO2) | 13463-67-7 | |
| ALUMINUM OXIDE (AL2O3) | 1344-28-1 | Е |
| ETHANOL, 2-(2-METHOXYETHOXY)- | 111-77-3 | |

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

| Name of substance | CAS No | References |
|-------------------|------------|------------|
| Quartz (SiO2) | 14808-60-7 | Т |
| Quartz (SiO2) | 14808-60-7 | Т |
| Titanium dioxide | 13463-67-7 | Т |
| Aluminium oxide | 1344-28-1 | Т |
| Aluminium oxide | 1344-28-1 | Т |

Legend

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

| Proposition 65 List of chemicals | | | |
|--|------------|--|----------------------|
| Name acc. to inventory | CAS No | Remarks | Type of the toxicity |
| silica, crystalline | | airborne particles of respir- able size | cancer |
| titanium dioxide | 13463-67-7 | airborne, unbound particles of respirable size | cancer |
| diethanolamine | 111-42-2 | | cancer |
| formaldehyde | 50-00-0 | gas | cancer |
| ethylene oxide | 75-21-8 | | cancer |
| ethylene oxide | 75-21-8 | | female |
| ethylene oxide | 75-21-8 | | developmental, male |
| vinylidene chloride (1,1-dichloroethene) | 75-35-4 | | cancer |
| acrylonitrile | 107-13-1 | | cancer |

Industry or sector specific available guidance(s) NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

United States: en Page: 13 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | * | chronic (long-term) health effects may result from repeated overexposure |
| Health | 0 | no significant risk to health |
| Flammability | 1 | material that must be preheated before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|----------------|------------------|--|
| Flammability | 1 | material that must be preheated before ignition can occur |
| Health | 0 | material that, under emergency conditions, would offer no hazard beyond that of or- dinary combustible material |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|---|
| EU | REACH Reg. | not all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |
| AU | AIIC | not all ingredients are listed |
| CA | DSL | all ingredients are listed or exempt from listing |
| CA | NDSL | not all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | not all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | not all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | not all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | not all ingredients are listed |
| VN | NCI | not all ingredients are listed |

Legend

AllC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

United States: en Page: 14 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

Legend

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory NCI National Chemical Inventory Non-domestic Substances List (NDSL) NDSL NZIoC

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) PICCS

REACH Reg. TCSI REACH registered substances

Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-rel- evant |
|---------|---|---|----------------------|
| 1.3 | e-mail (competent person): crossley.robin@us.sika.com | | yes |
| 2.3 | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0.1%. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%. | yes |
| 3.2 | | Description of the mixture: change in the listing (table) | yes |
| 3.2 | | Remarks: For full text of abbreviations: see SECTION 16 | yes |
| 8.1 | | Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table) | yes |
| 12.5 | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not con- tain a PBT-/vPvB-substance in a concentration of ≥ 0.1%. | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not con- tain a PBT-/vPvB-substance at a concentration of ≥ 0.1%. | yes |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United States: en Page: 15 / 16



acc. to 29 CFR 1910.1200 App D

DRYLOK® Extreme

Version number: REV 14.0 Revision: 2024-08-21 Replaces version of: 2023-11-13 (REV 13)

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text | |
|-------|--|--|
| H302 | Harmful if swallowed. | |
| H311 | Toxic in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H331 | Toxic if inhaled. | |
| H332 | Harmful if inhaled. | |
| H350 | May cause cancer. | |
| H351 | Suspected of causing cancer. | |
| H361d | Suspected of damaging the unborn child. | |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

End of safety data sheet

United States: en Page: 16 / 16