




4-Pack Solar Post Cap – Black

INSTALLATION INSTRUCTIONS




Questions, concerns, or need replacement parts?


Please contact our Customer Loyalty Team at:
support@homezone-usa.com or 1-888-782-5618
Monday – Friday
8AM – 5PM EST

Model No. ELI1703V

What's in the box




4pcs light fixtures




4pcs lens



4pcs mountings



16pcs screws and
16pcs plastic anchors



1pc instruction
manual


Parameter

01 Dimension: 6.18 inch x 6.18 inch x 3.62 inch / 15.70 cm x 15.70 cm x 9.20 cm

02 Light source: 1pc warm white LED and 1pc cool white LED


03 Brightness: 20 lumens

How to operate and install




STEP 1

- Gently remove all parts from the package and lay them out on a smooth surface.
- Secure the post mount (Part C) onto the post (not more than 6inch) by inserting the 4 Screws and 4 Plastic Anchors (Part D) into the post cap as shown in Figure 1.
- Assemble as shown in Figure 1. Align the tab on the top of the post mount (Part C) into the slot on the bottom of the Plastic Lens (Part B). Then clockwise twist the Plastic Lens (Part B) to tighten.
- Then align the tab on the top of the Plastic Lens (Part B) into the slot on the bottom of the Solar Panel Unit (Part A). Then clockwise twist the Solar Panel Unit (Part A) to tighten.



STEP 2

- Before assembling the Solar Panel Unit (Part A) to the Plastic Lens (Part B), pull out the pull tab which is on the bottom of the Solar Panel Unit (Part A) as shown in Figure 2.



STEP 3

- Choose your desired temperature color (3000K/5000K) with the switch on the bottom of the Solar Panel Unit (Part A) as shown in Figure 3.
- Assemble the Solar Panel Unit (Part A) on the top of the Plastic Lens (Part B).
- The unit will then automatically light up at dusk.

Important safety operating instructions

PLEASE READ CAREFULLY AND SAVE THESE INSTRUCTIONS, AS YOU MAY NEED THEM AT A LATER DATE.

IMPORTANT SAFETY OPERATING INSTRUCTIONS

- 01 Please read all warning and instruction labels which are included in the box and fixture to avoid personal injury, property damage caused by fire, cuts, bruises, death and other dangers.
- 02 Please follow these general precautions before installing, maintaining, or fixing.

Precaution

- 01 It is important to select an outdoor location with full, direct sunlight where the solar panel can receive at least 8 hours of sunlight each day.
- 02 It is important to avoid placing the solar light by light sources, such as street lights or porch lights, which may cause the solar light to turn off automatically.
- 03 To avoid explosion and corrosion, please keep the solar light away from fire and humid environment.
- 04 No striking to avoid any damages to solar cell.

Warning


 **WARNING:** This product can expose you to chemicals including lead and lead compounds, Di (2-ethylhexyl) phthalate (DEHP), which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

- 01 The packing contains small parts that could be swallowed by children
- 02 Keep the packaging material away from children and pets
- 03 The solar light is not a toy
- 04 We do not take responsibility if the instruction manual is not followed correctly or if the product is handled improperly resulting in damage to person or property


Cleaning and maintenance

- 01 Use a damp cloth to clean the solar panel
- 02 To avoid any damage to this light, please do not use any chemical or abrasive cleaner

How it works



Solar panel collects sunlight to charge the battery (included) during the day




Automatically turns on at dusk for up to 8 hours of nighttime illumination

Rechargeable battery

This product contains (1) 3.2V 14500 500mAh LiFePO4 rechargeable battery. When the battery expires, it must be recycled or disposed of properly. Please contact your local waste disposal authority for correct procedure. Do not put battery into fire.

Battery replacement



- 01 Twist the Plastic Lens (Part B) and remove it from the Solar Panel Unit (Part A).
- 02 Open the battery chamber cover on the bottom of solar panel unit (Part A).
- 03 Replace the old battery with a new equivalent battery or larger capacity, making sure the polarity is correct.
- 04 Reposition the battery cover tightly.

Register & Subscribe today to protect your investment and join our email list!

Get exclusive offers and deals when you subscribe!

Thank you for choosing Home Zone Security!
We are here to support you every step of the way.

Please be sure to contact our customer support for troubleshooting
and register your product for additional benefits. Products must be
sold by an authorized reseller or distributor to be valid.

Why Register?

- Receive your extended warranty
- Get professional warranty support
- Be the first to hear the latest product news
- Get exclusive deals delivered to your email



Customer Service
homezonesecurity.com
support@homezone-usa.com
+1 888-782-5618



Distributed by
Horizon Marketing Group, LLC 
4198 Industry Way,
Flowery Branch, GA 30542, USA
Made in Cambodia